



ATHLON

OPTICS

2018 PRODUCT CATALOG

BINOCULARS | RIFLESCOPES | SPOTTING SCOPES | RED DOTS | RANGEFINDERS | ACCESSORIES



CONTENT

BINOCULARS

- CRONUS**
10x42, 8.5x42
- ARES**
10x42, 8x42, 10x36, 8x36
- MIDAS**
12x50, 10x50, 10x42, 8x42
- ARGOS**
12x50, 10x50, 10x42, 8x42, 10x34, 8x34
- TALOS**
12x50, 10x50, 10x42, 8x42, 10x32, 8x32
- NEOS**
12x50, 10x50, 10x42, 8x42, 10x32, 8x32, 10x30, 8x30

RIFLESCOPES

- CRONUS BTR**
4.5-29x56
- ARES ETR**
4.5-30x56
- ARES BTR**
2.5-15x50, 4.5-27x50
- MIDAS TAC**
6-24x50, 4-16x44
- MIDAS HMR**
2.5-15x50
- MIDAS BTR**
1-6x24, 2.5-15x50, 4.5-27x50
- HELOS BTR**
6-24x50, 8-34x56
- ARGOS BTR**
1-4x24, 6-24x50, 8-34x56, 10-40x56
- ARGOS**
2-10x40, 3-15x40, 4-20x50, 6-30x56
- TALOS BTR**
1-4x24, 4-14x44
- TALOS**
3-12x40, 4-16x40, 6-24x50
- NEOS**
3-9x40, 4-12x40, 6-18x44

SPOTTING SCOPES

- CRONUS TACTICAL**
7-42x60 ED

4	CRONUS	20-60x86 ED, 12-36x50 ED	38
6	ARES	20-60x85 ED, 15-45x65 ED, 7.5-22.5x50 ED	40
8	RED DOTS		
8	MIDAS BTR RED DOT SIGHTS	RD11, RD12, RD13	42
9	MIDAS BTR PRISM SCOPES	PR11, PR31, PR41	44
10	MIDAS BTR MAGNIFIERS	MG31, MG51	46
11	LASER RANGEFINDERS		
11	ARES 2000Y		48
11	MIDAS 1200Y		50
12	MIDAS 1 MILE		51
14	ACCESSORIES		
14	Binocular Harness, Binocular Tripod, Adapter, Scope Sunshade		52
16	TECHNICAL INFORMATION		
18	CRONUS BTR RIFLESCOPES		54
20	ARES ETR RIFLESCOPES		56
20	ARES BTR RIFLESCOPES		58
22	MIDAS TAC RIFLESCOPES		60
22	MIDAS HMR RIFLESCOPES		62
24	MIDAS BTR RIFLESCOPES		64
24	HELOS BTR RIFLESCOPES		66
26	ARGOS BTR RIFLESCOPES		68
28	ARGOS RIFLESCOPES		70
28	TALOS BTR RIFLESCOPES		72
30	TALOS RIFLESCOPES		74
30	NEOS RIFLESCOPES		76
32	MIDAS BTR RED DOT SIGHTS		78
34	MIDAS BTR PRISM SCOPES		80
36	CRONUS TACTICAL	7-42x60 ED	

PRODUCT FEATURES

- APACHROMATIC LENS SYSTEM**
Apochromatic lens system gives you the result of images which have greater contrast, sharpness and color definition.
- ESP 100%**
ESP Dielectric Coating is a multi layer prism coating that reflects over 99% of the light to your eyes bringing you a clear, bright image with accurate colors
- ARGON PURGED**
Argon purging gives you better waterproofing and thermal stability
- BAK4 PRISMS**
Bak-4 glass prisms reflect more light to your eyes thus will give you brighter and sharper image.
- ED**
ED glass gives you an image with little or no chromatic fringe for an ultimate clearest and sharpest image
- LOCKING TURRETS**
Locking Turrets allow you to pull up your turret to dial, and push down the turret to lock it in place.
- Precision Zero Stop System**
Precision Zero Stop System allows you to return to your zero position and dial back to it with a sharp and precise stop right at your zero location
- AFMC**
Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.
- HD**
HD Glass gives you better light transmission, brighter, and sharper image.
- PHASE COATED**
Phase corrected prisms produce images that have better contrast, a higher resolution and excellent color reproduction.
- E2ES**
E2ES System is a field flattening system that produces sharper, clearer images all the way from one lens edge to another
- PROOF**
Waterproof to protect the product in the harshest weather conditions or if accidentally submerged underwater.
- XPL COATING**
XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches
- Mg CHASSIS**
Magnesium chassis give you the strength of a metal chassis while reducing the weight as much as 35%
- MULTI COATED**
Multicoated optics effectively reduce reflected light and increase the transmission of light giving you a brighter image than normal single coated lenses
- FULLY MULTI COATED**
Fully Multi-Coated lenses bring you better light transmission to bring optimum brightness and true color across the entire light spectrum.

YOUR PRIZE IN OPTICS

ATHLON is a proud US sports optics product company devoted to designing and delivering superior quality optics products and outdoor accessories at a competitive price to our consumers via our distribution and retail channels. Athlon has strong engineering design capabilities, strategic alliances with quality manufacturers and a streamlined fully integrated supply chain. These advantages enable us to bring the latest cutting edge technologies and cut out the extra layers of the traditional supply chain. With these ad-


vantages we are able to deliver goods and products to individual consumers' hands with great cost savings.

Our obsession with product quality and superior customer service for hunters, recreational shooters, and outdoor enthusiasts drives our business. The business model on which we founded Athlon allows us to deliver high quality optics at extremely competitive prices. Our goal from day one is to pass those savings to you, the outdoor enthusiast.

OUR LIFETIME WARRANTY

Your Athlon product is not only warranted to be free of defects in materials and workmanship for the lifetime of the product. Athlon will also repair or replace the product at no charge to you if you damage it through normal use. No receipt needed, no registration required. This is a com-

mitment that Athlon Optics will be the best product you can buy for your money. This warranty does not cover damages caused by deliberate damage, misuse, theft or maintenance provided by someone other than the Athlon Authorized Service Department.



CONTENT AND PRODUCT FEATURES

VISIT US AT - ATHLONOPTICS.COM



ABOUT US

VISIT US AT - ATHLONOPTICS.COM



CRONUS BINOCULARS

Just like its namesake, Cronus the King of all the Mythological Greek Titans, this is the King of the Athlon Optic binocular kingdom! Athlon brings to you in the Cronus family, products inspired by a combined commitment to brightness, clarity and resolution.

Designed for serious glassing, with exceptional edge to edge clarity, sharp detail enhancement, ultra-clear brightness and true color representation. Whether you are on your annual hunt for whitetails on the family farm in Alabama or filling your tag on an once in a lifetime Montana Big Horn, don't leave anything to chance. We designed these binoculars with our revolutionary E2ES lens system that gives you a flat field of view. We included ED Glass that results in clearer and sharper image to your eyes.

Dielectric coating reflects 99% of the light through the prism assembly. Our state of the art light weight Magnesium chassis helps lighten your load all the while maintaining the ruggedness to withstand the scrapes & bumps of constant use. These Cronus binoculars can take a hit!



"COMBINED COMMITMENT TO
BRIGHTNESS, CLARITY AND RESOLUTION"



PRODUCT SPECIFICATION

CONFIGURATION	OBJECTIVE LENS DIAMETER	EYE RELIEF	FIELD OF VIEW ANGULAR	FOV @1000 YARDS	CLOSE FOCUS	INTERPUPIL-LARY DIST.	WEIGHT	HEIGHT X WIDTH
10 x 42 mm	42 mm	19.3 mm	6.5 °	338 ft	6.6 ft	56-73 mm	33 oz	6.3x5.1"
8.5 x 42 mm	42 mm	22 mm	7.6 °	399 ft	6.6 ft	56-73 mm	33 oz	6.3x5.1"

KEY FEATURES



Argon purging gives you better waterproofing and thermal stability



ED glass gives you an image with little or no chromatic fringe for an ultimate clearest and sharpest image



E2ES System is a field flattening system that produces sharper, clearer images all the way from one lens edge to another



XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches



ESP Dielectric Coating is a multi layer prism coating that reflects over 99% of the light to your eyes bringing you a clear, bright image with accurate colors



Phase corrected prisms produce images that have better contrast, a higher resolution and excellent color reproduction.



Bak-4 glass prisms reflect more light to your eyes thus will give you brighter and sharper image.



Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.



Waterproof to protect the binocular in the harshest weather conditions or if accidentally submerged underwater.

OTHER FEATURES: Magnesium chassis, Locking diopter, Long eye relief, Close focus, Twist up eye-cups





KEY FEATURES



Argon purging gives you better waterproofing and thermal stability



ED glass gives you an image with little or no chromatic fringe for an ultimate clearest and sharpest image



XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches



ESP Dielectric Coating is a multi layer prism coating that reflects over 99% of the light to your eyes bringing you a clear, bright image with accurate colors



Phase corrected prisms produce images that have better contrast, a higher resolution and excellent color reproduction.



Bak-4 glass prisms reflect more light to your eyes thus will give you brighter and sharper image.



Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.



Waterproof to protect the binocular in the harshest weather conditions or if accidentally submerged underwater.



Magnesium chassis give you the strength of a metal chassis while reducing the weight as much as 35%

OTHER FEATURES: Open bridge design, Long eye relief, Close focus & Twist up eye-cups.



10 x 42 mm / 8 x 42 mm



10 x 36 mm / 8 x 36 mm

PRODUCT SPECIFICATION

CONFIGURATION	OBJECTIVE LENS DIAMETER	EYE RELIEF	FIELD OF VIEW ANGULAR	FOV @1000 YARDS	CLOSE FOCUS	INTERPUPIL-LARY DIST.	WEIGHT	HEIGHT X WIDTH
10 x 42 mm	42 mm	14.7 mm	6.5 °	341 ft	8.2 ft	56-73 mm	29.8 oz	6.7x5.2"
8 x 42 mm	42 mm	16.5 mm	6.5 °	426 ft	6.5 ft	56-73 mm	29.8 oz	6.7x5.2"
10 x 36 mm	36 mm	13.9 mm	6.17 °	351 ft	8.2 ft	56-74 mm	24.9 oz	6.1x4.9"
8 x 36 mm	36 mm	14.9 mm	7.17 °	405 ft	6.5 ft	56-74 mm	24.9 oz	6.1x4.9"

ARES BINOCULARS



Ares lightweight open- bridge design is an example of the new innovative thinking that went into the unique design. Put in a few words, Ares optics are first-class.

The Ares family has ED glass lenses with Advanced multi-coated lens coatings, not to mention BaK4 prisms with the new ESP Dielectric Coating & Phase Coating. They bring super-premium clarity and brightness within the reach of most avid enthusiasts Their tough Magnesium chassis is fog proof and waterproof and filled with Argon to give you better internal fog proofing and thermal stability. These binoculars are covered with an ultra durable rubber armor for superior protection.

Bottom line? Just like Ares the Greek god of war, they will stand up to the toughest of circumstances. They're the perfect combination of lightweight construction, optical quality and rugged durability.



MIDAS BINOCULARS

Midas was known to have a golden touch. He must have laid his hands on these binoculars since they set the gold standard for this class of binoculars. The rugged benchmark for all-weather brightness and clarity, these Midas roof-prism binoculars are light and slim thanks to the magnesium designed chassis. Together with ED Glass lenses, Advanced Fully multi-coated optics, high-quality BaK-4 prisms with our ESP Dielectric coating plus phase coating, these Midas binoculars gather maximum light and produce brilliant color fidelity.



10 x 42 mm / 8 x 42 mm

12 x 50 mm / 10 x 50 mm

PRODUCT SPECIFICATION

CONFIGURATION	OBJ. LENS DIA.	EYE RELIEF	FIELD OF VIEW ANGULAR	FOV @1000 YARDS	CLOSE FOCUS	INTERPUPILLARY DIST.	WEIGHT	HEIGHT X WIDTH
12 x 50 mm	50 mm	15 mm	5.4 °	281 ft	11.48 ft	59-74 mm	33 oz	6.7x5.4"
10 x 50 mm	50 mm	16.9 mm	6.5 °	341 ft	9.84 ft	59-74 mm	33 oz	6.7x5.4"
10 x 42 mm	42 mm	15.2 mm	6.5 °	341 ft	8.2 ft	57-74 mm	25 oz	5.7x5.2"
8 x 42 mm	42 mm	17.2 mm	8.1 °	426 ft	6.5 ft	57-74 mm	25 oz	5.7x5.2"

KEY FEATURES



Argon purging gives you better waterproofing and thermal stability



ED glass gives you an image with little or no chromatic fringe for an ultimate clearest and sharpest image



Phase corrected prisms produce images that have better contrast, a higher resolution and excellent color reproduction.

OTHER FEATURES: XPL coating, Magnesium chassis, ESP Dielectric Coating, Bak-4 glass prisms, Advanced Fully Multi-Coated lenses, Long eye relief, Close focus, Twist up eye-cups, Waterproof

KEY FEATURES



Argon purging gives you better waterproofing and thermal stability



ESP Dielectric Coating is a multi layer prism coating that reflects over 99% of the light to your eyes bringing you a clear, bright image with accurate colors



Phase corrected prisms produce images that have better contrast, a higher resolution and excellent color reproduction.

OTHER FEATURES: XPL coating, Bak-4 glass prisms, Advanced Fully Multi-Coated lenses, Long eye relief, Close focus, Twist up eye-cups, Waterproof

ARGOS BINOCULARS



The Argos has an open-bridge style some hunters prefer for its secure ergonomic one-handed grip and comfortable in any weather condition. They come with superior quality and bright lenses that are Advanced fully multi-coated for sharp contrast, true color and excellent light gathering. They also have Bak-4 prism glass that have our new ESP Dielectric coating and phase correction for color fidelity and sharpness. They're also Argon gas purged for waterproof & non-fogging. The extra durable polymer composite chassis takes weight off your neck but at the same time stands up to the demands of hunting in any conditions.



12 x 50 mm / 10 x 50 mm



10 x 42 mm / 8 x 42 mm



10 x 34 mm / 8 x 34 mm

PRODUCT SPECIFICATION

CONFIGURATION	OBJ. LENS DIA.	EYE RELIEF	FIELD OF VIEW ANGULAR	FOV @1000 YARDS	CLOSE FOCUS	INTERPUPILLARY DIST.	WEIGHT	HEIGHT X WIDTH
12 x 50 mm	50 mm	16 mm	4.9 °	257 ft	13 ft	56-76 mm	29.5 oz	6.8x5.6"
10 x 50 mm	50 mm	17 mm	5.8 °	304 ft	13 ft	56-76 mm	29.5 oz	6.8x5.6"
10 x 42 mm	42 mm	16.1 mm	6.1 °	319 ft	13 ft	56-76 mm	24.6 oz	5.7x5.3"
8 x 42 mm	42 mm	17.3 mm	7.1 °	371 ft	13 ft	56-76 mm	24.6 oz	5.7x5.3"
10 x 34 mm	34 mm	16 mm	6.0 °	314 ft	13 ft	56-76 mm	16.3 oz	5.1x4.9"
8 x 34 mm	34 mm	17.4 mm	7.1 °	371 ft	13 ft	56-76 mm	16.3 oz	5.1x4.9"



TALOS BINOCULARS

Whether you're hunting, hiking, fishing or adding species to your life list. The Talos binoculars are built tough, with a rubber-armor housing that's O-ring sealed and nitrogen purged for 100% waterproof/fog-proof dependability. They promote available light with advanced fully multi-coated optics and premium BaK-4 prisms with phase coatings which delivers outstanding color fidelity and sharpness. With a streamlined lightweight composite chassis and roof-prism design, this makes these rugged & durable binoculars comfortable to carry.



12 x 50 mm / 10 x 50 mm



10 x 42 mm / 8 x 42 mm




10 x 32 mm / 8 x 32 mm

PRODUCT SPECIFICATION

CONFIGURATION	OBJ. LENS DIA.	EYE RELIEF	FIELD OF VIEW ANGULAR	FOV @1000 YARDS	CLOSE FOCUS	INTERPILLARY DIST.	WEIGHT	HEIGHT X WIDTH
12 x 50 mm	50 mm	18.2 mm	4.6 °	242 ft	11.48 ft	56-73 mm	29.8 oz	6.7x5.2"
10 x 50 mm	50 mm	19.5 mm	5.4 °	284 ft	9.84 ft	56-73 mm	29.8 oz	6.7x5.2"
10 x 42 mm	42 mm	15.2 mm	6.25 °	341 ft	8.2 ft	56-73 mm	25.5 oz	5.8x4.9"
8 x 42 mm	42 mm	17.2 mm	8.16 °	394 ft	6.56 ft	56-73 mm	25.5 oz	5.8x4.9"
10x32 mm	32 mm	14.8 mm	6.5 °	341 ft	9.84 ft	56-73 mm	19.3 oz	4.9x4.3"
8x32 mm	32 mm	14.7 mm	8.1 °	427 ft	8.2 ft	56-73 mm	19.3 oz	4.9x4.3"

KEY FEATURES



Bak-4 glass prisms reflect more light to your eyes thus will give you brighter and sharper image.



Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.



Phase corrected prisms produce images that have better contrast, a higher resolution and excellent color reproduction.

OTHER FEATURES: Long eye relief, Close focus, Twist up eye-cups, Nitrogen purged Waterproof

KEY FEATURES



Bak-4 glass prisms reflect more light to your eyes thus will give you brighter and sharper image.



Multicoated optics effectively reduce reflected light and increase the transmission of light giving you a brighter image than normal single coated lenses



Waterproof to protect the binocular in the harshest weather conditions or if accidentally submerged underwater.

OTHER FEATURES: Long eye relief, Close focus, Twist up eye-cups, Nitrogen purged

NEOS BINOCULARS



We build optics to withstand the elements, no matter what class of binos they're in. If you spend any time outdoors you will be near water, and your gear will spend some time in it. The Neos series of binoculars are built tough, with a composite chassis that's O-ring sealed and nitrogen purged for 100% waterproof/fog-proof so if you simply run into foul weather along the way or should you take spill in a stream, or for that matter take a spill overboard, your Neos binos are ready for it. Rubber armoring gives you a firm grip in slippery situations.



12 x 50 mm / 10 x 50 mm



10 x 42 mm / 8 x 42 mm



10 x 32 mm / 8 x 32 mm



10 x 30 mm / 8 x 30 mm

NEW

PRODUCT SPECIFICATION

CONFIGURATION	OBJ. LENS DIA.	EYE RELIEF	FIELD OF VIEW ANGULAR	FOV @1000 YARDS	CLOSE FOCUS	INTERPILLARY DIST.	WEIGHT	HEIGHT X WIDTH
12 x 50 mm	50 mm	14 mm	5.6 °	294 ft	23 ft	56-72 mm	33.5 oz	7.9x6.9"
10 x 50 mm	50 mm	19 mm	6.5 °	342 ft	16.4 ft	56-72 mm	33.5 oz	7.9x6.9"
10 x 42 mm	42 mm	14.1 mm	5.9 °	309 ft	13.1 ft	56-72 mm	24.8 oz	5.9x4.9"
8 x 42 mm	42 mm	17 mm	7.0 °	367 ft	13.1 ft	56-72 mm	25.5 oz	5.9x4.9"
10 x 32 mm	32 mm	17.2 mm	7.0 °	367 ft	9.8 ft	56-72 mm	19.4 oz	4.9x4.3"
8 x 32 mm	32 mm	13.6 mm	7.5 °	393 ft	16.4 ft	56-72 mm	19.4 oz	4.9x4.3"
10 x 30 mm	30 mm	15 mm	6.0 °	315 ft	10 ft	56-72 mm	18 oz	4.7x6.4"
8 x 30 mm	30 mm	15 mm	7.5 °	390 ft	10 ft	56-72 mm	18 oz	4.7x6.4"





KEY FEATURES



ED glass gives you an image with little or no chromatic fringe for an ultimate clearest and sharpest image



Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.



Argon purging gives you better waterproofing and thermal stability



XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches



Waterproof to protect the riflescope in the harshest weather conditions or if accidentally submerged underwater.




Precision Zero Stop System allows you to return to your zero position and dial back to it with a sharp and precise stop right at your zero location

First Focal Plane Reticle stays valid at all power settings allowing you to fully utilize the specially designed reticle that shrinks or grows along with your target as you zoom in or out. The reticle offers quick target engagement at low power while offering precise holdover positions with finer details.


High Precision Erector System processed by high precision CNC machine with +/- 0.0001mm tolerance level to provide you the most accurate power settings and smoothest magnification change

OTHER FEATURES: Side Parallax Adjustment, 6061-T6-30/34mm Tubes, Illuminated Glass Reticles, Capped/Exposed Turrets

AVAILABLE RETICLES



APLR FFP IR MOA



APRS FFP IR MIL

AVAILABLE MODELS



NEW

4.5 - 29 x 56 mm



4.5 - 29 x 56 mm

FFP CRONUS BTR RIFLESCOPE



Whether you want to engage in precision long-range shooting and tactical applications, or extreme long range hunting adventures, the new Cronus BTR scope is just what the doctor ordered. Loaded with features this scope will not let you down when you need it most. This first focal plane scope features ED glass, Advanced Fully Multi-Coated lenses, Argon purged, a true zero stop and much more. When you need the best, the Cronus BTR the answer!



PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH
4.5 - 29 x 56 FFP	EXPOSED	34 mm	APLR FFP IR MOA APRS FFP IR MIL	3.6 - 3.8"	24.8 - 3.83 ft	35.8 oz	14.4"


NEW

ARES ETR RIFLESCOPE


Just when you thought we couldn't improve the Ares BTR, well we did! The Ares ETR First Focal Plane Scope is loaded with features that will allow you to take your long range shooting to another level. Featuring a completely revamped turret system, the Ares ETR has a locking Windage turret along with a true zero stop on the elevation turret to make sure your turrets and shots are right on every time. Extra dispersion HD lenses allow for the sharpest and best color image possible. Constructed with an 34mm tube, this riflescope can withstand even the harshest of elements.



AVAILABLE RETICLES



APLR2 FFP IR MOA



APRS1 FFP IR MIL

AVAILABLE MODELS



4.5 - 30 x 56 mm



4.5 - 30 x 56 mm

* Locking feature on Windage Turret only

PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH
4.5 - 30 x 56 FFP	EXPOSED/ LOCKING	34 mm	APLR2 FFP IR MOA APRS1 FFP IR MIL	3.9"	24.5 - 3.75 ft	36.5 oz	15.3"

KEY FEATURES



ED glass gives you an image with little or no chromatic fringe for an ultimate clearest and sharpest image



Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.



Argon purging gives you better waterproofing and thermal stability



XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches



Waterproof to protect the riflescope in the harshest weather conditions or if accidentally submerged underwater.



Precision Zero Stop System allows you to return to your zero position and dial back to it with a sharp and precise stop right at your zero location



Locking Windage Turret allow you to pull up your turret to dial, and push down the turret to lock it in place.

High Precision Erector System processed by high precision CNC machine with +/- 0.0001mm tolerance level to provide you the most accurate power settings and smoothest magnification change.

The 6061T6 Aircraft Grade Aluminum Tube that has exceptional strength and superior mechanical integrity will protect these world class optics no matter what punishment you throw at it.

OTHER FEATURES: Side Parallax Adjustment, Illuminated Glass Reticles, Exposed Turrets





KEY FEATURES


- HD** HD Glass gives you better light transmission, brighter, and sharper image.
- AFMC** Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.
- Ar PURGED** Argon purging gives you better waterproofing and thermal stability
- XPL COATING** XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches
- PROOF** Waterproof to protect the riflescope in the harshest weather conditions or if accidentally submerged underwater.
- 40** Precision Zero Stop System allows you to return to your zero position and dial back to it with a sharp and precise stop right at your zero location

High Precision Erector System processed by high precision CNC machine with +/- 0.0001mm tolerance level to provide you the most accurate power settings and smoothest magnification change.


The 6061T6 Aircraft Grade Aluminum Tube that has exceptional strength and superior mechanical integrity will protect these world class optics no matter what punishment you throw at it.

OTHER FEATURES: Side Parallax Adjustment, Illuminated Glass Reticles, Exposed Turrets

AVAILABLE RETICLES



APLR3 FFP IR MOA



APLR3 FFP IR MIL

AVAILABLE MODELS



4.5 - 27 x 50 mm



2.5 - 15 x 50 mm

FFP **ARES BTR**
RIFLESCOPE



When you want the best features from the top-tier riflescopes but don't want to break the bank, look no further than the Ares BTR first focal plane riflescope family. This feature rich riflescope that is a fraction of the cost of competitive brand optics with similar construction, is set to take the market by storm. Equipped with HD Glass and advanced fully multicoated optics that deliver crisp bright images for taking long range shots. This one piece tube, precision-machined from aircraft-grade 6061-T6 aluminum will deliver precise and accurate results all day long. With a precise true zero stop feature, you won't find another product like this in the market at this price point with identical features. Just another way that Athlon Optics has got your back!



PRODUCT SPECIFICATION


POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH
2.5 - 15 x 50 FFP	EXPOSED	30 mm	APLR3 FFP IR MOA APLR3 FFP IR MIL	3.9"	41.8 - 6.8 ft	27.3 oz	13.8"
4.5 - 27 x 50 FFP	EXPOSED	30 mm	APLR3 FFP IR MOA APLR3 FFP IR MIL	3.9"	22.7 - 3.8 ft	27.3 oz	13.8"

NEW

MIDAS TAC RIFLESCOPE



Here at Athlon Optics we have listened to your feedback and suggestions and developed the Midas Tactical. Loaded with features including HD Glass, Fully Multicoated lenses to enhance target appearance at all distances, a hard Zero Stop for repeatability and Capped Windage Turret to prevent accidental adjustments. Add in First Focal plane and a Ranging Reticle, housed in a 30mm 6061 Aluminum tube. This is not just another option, but the solution!



APRS2 FFP MIL

AVAILABLE MODELS



6 - 24 x 50 mm



4 - 16 x 44 mm

AVAILABLE RETICLES

KEY FEATURES



HD Glass gives you better light transmission, brighter, and sharper image.



Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.



Argon purging gives you better waterproofing and thermal stability



XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches



Waterproof to protect the riflescope in the harshest weather conditions or if accidentally submerged underwater.



Precision Zero Stop System allows you to return to your zero position and dial back to it with a sharp and precise stop right at your zero location

The 6061T6 Aircraft Grade Aluminum Tube that has exceptional strength and superior mechanical integrity will protect these world class optics no matter what punishment you throw at it.

OTHER FEATURES: Side Parallax Adjustment, Non-Illuminated Glass Reticles

* EXPOSED - Elevation Turret / CAPPED - Windage Turret

PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH
4 - 16 x 44 FFP	*EXPOSED/ CAPPED	30 mm	APRS2 FFP MIL	3.7"	27.7 - 7 ft	23.8 oz	14.2"
6 - 24 x 50 FFP	*EXPOSED/ CAPPED	30 mm	APRS2 FFP MIL	3.7"	17.8 - 4.6 ft	26.3 oz	14.6"



NEW


MIDAS HMR RIFLESCOPE




Attention all hunters, attention all hunters! We have great news for you! We would like to introduce the Midas HMR Second Focal Plane Rifle Scope line made by hunters, for hunters. Featuring HD Glass and advanced fully multicoated optics deliver crisp bright images for taking a shot, short or long. This one piece tube, precision-machined from aircraft-grade 6061-T6 aluminum will deliver precise, accurate results all day long. Both elevation and windage turrets are capped to make sure nothing gets bumped after you set your zero and you can always count on it to deliver the final punch. These Midas HMR riflescopes are available in two illuminated reticle options (MOA and BDC). Now it is time to get the freezer empty and ready for the season!



AVAILABLE RETICLES



AHMR SFP IR MOA



BDC 600A

AVAILABLE MODELS



2.5 - 15 x 50 mm

PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH
2.5 - 15 x 50 SFP	CAPPED	30 mm	AHMR SFP IR MOA BDC 600A	3.9"	41.8 - 6.8 ft	26 oz	13.8"

KEY FEATURES



HD Glass gives you better light transmission, brighter, and sharper image.



Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.



Argon purging gives you better waterproofing and thermal stability




XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches




Waterproof to protect the riflescope in the harshest weather conditions or if accidentally submerged underwater.

The 6061T6 Aircraft Grade Aluminum Tube that has exceptional strength and superior mechanical integrity will protect these world class optics no matter what punishment you throw at it.

OTHER FEATURES: Side Parallax Adjustment, Illuminated Glass Reticles





KEY FEATURES



HD Glass gives you better light transmission, brighter, and sharper image.



Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.



Argon purging gives you better waterproofing and thermal stability



XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches




Waterproof to protect the riflescope in the harshest weather conditions or if accidentally submerged underwater.

The **6061T6 Aircraft Grade Aluminum Tube** that has exceptional strength and superior mechanical integrity will protect these world class optics no matter what punishment you throw at it.


High Precision Erector System processed by high precision CNC machine with +/- 0.0001mm tolerance level to provide you the most accurate power settings and smoothest magnification change

OTHER FEATURES: Side Parallax Adjustment, Illuminated Glass Reticles, Capped/Exposed Turrets


AVAILABLE RETICLES




ATSR16 SFP IR MOA




ATSR1 SFP IR MOA




ATSR16 SFP IR MIL



AHMR SFP IR MOA



APMR1 SFP IR MIL



APLR1 SFP IR MIL

AVAILABLE MODELS



4.5 - 27 x 50 mm



2.5 - 15 x 50 mm



1 - 6 x 24 mm

SFP MIDAS BTR RIFLESCOPE



Whether you are shooting prairie dogs at several hundred yards, competing in high level 3 gun matches or hunting dangerous game on a Safari you want a scope that is accurate, tough, durable and extremely versatile. You need a scope with the Midas touch, that makes every shot gold. The Athlon Midas BTR is ready for anything. It is also equipped with our advanced fully multi-coated lenses so you'll have the brightest, clearest long-distance image possible, in any situation. The innovative new XPL coating protects your lenses from oil, dirt and smudges. The magnification ratio eliminates the need for multiple scopes for different game or types of hunting.



PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH
1 - 6 x 24 SFP	CAPPED	30 mm	ATSR16 SFP IR MOA	3.8"	108 - 17.6 ft	18.1 oz	10.6"
			ATSR1 SFP IR MOA				
			ATSR16 SFP IR MIL				
2.5 - 15 x 50 SFP	EXPOSED	30 mm	AHMR SFP IR MOA	3.9"	41.8 - 6.8 ft	26 oz	13.8"
			APMR1 SFP IR MIL				
4.5 - 27 x 50 SFP	EXPOSED	30 mm	AHMR SFP IR MOA	3.9"	22.7 - 3.6 ft	26 oz	13.9"
			APMR1 SFP IR MIL				
			APLR1 SFP IR MIL				




HELOS BTR RIFLESCOPE




When you hear of a first focal plane rifle scope, crisp firm locking turrets, advanced fully multicoated options built from a one piece tube made from aircraft-grade 6061-T6 aluminum you would expect it to come with a high price tag. This is exactly why we introduced the Helos BTR family. These scopes are feature rich but won't break the bank.



AVAILABLE RETICLES



APLR2 FFP IR MOA



APMR FFP IR MIL

AVAILABLE MODELS



8 - 34 x 56 mm



6 - 24 x 50 mm

PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH
6 - 24 x 50 FFP	EXPOSED / LOCKING	30 mm	APLR2 FFP IR MOA APMR FFP IR MIL	3.3"	16.7 - 4.5 ft	29.7 oz	14.0"
8 - 34 x 56 FFP	EXPOSED / LOCKING	30 mm	APLR2 FFP IR MOA APMR FFP IR MIL	3.3"	12.5 - 3 ft	32.3 oz	15.5"

KEY FEATURES



Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.




Argon purging gives you better waterproofing and thermal stability



XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches



Waterproof to protect the rifle scope in the harshest weather conditions or if accidentally submerged underwater.



Locking Turrets allow you to pull up your turret to dial, and push down the turret to lock it in place.

First Focal Plane Reticle stays valid at all power settings allowing you to fully utilize the specially designed reticle that shrinks or grows along with your target as you zoom in or out. The reticle offers quick target engagement at low power while offering precise holdover positions with finer details.

High Precision Erector System processed by high precision CNC machine with +/- 0.0001mm tolerance level to provide you the most accurate power settings and smoothest magnification change

OTHER FEATURES: Side Parallax Adjustment, 6061 - T6 - 30 Tubes, Illuminated Glass Reticles, Exposed Turrets





KEY FEATURES

AFMC Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.

Ar PURGED Argon purging gives you better waterproofing and thermal stability

XPL COATING XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches


PROOF Waterproof to protect the riflescope in the harshest weather conditions or if accidentally submerged underwater.

First Focal Plane Reticle stays valid at all power settings allowing you to fully utilize the specially designed reticle that shrinks or grows along with your target as you zoom in or out. The reticle offers quick target engagement at low power while offering precise holdover positions with finer details.


The 6061T6 Aircraft Grade Aluminum Tube that has exceptional strength and superior mechanical integrity will protect these world class optics no matter what punishment you throw at it.

OTHER FEATURES: Side Parallax Adjustment, Illuminated Glass Reticles, Exposed Turrets


AVAILABLE RETICLES




AHSR14 FFP IR MOA




AHSR14 FFP IR MIL



ATMR FFP IR-MOA



APMR FFP IR-MIL



BLR SFP MOA

AVAILABLE MODELS



10 - 40 x 56 mm



8 - 34 x 56 mm



6 - 24 x 50 mm



1 - 4 x 24 mm

NEW

SFP FFP ARGOS BTR RIFLESCOPE



For those of you that are looking for a high value match grade scope; look no further than the Argos BTR Family of Riflescopes. These scopes have features normally found on high-end scopes. It has our Advanced Fully-Multi Coated Optics that delivers a crystal clear bright image in low light environments. The Argos BTR also has our exclusive XPL coating that protects your lenses from dirt, grease and harsh weather conditions. The 6061T6 aircraft grade aluminum tube will protect these world class optics no matter what punishment you throw at it.



PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	EYE RELIEF	FOV@100 YARDS	WEIGHT	LENGTH
1 - 4 x 24 FFP	EXPOSED	30 mm	AHSR14 FFP IR MOA AHSR14 FFP IR MIL	3.5"	112 - 27 ft	20.5 oz	9.8"
6 - 24 x 50 FFP	EXPOSED	30 mm	ATMR FFP IR MOA APMR FFP IR MIL	3.3"	16.7 - 4.5 ft	29.6 oz	14.1"
8 - 3 4 x 56 FFP	EXPOSED	30 mm	ATMR FFP IR MOA APMR FFP IR MIL	3.3"	12.5 - 3 ft	30.5 oz	15.5"
10 - 40 x 56 SFP	EXPOSED	30 mm	BLR SFP MOA	3"	12.6 - 3.1 ft	30.3 oz	16.3"



ARGOS RIFLESCOPE


The SFP Argos family of riflescopes is one of Athlon Optic's most valued hunting riflescopes that are packed with features hunters are searching for. These scopes have features normally only found on high-end scopes. It is equipped with our Fully-Multi Coated Optics that delivers a crystal clear bright image in dark environments. The Argos family also has our exclusive XPL coating that gives you an extra protection on the exterior lenses from dirt, oil and scratches



PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH
2 - 10 x 40 SFP	CAPPED	1"	BDC 600 CENTER X	>3.8"	48.8 - 9.8 ft	15.5 oz	12.2"
3 - 15 x 40 SFP	CAPPED	1"	BDC 600 CENTER X	>3.8"	30.4 - 6.3 ft	16.5 oz	12.2"
4 - 20 x 50 SFP	CAPPED	1"	BDC 600 AHMR1 SFP MOA	>3.8"	23.6 - 4.7 ft	19.5 oz	13.1"
6 - 30 x 56 SFP	CAPPED	30 mm	BDC 600 AHMR1 SFP MOA	>3.8"	16.6 - 5.4 ft	22 oz	14.7"

AVAILABLE RETICLES



AVAILABLE MODELS



KEY FEATURES



Fully Multi-Coated lenses bring you better light transmission to bring optimum brightness and true color across the entire light spectrum.



Argon purging gives you better waterproofing and thermal stability



XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches



Waterproof to protect the rifle scope in the harshest weather conditions or if accidentally submerged underwater.

Second Focal Plane reticle is located at the second plane which stays in between erector tube and ocular lens. The size or the appearance of a second focal plane reticle does not change when you try to zoom in or zoom out.

The 6063 Aircraft Grade Aluminum provides extra strength and durability to handle the toughest terrain and offers lifetime of use.

OTHER FEATURES: Side Parallax Adjustment, Capped Turrets





KEY FEATURES



Fully Multi-Coated lenses bring you better light transmission to bring optimum brightness and true color across the entire light spectrum.




Waterproof to protect the riflescope in the harshest weather conditions or if accidentally submerged underwater.


Nitrogen purging dramatically reduces the moisture inside the tube and helps maintaining fogproof and waterproof.

OTHER FEATURES: Side Parallax Adjustment, 6063 Aluminum - 30mm Tubes, Illuminated Glass Reticles, Exposed Turrets, First/Second Focal Plane

AVAILABLE RETICLES



AHSR14 SFP IR MIL



APLR2 FFP IR MIL

AVAILABLE MODELS



4 - 14 x 44 mm



1 - 4 x 24 mm



TALOS BTR RIFLESCOPE



The Talos BTR is available in two configurations; 4-14x44 - First Focal Plane or 1-4x24 Second Focal Plane. Both of these scopes are great entry level scopes for competitive and tactical shooting. Featuring multi-coated lenses for clarity and brightness in low light conditions as well as being waterproof, this family is ready to get you started shooting.



PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH
1 - 4 x 24 SFP	EXPOSED	30 mm	AHSR14 SFP IR MIL	6.26"-3.5"	110 - 26 ft	18 oz	9.2"
4 - 14 x 44 FFP	EXPOSED	30 mm	APLR2 FFP IR MIL	3.23-3.15"	27.2 - 7.9 ft	23.6 oz	12.9"



TALOS RIFLESCOPE




If you ask any hunter they'll tell you they have probably filled more tags in the low-light hours than any other time. With that said, it would be wise to design a scope to excel in early-morning and late-evening light. With the Talos scope with Athlon Advanced multi-coated lenses for clarity and brightness in low light, you'll be able to add precious minutes to every hunting day that you've worked so hard for. These scopes, with their 4X magnification range, will give you great versatility whether you are hunting whitetails in the dense forest or prairie dogs in the wide open ranges. With its one-piece tube design, the Talos line includes an assortment of specialty scopes for big-game, varmint, MSR's, 22 rimfire, slug, black powder and turkey hunting.




PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH
3 - 12 x 40 SFP	CAPPED	1"	BDC 600 IR	3.82-3.35"	34.1 - 8.9 ft	16.2 oz	12"
			CENTER X				
			MIL-DOT				
4 - 16 x 40 SFP	CAPPED	1"	BDC 600 IR	3.8-3.35"	24.1 - 6.3 ft	19.1 oz	12.9"
			MIL-DOT				
6 - 24 x 50 SFP	CAPPED	1"	ATMR1 SFP IR MIL	3.03-3.11"	16.8 - 4.5 ft	23 oz	13.9"
			BDC 600 IR				


AVAILABLE RETICLES




ATMR1 SFP IR MIL



BDC 600 IR



MIL-DOT



CENTER X

AVAILABLE MODELS



6 - 24 x 50 mm



4 - 16 x 40 mm



3 - 12 x 40 mm

KEY FEATURES



Fully Multi-Coated lenses bring you better light transmission to bring optimum brightness and true color across the entire light spectrum.



Waterproof to protect the riflescope in the harshest weather conditions or if accidentally submerged underwater.

Nitrogen purging dramatically reduces the moisture inside the tube and helps maintaining fogproof and waterproof.

OTHER FEATURES: Side Parallax Adjustment, 6063 Aluminum - 1 inch Tubes, Illuminated Glass Reticles, Capped Turrets, Second Focal Plane





KEY FEATURES



Fully Multi-Coated lenses bring you better light transmission to bring optimum brightness and true color across the entire light spectrum.




Waterproof to protect the riflescope in the harshest weather conditions or if accidentally submerged underwater.

Second Focal Plane reticle is located at the second plane which stays in between erector tube and ocular lens. The size or the appearance of a second focal plane reticle does not change when you try to zoom in or zoom out.


Nitrogen purging dramatically reduces the moisture inside the tube and helps maintaining fogproof and waterproof.

OTHER FEATURES: Side Parallax Adjustment, 6063 Aluminum - 1 inch Tubes, Illuminated Glass Reticles, Capped Turrets


AVAILABLE RETICLES



CENTER-X



BDC 22 RIMFIRE



BDC 500 IR

AVAILABLE MODELS



6 - 18 x 44 mm



4 - 12 x 40 mm



3 - 9 x 40 mm



NEOS
RIFLESCOPE



Increasing your success while hunting doesn't necessarily have to decrease your savings account. The perfect example of that is the Neos series. This is the perfect scope for those who want quality and features all while staying on budget. The Neos has an impressive list of features which are designed and built to endure. It has a one piece aluminum tube. The lenses are Fully Multi Coated. Finally some of the models even have the latest side parallax focus technology. What about the cost? Let's just say the scope isn't the only thing that looks good, with ruggedness and precision we are proud of!



PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH
3 - 9 x 40 SFP	CAPPED	1"	CENTER X	2.99"-3.07"	37.8 - 12.6 ft	17 oz	12.4"
			BDC 500 IR				
			BDC 22 RIMFIRE				
4 - 12 x 40 SFP	CAPPED	1"	CENTER X	3.11"-3.15"	27.3 - 8.9 ft	18.1 oz	12.4"
			BDC 500 IR				
			BDC 22 RIMFIRE				
6 - 18 x 44 SFP	CAPPED	1"	CENTER X	3.39"-3.19"	17.5 - 5.9 ft	21.7 oz	13.5"
			BDC 500 IR				

NEW

CRONUS TACTICAL SPOTTING SCOPE

Whether you are a long range shooter, hunter or part of a sniper team, the new Cronus Tactical 7-42x60 Spotting Scope with our ranging reticle will make your job a breeze. The TSSR FFP MIL reticle is great for both range estimation and tactical cooperation with the shooter. Feature rich from tip to tip, this is an optic that will not be left behind. The unique design of a high riser mount will allow you to mount your Athlon Laser Rangefinders on the top and tilt it to co-witness with your spotting scope.




* The rail mounting system is included in both models

PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	OBJ. LENS DIA.	FOCUS RANGE	AVAILABLE RETICLES	EYE RELIEF	FOV @1000 YARDS	WEIGHT	LENGTH
7 - 42 x 60 ED FFP	60 mm	10 yds - ∞	TSSR FFP MIL	1.18"	284 - 47.6 ft	46.6 oz	13.9"

AVAILABLE RETICLES



TSSR FFP

AVAILABLE MODELS



7 - 42 x 60 mm ED



7 - 42 x 60 mm ED

KEY FEATURES



Apochromatic lens system gives you the result of images which have greater contrast, sharpness and color definition.



Argon purging gives you better waterproofing and thermal stability



ED glass gives you an image with little or no chromatic fringe for an ultimate clearest and sharpest image



XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches



Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.



Waterproof to protect the scope in the harshest weather conditions or if accidentally submerged underwater.

OTHER FEATURES: Aluminium alloy chassis, Ranging Reticle




KEY FEATURES


Apochromatic lens system gives you the result of images which have greater contrast, sharpness and color definition.



Argon purging gives you better waterproofing and thermal stability



ED glass gives you an image with little or no chromatic fringe for an ultimate clearest and sharpest image



ESP Dielectric Coating is a multi layer prism coating that reflects over 99% of the light to your eyes bringing you a clear, bright image with accurate colors



XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches



Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.



Bak-4 glass prisms reflect more light to your eyes thus will give you brighter and sharper image.




Waterproof to protect the scope in the harshest weather conditions or if accidentally submerged underwater.



Magnesium chassis give you the strength of a metal chassis while reducing the weight as much as 35%

OTHER FEATURES: Dual Focus, Rotating Ring, Twist up eye-cup


AVAILABLE MODELS


12 - 36 x 50 mm ED



20 - 60 x 86 mm ED

You've just adjusted focus on what had once been only an elusive lifelong quest- an Alaskan Bighorn or a red-throated pipit. We developed this "Award Winning" Cronus Spotting Scope to give you one of world's best optics with brighter and clearer edge-to-edge detail. So whether you're hunting above timberline in Alaska or birding at sea level at Cape May, you will know every detail of your trophy before you take the shot or mark it off your life list. The Cronus product line has just about every feature you would put in a scope to make it the best you can get in its class.

We designed the Cronus with the Apochromatic system to give your images greater contrast, sharpness and color definition. We included ED Glass that delivers clearer and sharper image to your eyes. Our state of the art ESP (Enhance Spectral Prism) dielectric lens coating that reflects 99% of the light through the prism assembly. Other design enhancements include BaK-4 prisms and our "Advanced Fully Multi-Coated" lenses that deliver flawless color fidelity, ultra-crisp images and optimum light transmission. Finally we topped off with our XPL coating that gives you extra protection on the exterior lenses from dirt, oil and scratches.


PRODUCT SPECIFICATION

MAGNIFICATION X OBJECTIVE LENS	EYEPIECE ANGLE	EYE RELIEF	CLOSE FOCUS	FOV @1000 YARDS	WEIGHT	LENGTH X WIDTH
20 - 60 x 86 ED	45	0.78"	29.5 ft	117 - 60 ft	66.5 oz	13.6 x 3.9"
12 - 36 x 50 ED	45	0.7"	26.2 ft	171 - 90 ft	26.5 oz	9.8 x 2.6"



ARES SPOTTING SCOPE

The Ares family of spotting scopes were designed with advanced optical quality and ease of use in mind, so when you are trying to collect that trophy of a lifetime, your spotting scope is one thing you don't have to worry about.

We made that task as easy as optically possible with bright, razor-sharp imagery and a rugged, weatherproof design that's ready for any condition. These spotting scopes have ED glass lenses for color resolution and contrast. They also have our AFMC (Advance Fully Multi-Coatings) and feature BaK4 prisms with the new ESP Dielectric Coating. They bring super-premium clarity and brightness within the reach of most avid enthusiasts. The tough chassis is fog proof and waterproof and filled with Argon gas to prevent internal fogging and for better thermal stability. These lenses are then treated externally with our XPL coating to withstand dirt, oil and grime of constant use as well as standing up to the harshest weather conditions.


Choose from three different models - each distinctly different in size so you have a scope tailor-made for your specific activity.



PRODUCT SPECIFICATION

MAGNIFICATION X OBJECTIVE LENS	EYEPIECE ANGLE	EYE RELIEF	CLOSE FOCUS	FOV @1000 YARDS	WEIGHT	LENGTH X WIDTH
20 - 60 x 85 ED	45	0.78"	29.5 ft	102 - 51 ft	66.5 oz	15.7x3.9"
15 - 45 x 65 ED	45	0.78"	13.1 ft	171 - 81 ft	43.4 oz	9.5x3.5"
7.5 - 22.5 x 50 ED	45	0.62"	13.1 ft	265 - 116 ft	18.9 oz	6.9x2.3"

WITH ED GLASS WITHOUT ED GLASS



AVAILABLE MODELS



7.5 - 22.5 x 50 mm ED

15 - 45 x 65 mm ED

20 - 60 x 85 mm ED

KEY FEATURES



Apochromatic lens system gives you the result of images which have greater contrast, sharpness and color definition.



Argon purging gives you better waterproofing and thermal stability



ED glass gives you an image with little or no chromatic fringe for an ultimate clearest and sharpest image




ESP Dielectric Coating is a multi layer prism coating that reflects over 99% of the light to your eyes bringing you a clear, bright image with accurate colors



XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches



Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.



Bak-4 glass prisms reflect more light to your eyes thus will give you brighter and sharper image.




Waterproof to protect the scope in the harshest weather conditions or if accidentally submerged underwater.

OTHER FEATURES: Magnesium Chassis (85mm), Rotating Ring, Twist up eye-cup






AVAILABLE RETICLES




OS11 & ARD11




ARD13



ARD12 - 1



ARD12 - 2



ARD12 - 3



ARD12 - 4

KEY FEATURES



Fully Multi-Coated lenses bring you better light transmission to bring optimum brightness and true color across the entire light spectrum.

Nitrogen purging dramatically reduces the moisture inside the tube and helps maintaining fog-proof and waterproof.



Waterproof to protect the product in the harshest weather conditions or if accidentally submerged underwater.

OTHER FEATURES: Interchangeable Reticles, Adjustable Illumination Settings, Aircraft Aluminum, One Piece Chassis Construction, Fog proof, Shockproof, Picatinny Rail Mount



OS11 (24.5 x 15.8 mm OBJ.)



RD11 (21 mm OBJ.)



RD12 (30 mm OBJ.)



RD13 (36 mm OBJ.)

MIDAS BTR RED DOT SIGHTS



Whether you are hunting turkeys or shooting three gun with your favorite MSR, you often have to shoot fast when the opportunity is there. If you're looking for a fast sight, you'll be hard-pressed to find one quicker than one of the Athlon Red Dot scopes.

Used by the military for a long time, a red dot scope lets you bead up on a target as quickly as you can raise your gun. Put the "red dot" on the target and pull the trigger. It's that fast. A red dot scope illuminates the point of impact on the target in front of you, yet no forward light is projected giving away your position. Sight from any distance behind the gun without taking both eyes off of the target. Offers unlimited eye relief and an unlimited field-of-view.

It fits easily on handguns, shotguns and rifles with a standard Weaver-style bases or mounts. If you are within 40 yards of a bird and you can get the red dot on his vital area, you will be eating wild turkey for dinner.


PRODUCT SPECIFICATION

AVAILABLE MODELS	OBJECTIVE LENS	MAGNIFICATION	PARALLAX	AVAILABLE RETICLES	DOT COLOR	IR SETTING	CENTER HEIGHT	CLICK VALUE	TURRET CONTROL	BATTERY	BASE	WEIGHT	LENGTH
OS 11	24.5 x 15.8 mm	1	<2 MOA	OS11	Red	1-6	1.2"	1 MOA	WRENCH	CR2032	Picatinny Rail Mount	2.3 oz	1.93"
RD11	21 mm	1	<2 MOA	ARD11	Red	1-11	0.61"	1 MOA	CAPPED/WRENCH	CR2032	Picatinny Rail Mount	4.8 oz	2.50"
RD12	30 mm	1	<1 MOA	Interchangeable 4 Reticles ARD12	Red	1-11	1.40"	1 MOA	CAPPED/WRENCH	CR2032	Picatinny Rail Mount	13.5 oz	5.50"
RD13	36 mm	1	<2 MOA	ARD 13	Red	1-11	1.42"	0.5 MOA	CAPPED/WRENCH	CR2032	Picatinny Rail Mount	11.0 oz	3.70"




MIDAS BTR PRISM SCOPES


When you want quick target acquisition at both short and medium ranges you need some additional magnification. The Athlon Prism red dot scopes give you great versatility. These devices are equipped with a Prisms for crisp, vivid imaging. The prism-based design allows for a more compact scope without sacrificing optical quality. With this longer focal length we can achieve the magnification needed to reach out and touch targets at longer ranges. The Athlon Prism Red Dots are nitrogen-filled, fog proof and shock proof, allowing for reliable use in a wide range of environments. Selectable red/green illuminated reticles with intensity levels to match specific conditions. The reticles are etched directly on the prism to make sure you have consistent point-of-aim at all times, whether you have the illumination on or off. The scopes come with a Picatinny rail mounting bracket for AR's with a flattop.



APSR11



APSR31



APSR41

AVAILABLE RETICLES



PR11 (30 mm OBJ.)



PR31 (32 mm OBJ.)



PR41 (34 mm OBJ.)

PRODUCT SPECIFICATION

AVAILABLE MODELS	OBJECTIVE LENS	MAGNIFICATION	FOV @100 YARDS	AVAILABLE RETICLES	DOT COLOR	CENTER HEIGHT	CLICK VALUE	TURRET CONTROL	BATTERY	BASE	WEIGHT	LENGTH
PR11	30 mm	1	78.8 ft	APSR11	Red/Green	1.41"	1 MOA	EXPOSED DIRECT DIAL	CR2032	Picatinny Rail Mount	13.4 oz	4.70"
PR31	32 mm	3	32.5 ft	APSR31	Red/Green	1.40"	0.5 MOA	EXPOSED DIRECT DIAL	CR2032	Picatinny Rail Mount	15.8 oz	4.80"
PR41	34 mm	3.9	24.9 ft	APSR41	Red/Green	1.40"	0.5 MOA	EXPOSED DIRECT DIAL	CR2032	Picatinny Rail Mount	17.3 oz	5.75"

KEY FEATURES



Fully Multi-Coated lenses bring you better light transmission to bring optimum brightness and true color across the entire light spectrum.



Waterproof to protect the product in the harshest weather conditions or if accidentally submerged underwater.

Nitrogen purging dramatically reduces the moisture inside the tube and helps maintaining fogproof and waterproof.

OTHER FEATURES: Adjustable Illumination Settings, Aircraft Aluminum, One Piece Chassis Construction, Fog proof, Shockproof, Picatinny Rail Mount





KEY FEATURES



Fully Multi-Coated lenses bring you better light transmission to bring optimum brightness and true color across the entire light spectrum.



Waterproof to protect the product in the harshest weather conditions or if accidentally submerged underwater.

The Aircraft Grade Aluminum that has exceptional strength and superior mechanical integrity will protect these world class optics no matter what punishment you throw at it.

One Piece Chassis Construction gives the magnifier extra strength. A one piece Chassis also is better at keeping moisture out thus keeping your magnifier fog proof for the life of the product

Fog Proof to allow you to immediately engage your target when you take your rifle to cold ambient temperature from warm inside

Shockproof - Robust mechanical system with special designs on both control and erector system that give you the ultimate recoil resistance to withstand 600G recoil for 1000 times.

Nitrogen purging dramatically reduces the moisture inside the tube and helps maintaining fog-proof and waterproof.



MG31 (27.5 mm OBJ.)



MG51 (30 mm OBJ.)



MG31 - FLIP MOUNT WITH RISER



MG51 - FLIP MOUNT WITH RISER

PRODUCT SPECIFICATION

AVAILABLE MODELS	OBJ. LENS DIAMETER	MAGNIFICATION	FOV @100 YARDS	EYE RELIEF	WEIGHT	LENGTH	*CENTER HEIGHT	**CENTER HEIGHT
MG31	27.5 mm	3	38.2 ft	2.8"	9.5 oz	4.2"	1.32"	1.56"
MG51	30 mm	5	24.7 ft	2.6"	12.6 oz	4.8"	1.32"	1.56"

* Standard flip mount
** Standard flip mount with riser



NEW

ARES 2000Y LASER RANGEFINDER

When extreme accuracy and long range distances are required, look no further than the new Ares 2000Y. From 5 to 2000 yards, the new Ares 2000Y can do it all. Whether shooting from steep elevations to flat ground, the Ares is capable of both with our different ranging modes. Bright display settings with fully multi-coated lenses deliver maximum light transmission while being housed in durable non-slip rubber armor. The Ares can display readings in either yards or meters depending on your hunting or shooting needs. Backed with our Lifetime Warranty.



PRODUCT SPECIFICATION

RANGING REFLECTIVE	RANGING DEER	ACCURACY	MAX ANGLE READING	MAGNIFICATION	OBJ. LENS DIAMETER	FOV	EYE RELIEF	POWER SUPPLY
2000Y	1000Y	±0.5Y	±70°	7X	23.5mm	7°	14mm	CR2-3V


THREE RANGING MODES TO CHOOSE FROM

Incline Angle (T) mode displays the incline angle of your position to the target.

Horizontal Distance (H) mode displays the angle compensated distance to the target. This is the primary mode used by most hunters (Both bow and rifle).

Vertical Distance (V) mode displays the vertical distance of your position to the target.

Scan mode displays distance readings quickly as you pan across a target, landscape or a moving animal



AVAILABLE MODEL



2000Y - GREY

KEY FEATURES



Fully Multi-Coated lenses bring you better light transmission to bring optimum brightness and true color across the entire light spectrum.



Waterproof to protect the rangefinder in the harshest weather conditions or if accidentally submerged underwater.



Rubber Armor provides durable and secure, non-slip soft texture grip for any weather condition.

Nitrogen purging dramatically reduces the moisture inside the tube and helps maintaining fogproof and waterproof.

OTHER FEATURES: Tripod Adaptable, Scan Mode, Dual Units of Measurement of Distance (Y/M), Angle Compensation Mode, Diopter Adjustment, Rubber Armor.





MIDAS 1200Y

LASER RANGEFINDER

The Athlon Optics Midas 1200y Laser Rangefinder is in a class of its own. The Midas 1200 ranges quick and accurate from 5 to 1200 yards. Whether shooting from steep elevations to flat ground, the Midas is capable of both with our angle compensation and line of sight modes. The scan mode can quickly scan different objects for distances on the fly. Bright display settings with fully multi-coated lenses deliver maximum light transmission while being housed in durable non slip rubber armor. The Midas can display readings in either yards or meters depending on your hunting or shooting needs. Finally the Midas comes with a protective carrying case as well as a protective wrap that allows you to use the laser while protecting it at the same time.



AVAILABLE MODELS



1200Y - TAN



1200Y - GREY

PRODUCT SPECIFICATION

RANGING REFLECTIVE	RANGING DEER	ACCURACY	MAX ANGLE READING	MAGNIFICATION	OBJ. LENS DIAMETER	FOV	EYE RELIEF	POWER SUPPLY
1200Y	600Y	±0.5Y	±70°	6X	23.5mm	7°	14mm	CR2-3V



KEY FEATURES



Fully Multi-Coated lenses bring you better light transmission to bring optimum brightness and true color across the entire light spectrum.



Waterproof to protect the rangefinder in the harshest weather conditions or if accidentally submerged underwater.



Rubber Armor provides durable and secure, non-slip soft texture grip for any weather condition.

OTHER FEATURES: Tripod Adaptable, Scan Mode, Dual Units of Measurement of Distance (Y/M), Angle Compensation Mode, Diopter Adjustment, Nitrogen Purged


THREE RANGING MODES TO CHOOSE FROM

Incline Angle (T) mode displays the incline angle of your position to the target.

Horizontal Distance (H) mode displays the angle compensated distance to the target. This is the primary mode used by most hunters (Both bow and rifle).

Vertical Distance (V) mode displays the vertical distance of your position to the target.

Scan mode displays distance readings quickly as you pan across a target, landscape or a moving animal



KEY FEATURES



Fully Multi-Coated lenses bring you better light transmission to bring optimum brightness and true color across the entire light spectrum.



Waterproof to protect the rangefinder in the harshest weather conditions or if accidentally submerged underwater.



Rubber Armor provides durable and secure, non-slip soft texture grip for any weather condition.

OTHER FEATURES: Tripod Adaptable, Scan Mode, Dual Units of Measurement of Distance (Y/M), Angle Compensation Mode, Diopter Adjustment, Nitrogen Purged

NEW

MIDAS 1 MILE

LASER RANGEFINDER



The new Midas 1 Mile Laser Rangefinder does not just range further than the 1200Y, but is also faster! From 5 yards to 1 mile, the new Midas 1 Mile can do it all. Whether shooting from steep elevations to flat ground, the Midas is capable of both with our different ranging modes. Bright display settings with fully multi-coated lenses deliver maximum light transmission while being housed in durable non-slip rubber armor. The Midas can display reading in either yards or meters depending on your hunting or shooting needs. Finally the Midas comes with a protective carrying case as well as a protective wrap that allows you to use the laser while protecting it at all the same time. Backed with our Lifetime Warranty.



AVAILABLE MODELS



1 MILE - GREY

PRODUCT SPECIFICATION

RANGING REFLECTIVE	RANGING DEER	ACCURACY	MAX ANGLE READING	MAGNIFICATION	OBJ. LENS DIAMETER	FOV	EYE RELIEF	POWER SUPPLY
1700Y	800Y	±0.5Y	±70°	6X	23.5mm	7°	14mm	CR2-3V



BINOCULAR HARNESS ACCESSORIES

The Athlon Optics Binocular Harness is the most functional, versatile binocular system in the market. It holds your binoculars tight to your chest, and is designed for quite, one-handed use.

Whether carrying a rifle or bow in one hand, the harness can easily be opened with your free hand and use your binoculars for the moment that counts. With the multiple shoulder and neck adjustments, this allows the binocular harness to hold close to your chest and prevent sag and bounce when crawling or running. The harness allows for a full range of motion while the binoculars are in use



BINOCULAR TRIPOD ADAPTER

Mount a binocular to regular camera tripod, for added stability and convenience. Make a binocular stable on the tripod, for viewing with no tremble.

High quality aluminum: Solid and light weight

1/4" threading at the top compatible with most tripod-adaptable binoculars.



SCOPE SUNSHADE

Available for Cronus BTR, Cronus, Ares BTR, Midas BTR, Helos BTR, Argos BTR, and Talos BTR riflescopes, black matte surface finish, and 4.5 inches long (sizes in 56, 50, 44mm).



BINOCULAR HARNESS FEATURES

Magnetic Fold Down Cover for quick, quite and easy access. Water tight and dust proof

Side Hook and Stretch Cord for attaching the laser rangefinder and securing it to the harness.

Front Strap Attachment for securing your laser rangefinder or other accessories while hiking

Adjustable Straps - Flex and Nonflex, help keep binoculars in place and from bouncing around

Side Pocket, Clip and Hook provide additional storage and quick access to game calls and other hunting accessories



Water Proof Material



Quiet Material



Quick and Easy Access



Fits Most Binocular Sizes






CRONUS BTR RIFLESCOPE


Cronus BTR riflescopes just got better. Upgraded parallax adjustment settings from 25 yards to infinity (added markings at 300, 500, 800 and 1600 yards), redesigned battery compartment and developed a new long range reticle will set this in a class above the rest. It is still built on an ultra-strong one-piece tube, equipped with a 6x magnification ratio, advanced HD optical system along with our XPL coatings and argon purged waterproofing has not changed.

APLR FFP IR MOA reticle has a large illuminated center with 1 moa incremental hash marks and drop lines in 5 moa incremental on vertical direction down to 50 moa, which help you quickly lock in your target and set holdover positions. The illuminated portion has a 2 moa center cross and 40 moa cross lines (50 moa on lower vertical line). The drop lines have smaller dots with 1 moa in between and bigger dots at each 5 moa interval. The illuminated reticle provides excellent low light visibility and accurate elevation holdovers all the way up to 50 moa.

APRS FFP IR MIL reticle is designed for precision rifle series competition and any other long range shooting applications with accurate ranging capability. It can help you quickly determine distance, hold-over positions, windage correction and leads for a moving target. The unique design of fine .2 mil hash mark increments from center to 6 mils to both left and right helps the shooter set a quick windage hold-over position after he or she dialed in elevation on their targets. The floating 0.4 mil span center cross draws a shooter's vision right on target enabling him or her to engage a target at a blink of an eye.



APLR FFP IR MOA



APRS FFP IR MIL

DIMENSIONS

RIFLESCOPE MODEL	L1	L2	L3	L4	L5	L6	D1	D2
4.5-29x56 FFP	14.4	3.9	6.3	4.2	2.6	2	1.8	2.6

** dimensions are given in inches


RETICLE SUBTENSIONS

APLR FFP IR MOA	A1	A2	B1	B2	B3	B4	C1	C2	C3	C4	C5	C6	D1	D2
SUBTENSIONS IN MOA	2	.14	1	.5	1.5	2	1	1	2	5	1	5	.2	.3

APRS FFP IR MIL	A1	A2	B1	B2	B3	C1	C2	C3	D1	D2
SUBTENSIONS IN MIL	.03	.05	.18	.4	.15	.2	.5	1	.05	.1


DETAILED SPECS

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL
4.5 - 29 x 56 FFP	EXPOSED	34 mm	APLR FFP IR MOA APRS FFP IR MIL	MATTE	3.6-3.8"	24.8-3.83 ft	35.8 oz	14.4"	0.25 MOA 0.1 MIL	25 MOA 10 MIL	110 MOA 32 MIL	64 MOA 18 MIL	SIDE FOCUS 25yds - ∞	ARGON




4.5X

APLR FFP IR MOA




29X



4.5X

APRS FFP IR MIL




29X




NEW

ARES ETR RIFLESCOPE

The new Ares ETR rifle scope family is built to withstand whatever you can throw at it. This First Focal Plane Scope is loaded with features from tip to tip. 34mm tube, locking windage turret, true zero stop on elevation turret, ED lenses, glass etched illuminated reticle, 10 mil adjustment travel per rotation, and the most desirable total travel range.




APLR2 FFP IR MOA reticle has a large illuminated center with 1 moa hash mark increments and drop lines in 5 moa increment on vertical direction down to 40 moa, both of which help you quickly lock in your target and set holdover positions. The illuminated portion has a 2 moa span center cross with illuminated cross line extends to 40 moa on both vertical and horizontal direction. The unique design of having droplines going down to 40 moa with 5 moa between each drop line and 1 moa hash marks in between provide excellent holding over positions for long precision shooting.



APLR2 FFP IR MOA

APRS1 FFP IR MIL reticle is designed for precision rifle series competition and any other long range shooting applications with accurate ranging capability. It can help you quickly determine distance, holdover positions, windage correction and leads for a moving target. The unique design of fine .2 mil hash mark increments from center to 6 mils to both left and right helps the shooter set a quick windage holdover position after he or she dialed in elevation on their targets. The floating 0.03 center dot draws a shooter's vision right on target enabling him or her to engage a target at a blink of an eye.



APRS1 FFP IR MIL

DIMENSIONS

RIFLESCOPE MODEL	L1	L2	L3	L4	L5	L6	D1	D2
4.5-30x56 FFP	15.3	5.0	6.6	3.7	2.7	2.3	1.83	2.5

** dimensions are given in inches


RETICLE SUBTENSIONS

APLR2 FFP IR MOA	A1	A2	A3	B1	B2	B3	B4	C1	C2	C3	C4	C5	D1	D2
SUBTENSIONS IN MOA	.11	2	.3	2	1.5	.5	1	1	2	1	5	10	.2	.3
APRS1 FFP IR MIL	A1	A2	B1	B2	B3	B4	C1	C2	C3	D1	D2	D3		
SUBTENSIONS IN MIL	.03	.5	.1	.18	.4	.15	.2	.5	1	.05	.1	.03		

DETAILED SPECS


POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL
4.5 - 30 x 56 FFP	EXPOSED/ LOCKING	34mm	APLR2 FFP IR MOA APRS1 FFP IR MIL	MATTE	3.9"	24.5-3.75 ft	36.5 oz	15.3"	0.25 MOA 0.1 MIL	25 MOA 10 MIL	110 MOA 32 MIL	110 MOA 32 MIL	SIDE FOCUS 25yds - ∞	ARGON

* Locking feature on Windage Turret only




4.5X

APLR2 FFP IR MOA




4.5X

APRS1 FFP IR MIL



30X



30X







ARES BTR RIFLESCOPE


The Ares BTR rifle scope family will deliver in every category - Features, design, performance, reliability, durability, trackability, repeatability, and best PRICE! You heard it. You can now have your cake and eat it too with the Ares BTR family. 6x magnification, HD glass, Advanced FMC, side parallax adjustment, XPL coating, 6061-T6 30mm once piece tube, argon purged waterproof, illuminated reticle, true zero stop, first focal plane scope.

APLR3 FFP IR MOA reticle has a large illuminated center with 1 moa hash mark increments and drop lines in 5 moa increment on vertical direction down to 40 moa, both of which help you quickly lock in your target and set holdover positions. The illuminated portion has a 2 moa span center cross with illuminated cross line extends to 40 moa on both vertical and horizontal direction. The unique design of having droplines going down to 40 moa with 5 moa between each drop line and 1 moa hash marks in between provide excellent holding over positions for long precision shooting.


APLR3 FFP IR MIL reticle can help you quickly determine distance, holdover positions, windage correction and leads for a moving target. The unique design of fine .2 mil hash mark increments from center all the way to four directions helps the shooter set a precise holdover position for their targets within a blink of an eye. The illuminated fine reticle provides excellent low light visibility and windage holdovers on the bullet droplines all the way up to 10 mils with .2 mil marks increments in between.



APLR3 FFP IR MOA




APLR3 FFP IR MIL



4.5X

APLR3 FFP IR MOA

27X



4.5X

APLR3 FFP IR MIL

27X

DIMENSIONS

RIFLESCOPE MODEL	L1	L2	L3	L4	L5	L6	D1	D2
2.5-15x50 FFP	13.8	4.7	5.5	3.6	1.8	2.2	1.78	2.25
4.5-27x50 FFP	13.8	4.7	5.5	3.6	1.8	2.2	1.78	2.25

** dimensions are given in inches

RETICLE SUBTENSIONS

APLR3 FFP IR MOA	A1	A2	A3	B1	B2	B3	B4	C1	C2	C3	C4	C5	D1	D2	CONFIGURATION
SUBTENSIONS IN MOA	.24	2	.3	2	1.5	.5	1	1	2	1	5	10	.2	.3	2.5-15x50
APLR3 FFP IR MOA	A1	A2	A3	B1	B2	B3	B4	C1	C2	C3	C4	C5	D1	D2	CONFIGURATION
SUBTENSIONS IN MOA	.14	2	.3	2	1.5	.5	1	1	2	1	5	10	.2	.3	4.5-27x50
APLR3 FFP IR MIL	A1	A2	B1	B2	B3	C1	C2	C3	C4	D1	D2	CONFIGURATION			
SUBTENSIONS IN MIL	.07	.5	.4	.2	.2	.2	.5	.2	1	.09	.14	2.5-15x50			
APLR3 FFP IR MIL	A1	A2	B1	B2	B3	C1	C2	C3	C4	D1	D2	CONFIGURATION			
SUBTENSIONS IN MIL	.04	.5	.4	.2	.2	.2	.5	.2	1	.05	.1	4.5-27x50			

DETAILED SPECS


POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL
2.5 - 15 x 50 FFP	EXPOSED	30 mm	APLR3 FFP IR MOA	MATTE	3.9"	41.8-6.8 ft	27.3 oz	13.8"	0.25 MOA	25 MOA	100 MOA	100 MOA	SIDE FOCUS 10yds - ∞	ARGON
			APLR3 FFP IR MIL						0.1 MIL	10 MIL	29 MIL	29 MIL		
4.5 - 27 x 50 FFP	EXPOSED	30 mm	APLR3 FFP IR MOA	MATTE	3.9"	22.7-3.8 ft	27.3 oz	13.8"	0.25 MOA	25 MOA	80 MOA	80 MOA	SIDE FOCUS 25yds - ∞	ARGON
			APLR3 FFP IR MIL						0.1 MIL	10 MIL	24 MIL	24 MIL		




NEW

MIDAS TAC RIFLESCOPE


When we talk about precision, we mean it and the Midas TAC rifle scope family is just that. HD Glass and advanced fully multicoated optics deliver crisp bright images for taking long range shots. The one piece tube, precision-machined from aircraft-grade 6061-T6 aluminum will deliver precise, accurate results all day long. We finished by capping the windage turret and featuring a true zero stop solution on the elevation turret to make sure every shot counts.



APRS2 FFP IR MIL reticle is designed for precision rifle series competition and any other long range shooting applications with accurate ranging capability. It can help you quickly determine distance, hold-over positions and windage corrections. The unique design of fine .2 mil hash mark increments from center to 6 mils to both left and right helps the shooter set a quick windage holdover position after he or she dialed in elevation on their targets. The floating 0.03 center dot draws a shooter's vision right on target enabling him or her to engage a target at a blink of an eye.




APRS2 FFP MIL




4X

APRS2 FFP MIL




16X



6X

APRS2 FFP MIL



24X

DIMENSIONS

RIFLESCOPE MODEL	L1	L2	L3	L4	L5	L6	D1	D2
4-16x44 FFP	14.2	4.3	6.3	3.6	2.5	2.6	1.71	2.0
6-24x50 FFP	14.6	4.5	6.3	3.8	2.2	2.6	1.71	2.25

** dimensions are given in inches

RETICLE SUBTENSIONS

APRS2 FFP MIL	A1	A2	B1	B2	B3	B4	C1	C2	C3	D1	CONFIGURATION
SUBTENSIONS IN MIL	.04	.4	.1	.18	.4	.15	.2	.5	1	.04	4-16x44
APRS2 FFP MIL	A1	A2	B1	B2	B3	B4	C1	C2	C3	D1	CONFIGURATION
SUBTENSIONS IN MIL	.03	.4	.1	.18	.4	.15	.2	.5	1	.04	6-24x50

DETAILED SPECS

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL
4 - 16 x 44 FFP	*EXPOSED/ CAPPED	30 mm	APRS2 FFP MIL	MATTE	3.7"	27.7-7 ft	23.8 oz	14.2"	0.1 MIL	10 MIL	30 MIL	15 MIL	SIDE FOCUS 10yds - ∞	ARGON
6 - 24 x 50 FFP	*EXPOSED/ CAPPED	30 mm	APRS2 FFP MIL	MATTE	3.7"	17.8-4.6 ft	26.3 oz	14.6"	0.1 MIL	10 MIL	25 MIL	15 MIL	SIDE FOCUS 10yds - ∞	ARGON


* EXPOSED - Elevation Turret / CAPPED - Windage Turret




NEW

MIDAS HMR RIFLESCOPE

The new Midas HMR offers a ton of great features. Including HD Glass, FMC Optics, XPL coatings, illuminated reticle, and Argon Purging to ensure the clearest possible and most durable lenses out there. The turret caps prevent unintentional adjustments to insure your zero stays where you set it, so that you can be confident with your shot. This waterproof and fog proof rifle scope will be the perfect option for any of the most rugged hunting situations you may ever encounter.




AHMR SFP IR MOA reticle has an illuminated 20 moa center with a 2 moa center cross and 2 moa incremental hash marks which provide a unique two layer visual reference for a shooter to locate and get dead on the target within a blink of an eye. The illuminated reticle provides excellent low light visibility. The unique design of the markings with 2 & 4 moa and 6 & 8 moa locating at the opposite side of the lines gives you a clear reading of the markings with no confusions.




AHMR SFP IR MOA

BDC 600A reticle can be used effectively with a variety of firearms giving your accurate ranges and reference marks which can be used to compensate for bullet drift in windy conditions or range distances. The user can sight in at 100 yards on any magnification setting, but for the ballistic reticle feature to function properly, the scope's magnification must be set to the correct power as follows: 2.5-15x50 (15x power)



BDC 600A



The **BDC 600A** will work with any of the following ammunition loads:

- .223 Win 55 gr
- .243 Win, 95 gr
- 25-06 Rem 115 gr
- .270 Win, 130 gr
- .270 WSM, 150 gr
- .7mm Rem Mag, 150 gr
- .7mm WSM, 150 gr
- .30-06 Sprg, 150 gr
- .300 Winchester Mag, 180 gr
- 300 WSM, 180 gr
- .308 Win 150 gr
- .338 Win, 200 gr

DIMENSIONS

RIFLESCOPE MODEL	L1	L2	L3	L4	L5	L6	D1	D2
2.5-15x50 SFP	13.8	4.8	5.5	3.5	2	2.4	1.8	2.3

** dimensions are given in inches

RETICLE SUBTENSIONS

AHMR SFP IR MOA	A1	A2	B1	B2	B3	B4	C1	C2	C3			
SUBTENSIONS IN MOA	.12	1.5	.5	1	.5	1.5	1	1	2			
BDC 600A	A1	A2	B1	B2	B3	C1	C2	C3	C4	C5	C6	C7
SUBTENSIONS IN MOA	.15	.6	.8	1	1.2	1.5	3.5	6.25	9.5	13.6	4	1

* Reticle subtension valid @ 15x

DETAILED SPECS

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL
2.5-15X50 SFP	CAPPED	30mm	AHMR SFP IR MOA BDC 600A	MATTE	3.9"	41.8-6.8 ft	26 oz	13.8"	0.25 MOA	15 MOA	60 MOA	60 MOA	SIDE FOCUS 10yds - ∞	ARGON




MIDAS BTR RIFLESCOPE

The Midas BTR is ready for anything you can throw at it. From tip to tip, this scope has it all. HD glass, FMC optics, XPL coatings, and argon gas purged makes this scope waterproof and fog proof. Add all of these features together and you get an excellent scope that should break the bank, but won't!




The **ATSR16 SFP IR MOA** reticle has a large illuminated center and 2 moa incremental hash marks, which help you quickly lock in your target and set holdover positions. The illuminated center with a 20 moa diameter circle in the middle has a 2 moa center cross and 2 moa incremental hash marks extended to 30 moa at each direction on both vertical and horizontal lines. The cross lines, middle circle, and center cross provide a unique three layer visual reference for a shooter to locate the target and set dead on the center cross within a blink of an eye.




ATSR16 SFP IR MOA

The **ATSR1 SFP IR MOA** reticle is specifically designed for 3 gun competition (68 grain hornady and 69 grain sierra cartridge) and any Nato 5.56/.223 caliber rifle with hold over points for both bullet drop and wind. The 1 moa red dot is perfect for zeroing your rifle at 200 yard and the open centers below the center red dot are for targets at 300, 400, 500, and 600 yard. The unique design of open centers does not block any 12-18 inch targets beyond 200 yards and allows a shooter to take a quick shot once a target fills up the gap in the middle.




ATSR1 SFP IR MOA

The **ATSR 16 SFP IR MIL** reticle is designed to maximize your performance on short and mid-range shooting with illuminated center cross and 0.5 mil hash marks incremental extended to 5 mils. The illuminated 10 mil center with a 0.5 mil center cross and 0.5 mil hash marks provide a unique two layer visual reference. The illuminated portion of the reticle provides excellent low light visibility and the total 30 mil reticle span with 0.5 mil incremental offers accurate holdover positions.




ATSR 16 SFP IR MIL

The **AHMR SFP IR MOA** reticle has an illuminated 20 moa center with a 2 moa center cross and 2 moa incremental hash marks which provide a unique two layer visual reference for a shooter to locate and get dead on the target within a blink of an eye. The illuminated reticle provides excellent low light visibility. The unique design of the markings with 2 & 4 moa and 6 & 8 moa locating at the opposite side of the lines gives you a clear reading of the markings with no confusions.




AHMR SFP IR MOA

The **APMR1 SFP IR MIL** reticle is designed to maximize your performance on mid-distance shooting with illuminated center cross and 0.5 mil hash marks which provides excellent low light visibility. The illuminated 4 mil span center cross with 0.5 mil hash mark and extended 5 mil marks provide a unique two layer visual reference for a shooter quickly locate the target and find a holdover position.



APMR1 SFP IR MIL

The **APLR1 SFP IR MIL** reticle is designed for precision long-distance shooting with accurate ranging capability and helps you quickly determine distance, holdover positions, windage corrections and leads for a moving target. Having .2 & .4 mil and .6 & .8 mil on different side of cross lines helps a shooter quickly locate a holdover position with no confusion. The illuminated fine reticle provides excellent low light visibility and windage holdovers on the bullet droplines all the way up to 9 mils with .2 mil marks incremental in between.



APLR1 SFP IR MIL

RETICLE SUBTENSIONS

ATSR16 SFP IR MOA	A1	A2	B1	B2	B3	B4	C1	C2	C3	C4	D1	D2	E			
SUBTENSIONS IN MOA	.4	1.38	1	2	3	4	2	2	2	5	20	18.5	5			
ATSR1 SFP IR MOA	A1	A2	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	C5	C6	C7
SUBTENSIONS IN MOA	.5	1.5	1.5	2	2.5	4	.45	1.5	2.95	2.5	15	2.4	5.6	9.5	14.6	35
	C8	C9	C10	C11	C12	D1	D2									
	1.5	3	2.5	2.3	2	1	.55									
ATSR16 SFP IR MIL	A1	A2	B1	B2	B3	B4	C1	C2	C3	C4						
SUBTENSIONS IN MIL	.12	1	.3	.6	1	2	.25	2	.25	5						
AHMR SFP IR MOA	A1	A2	B1	B2	B3	B4	C1	C2	C3							
SUBTENSIONS IN MOA	.12	1.5	.5	1	.5	1.5	1	1	2							
APMR1 SFP IR MIL	A1	A2	B1	B2	B3	C1	C2	C3								
SUBTENSIONS IN MIL	.04	.5	.2	.4	.8	1	.5	1								
APLR1 SFP IR MIL	A1	A2	A3	A4	A5	A6	B1	B2	B3	C1	C2	D1	D2	D3	D4	D5
SUBTENSIONS IN MIL	.04	.025	.05	.1	0.5	.025	.1	.2	.2	.2	.5	1	.2	1	.2	.2

* Reticle subtension valid @ 6x, 15x

DIMENSIONS

RIFLESCOPE MODEL	L1	L2	L3	L4	L5	L6	D1	D2
1-6x24 SFP	10.6	/	7	3.7	2.3	3.5	1.7	1.2
2.5-15x50 SFP	13.8	4.8	5.5	3.5	2	2.4	1.8	2.3
4.5-27x50 SFP	13.9	4.9	5.5	3.5	2	2.4	1.8	2.3

** dimensions are given in inches

DETAILED SPECS


POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL
1 - 6 x 24 SFP	CAPPED	30 mm	ATSR 16 SFP IR MOA	MATTE	3.8"	108-17.6 ft	18.1 oz	10.6"	0.5 MOA	30 MOA	150 MOA	150 MOA	FIXED 100 yds	ARGON
			ATSR 16 SFP IR MIL						0.2 MIL	12 MIL	40 MIL	40 MIL		
2.5 - 15 x 50 SFP	EXPOSED	30 mm	AHMR SFP IR MOA	MATTE	3.9"	41.8-6.8 ft	26 oz	13.8"	0.25 MOA	15 MOA	60 MOA	60 MOA	SIDE FOCUS 10yds - ∞	ARGON
			APMR1 SFP IR MIL						0.1 MIL	6 MIL	18 MIL	18 MIL		
4.5 - 27 x 50 SFP	EXPOSED	30 mm	AHMR SFP IR MOA	MATTE	3.9"	22.7-3.6 ft	26 oz	13.9"	0.25 MOA	15 MOA	60 MOA	60 MOA	SIDE FOCUS 30yds - ∞	ARGON
			APMR1 SFP IR MIL						0.1 MIL	6 MIL	18 MIL	18 MIL		
			APLR1 SFP IR MIL											






HELOS BTR RIFLESCOPE

The Helos BTR rifle scope family has landed. This first focal plane scope features locking turrets packaged with advanced fully-multi coated optics delivering you crystal clear bright images in any light scenario. Available in 6-24x50 and 8-34x56 configurations equipped with either MIL or MOA custom reticles, this family will deliver on the field and off the field when it comes to your bank account.




APLR3 FFP IR MOA reticle is illuminated all the way with 1 moa hash mark increments and drop lines in 5 moa increment on vertical direction down to 50 moa, both of which help you quickly lock in your target and set holdover positions. The reticle has a 2 moa span center cross with illuminated cross line extends to 40 moa on both vertical and horizontal direction. The unique design of having droplines going down to 40 moa with 5 moa between each drop line and 1 moa hash marks in between provide excellent holding over positions for long precision shooting.




APLR2 FFP IR MOA

APMR FFP IR MIL reticle is designed to maximize your performance on long and mid-distance shooting with illuminated center cross and 0.5 mil hash mark, the APMR IR MIL reticle can help you quickly lock in your target and set holdover positions and leads for a moving target. The illuminated 18 mil span cross lines with 0.5 mil hash marks and 0.2 mil hash marks from 7 mil to 9 mil on three directions provide finer details that helps the shooter quickly locate the target and find a holdover position within higher level of precision and confidence.




APMR FFP IR MIL



8X

APLR3 FFP IR MOA

34X



8X

APLR3 FFP IR MIL

34X

DIMENSIONS

RIFLESCOPE MODEL	L1	L2	L3	L4	L5	L6	D1	D2
6-24x50 FFP	14.0	4.1	6.2	3.7	2	2.1	1.8	2.2
8-34x56 FFP	15.5	4.9	6.9	3.7	2	2.9	1.8	2.5

** dimensions are given in inches

RETICLE SUBTENSIONS

APLR2 FFP IR MOA	A1	A2	A3	B1	B2	B3	B4	C1	C2	C3	C4	C5	D1	D2
SUBTENSIONS IN MOA	.14	2	.3	2	1.5	.5	1	1	2	1	5	10	.2	.3
APMR FFP IR MIL	A1	A2	A3	A4	B1	B2	B3	C1	D1	D2	D3	D4	D5	
SUBTENSIONS IN MIL	.02	.4	.05	.1	.2	.4	.3	2	.5	1	.2	1	.2	

DETAILED SPECS

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL
6 - 24 x 50 FFP	EXPOSED	30mm	APLR2 FFP IR MOA	MATTE	3.3"	16.7-4.5 ft	29.7 oz	14.0"	0.25 MOA	15 MOA	60 MOA	60 MOA	SIDE FOCUS 10yds - ∞	ARGON
			APMR FFP IR MIL						0.1 MIL	6 MIL	18 MIL	18 MIL		
8 - 34 x 56 FFP	EXPOSED	30mm	APLR2 FFP IR MOA	MATTE	3.3"	12.5-3 ft	32.3 oz	15.5"	0.25 MOA	15 MOA	45 MOA	45 MOA	SIDE FOCUS 15yds - ∞	ARGON
			APMR FFP IR MIL						0.1 MIL	6 MIL	13 MIL	13 MIL		







ARGOS BTR RIFLESCOPE


The Argos BTR 1-4x24 First Focal Plane Rifle Scope fits perfectly in situations where fast target acquisition is a must and generous eye relief is needed. This scope is effective for MSR platforms that are used in Designated Marksman Matches, Three gun Matches, Law Enforcement and Military applications and Safari Rifles where high magnification is not needed.

AHSR14 FFP IR MOA reticle has an illuminated 20 moa diameter circle with a 2 moa center cross and 2 moa incremental hash marks. The cross lines, middle circle, and center cross provide a unique three layer visual reference that draws shooters' vision right into the center. The illuminated portion of the reticle provides excellent low light visibility and accurate elevation holdovers all the way up to 30 moa with 2 moa marks incremental.


AHSR 14 FFP IR MIL reticle is designed to maximize your performance on short and mid-range shooting with an illuminated 16 mil diameter circle, 1 mil center cross, and cross lines with 1mil hash mark incremental extended to 8 mils on both horizontal and vertical directions. The reticle at 1x becomes a red dot circle for short range target, while it offers enough details at 4x to help shooters quickly spot their target and set holdover positions.



AHSR14 FFP IR MOA




AHSR14 FFP IR MIL



1X

AHSR14 FFP IR MOA

4X



1X

AHSR14 FFP IR MIL

4X

DIMENSIONS

RIFLESCOPE MODEL	L1	L2	L3	L4	L5	L6	D1	D2
1-4x24 FFP	9.8	/	6.2	3.6	2.3	2.4	1.8	1.2

** dimensions are given in inches

RETICLE SUBTENSIONS

AHSR14 FFP IR MOA	A1	A2	B1	B2	B3	B4	B5	C1	C2	C3	C4	C5	C6	D1	D2
SUBTENSIONS IN MOA	.5	4	1.5	3	4	5	7	1	1	10	2	10	10	12	10
AHSR14 FFP IR MIL	A1	A2	B1	B2	B3	C1	C2	C3	C4	C5	C6	D1	D2		
SUBTENSIONS IN MIL	.13	1	.5	2	2	.5	.5	1	2	3	5	8	7		

DETAILED SPECS

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL
1 - 4 x 24 FFP	EXPOSED	30 mm	AHSR14 FFP IR MOA	MATTE	3.5"	112-27 ft	20.5 oz	9.8"	0.5 MOA	30 MOA	120 MOA	120 MOA	FIXED 100 yds	ARGON
			AHSR14 FFP IR MIL						0.2 MIL	12 MIL	40 MIL	40 MIL		






ARGOS BTR RIFLESCOPE

The Argos BTR rifle scope is reporting for duty. This first focal plane scope gives you easy elevation and windage adjustments, packaged with the advanced Fully-Multi Coated Optics deliver crystal clear bright images in any light scenario. Add the side parallax adjustments to the Argos scope which gives you the ability to adjust to any range right at your fingertips, gives you one heck of a rifle scope.




ATMR FFP IR MOA reticle has a large illuminated center and 2 moa incremental hash marks, which help you quickly lock in your target and set holdover positions. The illuminated portion has a 2 moa center cross with illuminated vertical cross line extends to 40 moa and all the way to 90 moa on black line with 10 moa incremental markings and the illuminated horizontal cross line extended to 30 moa at each direction. The illuminated reticle provides excellent low light visibility and accurate elevation holdovers all the way up to 40 moa with 2 moa markings incremental.




ATMR FFP IR MOA

APMR FFP IR MIL reticle is designed to maximize your performance on long and mid-distance shooting with illuminated center cross and 0.5 mil hash mark, the APMR IR MIL reticle can help you quickly lock in your target and set holdover positions and leads for a moving target. The illuminated 18 mil span cross lines with 0.5 mil hash marks and 0.2 mil hash marks from 7 mil to 9 mil on three directions provide finer details that helps the shooter quickly locate the target and find a holdover position within higher level of precision and confidence.




APMR FFP IR MIL

BLR SFP MOA reticle is designed to maximize your performance for both Bench Rest and F-Class shooting applications. Fine line thickness of the reticle (0.016 MOA) allows for pinpoint precision at extreme ranges, especially on smaller targets. A non-illuminated floating center dot (0.09 MOA thick) provides a precise aiming point. This reticle combined with the Argos BTR Rifle Scope provides the perfect solution.




BLR SFP MOA



6X

ATMR FFP IR MOA

24X



6X

APMR FFP IR MIL

24X

DIMENSIONS

RIFLESCOPE MODEL	L1	L2	L3	L4	L5	L6	D1	D2
6-24x50 FFP	14.1	4.2	6.2	3.7	2	2.1	1.8	2.2
8-34x56 FFP	15.5	4.9	6.9	3.7	2	2.9	1.8	2.5
10-40x56 SFP	16.3	6	6.8	3.5	1.5	3.3	1.8	2.5

** dimensions are given in inches

RETICLE SUBTENSIONS

ATMR FFP IR MOA	A1	A2	B1	B2	B3	B4	B5	C1	C2	C3	D1	D2	D3	D4
SUBTENSIONS IN MOA	.14	2	1	1	2	2.5	4	1	1	2	2	4	10	10
APMR FFP IR MIL	A1	A2	A3	A4	B1	B2	B3	C1	D1	D2	D3	D4	D5	
SUBTENSIONS IN MIL	.02	.4	.05	.1	.2	.4	.3	2	.5	1	.2	1	.2	
BLR SFP MOA	A1	A2	B1	B2	C1	C2	D1							
SUBTENSIONS IN MOA	.016	.1	.3	.5	.5	2	.09							

* For BLR SFP reticle, subtension valid @ 40x

DETAILED SPECS


POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL
6 - 24 x 50 FFP	EXPOSED	30 mm	ATMR FFP IR MOA	MATTE	3.3"	16.7-4.5 ft	29.6 oz	14.1"	0.25 MOA	12 MOA	60 MOA	60 MOA	SIDE FOCUS 10yds - ∞	ARGON
			APMR FFP IR MIL						0.1 MIL	5 MIL	18 MIL	18 MIL		
8 - 34 x 56 FFP	EXPOSED	30 mm	ATMR FFP IR MOA	MATTE	3.3"	12.5-3 ft	30.5 oz	15.5"	0.25 MOA	12 MOA	45 MOA	45 MOA	SIDE FOCUS 15yds - ∞	ARGON
			APMR FFP IR MIL						0.1 MIL	5 MIL	13 MIL	13 MIL		
10 - 40 x 56 SFP	EXPOSED	30 mm	BLR SFP MOA	MATTE	3"	12.6-3.1 ft	30.3 oz	16.3"	0.125 MOA	6 MOA	45 MOA	45 MOA	SIDE FOCUS 15yds - ∞	ARGON






ARGOS RIFLESCOPE

The Argos family of scopes is designed for the serious big game hunter. The 5x magnification makes this scope versatile in multiple shooting disciplines from up close targets to long range distances. The fully multicoated optics are protected by the 6061T6 aircraft grade aluminum tube making this scope virtually indestructible. Oh yea, add in our XPL coatings and argon purged, rain, snow or shine, you can count on this scope to perform!




Center X Reticle is a perfect choice for shooters wishing to have a clear field of view with a more traditional crosshair. The Center X reticle allows shooters to quickly view their target while maintaining one distinct aiming point on their reticle. The heavy posts stand out nicely against cover and in twilight conditions, pointing boldly to the intersection.




CENTER X

AHMR1 SFP MOA reticle is perfect for hunting and shooting at varying ranges out in the field. The customized Mil hash mark design helps to eliminate any guesswork with holdover and windage adjustments. Bottom line, when you need to depend on the shot, this reticle will deliver.




AHMR1 SFP MOA

BDC 600 reticle can be used effectively with a variety of firearms giving your accurate ranges and reference marks which can be used to compensate for bullet drift in windy conditions or range distances. The user can sight in at 100 yards on any magnification setting, but for the ballistic reticle feature to function properly, the scope's magnification must be set to the correct power as follows: 2-10x40 (10x power), and for 3-15x40, 4-20x50 and 6-30x56 (15x power)



BDC 600



The **BDC 600** will work with any of the following ammunition loads:

- .223 Win 55 gr
- .243 Win, 95 gr
- 25-06 Rem 115 gr
- .270 Win, 130 gr
- .270 WSM, 150 gr
- .7mm Rem Mag, 150 gr
- .7mm WSM, 150 gr
- .30-06 Sprg, 150 gr
- .300 Winchester Mag, 180 gr
- 300 WSM, 180 gr
- .308 Win 150 gr
- .338 Win, 200 gr

DIMENSIONS

RIFLESCOPE MODEL	L1	L2	L3	L4	L5	L6	D1	D2
2-10x40 SFP	12.2	3.1	6.0	3.1	2.6	2.1	1.5	1.9
3-15x40 SFP	12.2	3.1	6.0	3.1	2.6	2.1	1.5	1.9
4-20x50 SFP	13.1	3.9	6.1	3.1	2.6	2.4	1.5	2.4
6-30x56 SFP	14.7	4.9	6.8	3	2.6	2.8	1.5	2.6

** dimensions are given in inches

RETICLE SUBTENSIONS

CENTER X	A1	A2	C1	C2	CONFIGURATION				
SUBTENSIONS IN MOA	.21	.63	4.55	9.1	2-10x40				
CENTER X	A1	A2	C1	C2	CONFIGURATION				
SUBTENSIONS IN MOA	.14	.42	3.05	6.1	3-15x40				
BDC 600	A1	A2	C1	C2	C3	C4	C5	C6	D1
SUBTENSIONS IN MOA	.3	.8	1.5	3.5	6.25	9.5	13.6	2	1
AHMR1 SFP MOA	A1	A2	C1	C2	C3	B1	B2	B3	CONFIGURATION
SUBTENSIONS IN MOA	.13	1.5	1	2	10	.5	1	1.5	4-20x50
AHMR1 SFP MOA	A1	A2	C1	C2	C3	B1	B2	B3	CONFIGURATION
SUBTENSIONS IN MOA	.1	1.2	1	2	10	.5	1	1.5	6-30x56

* Reticle subtension valid @10x, 15x

DETAILED SPECS

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL
2 - 10 x 40 SFP	CAPPED	1"	CENTER X BDC 600	MATTE	>3.8"	48.8-9.8 ft	15.5 oz	12.2"	0.25 MOA	15 MOA	60 MOA	60 MOA	FIXED 100 yds	ARGON
3 - 15 x 40 SFP	CAPPED	1"	CENTER X BDC 600	MATTE	>3.8"	30.4-6.3 ft	16.5 oz	12.2"	0.25 MOA	15 MOA	60 MOA	60 MOA	FIXED 100 yds	ARGON
4 - 20 x 50 SFP	CAPPED	1"	BDC 600 AHMR1 SFP MOA	MATTE	>3.8"	23.6-4.7 ft	19.5 oz	13.1"	0.25 MOA	15 MOA	50 MOA	50 MOA	SIDE FOCUS 25yds - ∞	ARGON
6 - 30 x 56 SFP	CAPPED	30 mm	BDC 600 AHMR1 SFP MOA	MATTE	>3.8"	16.6-5.4 ft	22 oz	14.7"	0.25 MOA	15 MOA	60 MOA	60 MOA	SIDE FOCUS 25yds - ∞	ARGON







TALOS BTR RIFLESCOPE


Let's face it, dawn or dusk are when more tags are filled during low-light situations. The Talos BTR was designed to tackle this problem with our advanced multi-coated lenses for clarity and brightness when you are running out of light. The 4x magnification range will give you great versatility for taking that close shot in dense trees or that long shot in the open ranges.

AHSR 14 SFP IR MIL reticle is designed to maximize your performance on short range shooting with illuminated 1 mil center cross and 1 mil hash marks increments extended to 8 mils on both horizontal and vertical directions and can help you quickly spot your target and set holdover positions and leads for a moving target. The illuminated 16 mil center with an 1 mil center cross (0.5 mil from center to the side) and 10 mil black lines enable a shooter to quickly locate the target and put it right on the center cross within a blink of an eye. The illuminated portion of the reticle provides excellent low light visibility.


APLR2 FFP IR MIL reticle is designed to maximize your performance on precision long and mid range shooting with accurate ranging capability. It will help you quickly determine distance, holdover positions, windage correction and leads for a moving target. The unique design of fine .2 mil hash mark, having .2 and .4 on one side of either horizontal or vertical line and .6 and .8 on another side, helps the shooter quickly locate a holdover position with .2 mil increments within a blink of an eye. The illuminated fine reticle provides excellent low light visibility and windage holdovers on the bullet droplines all the way up to 9 mils with .2 mil marks increments between.




AHSR14 SFP IR MIL



APLR2 FFP IR MIL



APLR2 FFP IR MIL - 4X



APLR2 FFP IR MIL - 14X

DIMENSIONS

RIFLESCOPE MODEL	L1	L2	L3	L4	L5	L6	D1	D2
1-4X24 SFP	9.2	/	5.6	3.6	1.9	2.6	1.8	1.2
4-14X44 FFP	12.9	3.9	5.0	4.0	1.4	2.0	1.7	1.8

** dimensions are given in inches

RETICLE SUBTENSIONS

RIFLESCOPE MODEL	A1	A2	B1	B2	B3	B4	C1	C2	C3	C4	C5	C6				
AHSR14 SFP IR MIL	.13	1	.5	1	2	2	.5	.5	1	2	1	5				
RIFLESCOPE MODEL	A1	A2	A3	A4	A5	A6	B1	B2	B3	C1	C2	D1	D2	D3	D4	D5
APLR2 FFP IR MIL	.04	.025	.05	.1	.5	.025	.1	.2	.2	.2	.5	1	.2	1	.2	.2

* For AHSR14 SFP reticle, subtension valid @4x

DETAILED SPECS

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL
1 - 4 x 24 SFP	EXPOSED	30 mm	AHSR14 SFP IR MIL	MATTE	6.26-3.5"	110-26 ft	18 oz	9.2"	0.2 MIL	12 MIL	40 MIL	40 MIL	FIXED 100 yds	NITROGEN
4 - 14 x 44 FFP	EXPOSED	30 mm	APLR2 FFP IR MIL	MATTE	3.23-3.15"	27.2-7.9 ft	23.6 oz	12.9"	0.1 MIL	5 MIL	20 MIL	20 MIL	SIDE FOCUS 10 yds - ∞	NITROGEN





TALOS RIFLESCOPE


Just like it's brother the Talos BTR product family, the Talos is loaded with features that will deliver the best bang for your buck! With 3 different configurations to choose from (3-12x40, 4-16x40, 6-24x50) and 4 reticle selections, the choice is very easy with this one. Performance, reliability, versatile all while not breaking the bank.

Center X Reticle is a perfect choice for shooters wishing to have a clear field of view with a more traditional crosshair. The Center X reticle allows shooters to quickly view their target while maintaining one distinct aiming point on their reticle. The heavy posts stand out nicely against cover and in twilight conditions, pointing boldly to the intersection.


Mil Dot reticle is one of the most accurate, versatile means of estimating ranges using a manual optical device. The Mil Dot allows the user to do range estimations, holdover and wind drift compensation as well as for precise leads for moving targets.

ATMR1 SFP IR MIL reticle is perfect for shooting at the range or competing in a competitions. The customized Mil hash mark design helps to eliminate any guesswork with holdover and windage adjustments. The illuminated reticle is great for low light situations when you need to count on a good, accurate shot.


BDC 600 IR was designed to deliver a high level of precision at extended targets that can be used with today's most popular rifle cartridges.




CENTER X




MILDOT



ATMR1 SFP IR MIL



BDC 600 IR



The **BDC 600 IR** will work with any of the following ammunition loads:

- .223 Win 55 gr
- .243 Win, 95 gr
- 25-06 Rem 115 gr
- .270 Win, 130 gr
- .270 WSM, 150 gr
- .7mm Rem Mag, 150 gr
- .7mm WSM, 150 gr
- .30-06 Sprg, 150 gr
- .300 Winchester Mag, 180 gr
- 300 WSM, 180 gr
- .308 Win 150 gr
- .338 Win, 200 gr

DIMENSIONS

RIFLESCOPE MODEL	L1	L2	L3	L4	L5	L6	D1	D2
3-12x40 SFP	12	3.6	4.8	3.7	1.9	1.3	1.8	1.9
4-16x40 SFP	12.9	3.5	5.8	3.7	1.9	2.2	1.8	1.9
6-24x50 SFP	13.9	4	6.2	3.7	1.9	2.7	1.8	2.2

** dimensions are given in inches

RETICLE SUBTENSIONS

RETICLE	A1	A2	C1	C2	CONFIGURATION									
CENTER X	A1	A2	C1	C2	3-12x40									
SUBTENSIONS IN MOA	.18	.7	4.5	9										
MILDOT	A1	A2	C1	C2	C3	C4	D1							
SUBTENSIONS IN MIL	.05	.25	.75	1	1	5	.25							
BDC 600 IR	A1	A2	B1	B2	B3	C1	C2	C3	C4	C5	C6	C7	C8	D1
SUBTENSIONS IN MOA	.3	.8	.8	1	1.2	1.5	3.5	6.25	9.5	13.6	4	1	2	1
ATMR1 SFP IR MIL	A1	A2	B1	B2	B3	C1	C2	C3						
SUBTENSIONS IN MIL	.02	.5	.3	.6	.8	.25	.5	1						

* Reticle subtension valid @12x, 16x and 18x

* Mildot reticle subtensions valid @10x

DETAILED SPECS

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL
3 - 12 x 40 SFP	CAPPED	1"	CENTER X	MATTE	3.82-3.35"	34.1-8.9 ft	16.2 oz	12"	0.25 MOA	15 MOA	60 MOA	60 MOA	SIDE FOCUS 15yds - ∞	NITROGEN
			BDC 600 IR						0.1 MIL	5 MIL	20 MIL	20 MIL		
			MILDOT						0.1 MIL	5 MIL	20 MIL	20 MIL		
4 - 16 x 40 SFP	CAPPED	1"	BDC 600 IR	MATTE	3.8-3.35"	24.1-6.3 ft	19.1 oz	12.9"	0.25 MOA	15 MOA	60 MOA	60 MOA	SIDE FOCUS 15yds - ∞	NITROGEN
			MILDOT						0.1 MIL	5 MIL	20 MIL	20 MIL		
			BDC 600 IR						0.25 MOA	15 MOA	50 MOA	50 MOA	SIDE FOCUS 10yds - ∞	NITROGEN
ATMR1 SFP IR MIL	0.1 MIL	5 MIL	18 MIL	18 MIL										







NEOS RIFLESCOPE

The Neos family is the perfect scope for those who want quality and lots of features, all while staying on a budget. Fully multicoated optics protected in a heat treated one piece aluminum tube, nitrogen purged to give you a waterproof, fog proof and shockproof scope. Rugged, precise, dependable, reliable, need we say more.....


Center X Reticle is a perfect choice for shooters wishing to have a clear field of view with a more traditional crosshair. The Center X reticle allows shooters to quickly view their target while maintaining one distinct aiming point on their reticle. The heavy posts stand out nicely against cover and in twilight conditions, pointing boldly to the intersection.

BDC22 Rim Fire reticle was designed specifically for rimfire. This reticle allows shooters to compensate for bullet drop at extended shooting distances. When using a .22 LR with a muzzle velocity of approximately 1,250 feet per second, this reticle is designed to be zeroed at 50 yards, providing bullet drop compensation for 75, 100, 125 and 150 yards.


BDC 500 IR was designed to deliver a high level of precision at extended targets that can be used with today's most popular rifle cartridges.




CENTER X



BDC 22 RIMFIRE



BDC 500 IR



The **BDC 500 IR** will work with any of the following ammunition loads:

- .223 Win 55 gr
- .243 Win, 95 gr
- 25-06 Rem 115 gr
- .270 Win, 130 gr
- .270 WSM, 150 gr
- .7mm Rem Mag, 150 gr
- .7mm WSM, 150 gr
- .30-06 Sprg, 150 gr
- .300 Winchester Mag, 180 gr
- 300 WSM, 180 gr
- .308 Win 150 gr
- .338 Win, 200 gr

Neos rifle scope internal dials:



DIMENSIONS

RIFLESCOPE MODEL	L1	L2	L3	L4	L5	L6	D1	D2
3-9x40 SFP	12.4	3.3	5.6	3.5	2.3	2.3	1.6	1.9
4-12x40 SFP	12.4	3.3	5.6	3.5	2.3	2.3	1.6	1.9
6-18x44 SFP	13.5	3.7	6.3	3.5	2.3	3	1.6	2

** dimensions are given in inches

RETICLE SUBTENSIONS

CENTER X	A1	A2	C1	C2	CONFIGURATION							
SUBTENSIONS IN MOA	.25	.9	6.5	13	3-9x40							
CENTER X	A1	A2	C1	C2	CONFIGURATION							
SUBTENSIONS IN MOA	.18	.7	4.5	9	4-12x40							
CENTER X	A1	A2	C1	C2	CONFIGURATION							
SUBTENSIONS IN MOA	.12	.5	3.2	6.5	6-18x44							
BDC 22 RIMFIRE	A1	A2	C1	C2	C3	C4	C5	D1				
SUBTENSIONS IN MOA	.25	.8	2.3	5.3	8.8	12.5	5	1				
BDC 500 IR	A1	A2	B1	B2	C1	C2	C3	C4	C5	C6	C7	D1
SUBTENSIONS IN MOA	.3	.8	.8	1	1.5	3.5	6.25	9.5	13.6	1	2	1

* Reticle subtension valid @9x, 12x and 18x

DETAILED SPECS


POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	LENGTH	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL
3-9x40 SFP	CAPPED	1"	CENTER X	MATTE	2.99-3.07"	37.8-12.6 ft	17 oz	12.4"	0.25 MOA	15 MOA	80 MOA	80 MOA	FIXED 100 yds	NITRO-GEN
			BDC 500 IR											
4-12x40 SFP	CAPPED	1"	CENTER X	MATTE	3.11-3.15"	27.3-8.9 ft	18.1 oz	12.4"	0.25 MOA	15 MOA	80 MOA	80 MOA	SIDE FOCUS 10 yds - ∞	NITRO-GEN
			BDC 22 RIMFIRE											
6-18x44 SFP	CAPPED	1"	CENTER X	MATTE	3.39-3.19"	17.5-5.9 ft	21.7 oz	13.5"	0.25 MOA	15 MOA	80 MOA	80 MOA	SIDE FOCUS 10 yds - ∞	NITRO-GEN
			BDC 500 IR											




MIDAS BTR

RED DOT SIGHTS


When you need fast, effective, accurate, simple and reliability, Athlon Op-tics Red Dot family of products is just what you need. The Red Dot offers a bright red light for easy vision in all lighting situations. When the stakes are at their highest, whatever your needs are, trust your shot with Athlon Optics.




OS11 & ARD11




ARD13




ARD12-1



ARD12-2



ARD12-3




ARD12-4


MIDAS BTR

PRISM SCOPES


Designed specifically for fast target acquisition, Athlon Optics Prism Scopes are high performing , durable and reliable. Ideal for close to medium range shooting and rugged for any situation you may encounter.




APSR11 - RED




APSR11 - GREEN




APSR31 - RED



APSR31 - GREEN



APSR41 - RED



APSR41 - GREEN

RETICLE SUBTENSIONS

ARD11	D1						
SUBTENSIONS IN MOA	3						
ARD12	A1	C1	C2	D1	D2	D3	RETICLE
SUBTENSIONS IN MOA	-	-	-	1.5	-	-	ARD12-1
SUBTENSIONS IN MOA	2	2	40	1.5	-	-	ARD12-2
SUBTENSIONS IN MOA	-	-	-	3	24	30	ARD12-3
SUBTENSIONS IN MOA	2	10	-	24	30	-	ARD12-4
ARD13	A1	C1	C2	D1	D2	D3	
SUBTENSIONS IN MOA	3	8	20	3	27	35	

RETICLE SUBTENSIONS

APSR11	A1	C1	C2	D1	D2	D3						
SUBTENSIONS IN MOA	3	8	22	3	150	160						
APSR31	A1	A2	B1	B2	C1	C2	C3	C4	C5	D1	D2	D3
SUBTENSIONS IN MOA	.6	1.8	4	8	4.5	10	5	60	30	1	19	21
APSR41	A1	A2	B1	B2	B3	B4	C1	C2	C3	D1	D2	D3
SUBTENSIONS IN MOA	.45	1.5	2	6	1.5	3	4	30	60	.5	12	16



THANK YOU ATHLON ENTHUSIASTS

FOR SUPPORTING OUR MISSION
AND CHOOSING



YOUR ULTIMATE PRIZE!

Hashtag a photo of you with our product on social media with **ATHLON OPTICS** and spread the word, enter competitions and win prizes.

I am a firm believer in Athlon Optics, the quality to price ratio is the best in the optics business. I purchased their Cronus Spotting Scope 20-60x86 earlier this spring (it is an incredible product). I push the spotter to the limits quite frequently, and it remains excellent! Unfortunately, I had dropped the spotter off a few cliff benches while high country mule deer scouting in Montana! The terrain is gnarly and unforgiving to say the least. I had ruined my spotting scope, thankfully Athlon optics always has your back. They stick to their warranty with no difficulty for the customer. The customer service throughout the troubles was excellent, they put me first just for customer satisfaction. I really appreciate a company that can maintain this quality of work. Give Athlon a chance, you won't be disappointed! Thanks.

Shonn Roberts

I wanted to wait till after season so I can give an accurate review. Let's start off with I'm hard on my gear during the season especially binoculars I bought the Midas 10x42 binoculars and I am extremely impressed. From early season to the rut they took a beating sitting in rain sleet and snow. To being dropped on accident multiple times from 20+ feet in a tree, even bouncing off a few rocks after falling out of my stand (hands didn't wanna work) picked them up took a look through them and to my amazement there was nothing wrong with them not even a scratch. Today they look just like they came out of the box. I will highly recommend anyone to purchase a set of your optics just from what I have put them through.

Chris Wojcik

I had a mishap while loading guns in the truck to go to the range. My gun fell on the asphalt smashing the windage turret on my Midas BTR. I shipped it in to Athlon and had a brand new one back in my hands in 8 days. No questions asked!

Jacob Robbins,
Southern Arizona Rifle Company

Two and half weeks before my Colorado elk hunt, my rifle took a hard fall, breaking my Helos BTR. I filled out the warranty form on line and sent the scope in. I spoke with Drake from Athlon, explaining my situation, and I received a new scope with plenty of time to get it sighted in. Thanks to their great warranty and wonderful customer service I was able to make my trip to Colorado. Thanks again Athlon Optics.

Scot Riden

I have used the warranty department at Athlon Optics two times. Both times, the customer service was excellent. One of the times was completely my fault, and I told them so. They replaced it without batting an eye, just like the other time. I have a total of 6 different athlon optics. They've held up 2 seasons of hard use in 3 gun. I would highly recommend them to others, I will be purchasing more in the future

Billy York

I can't hold my tongue about Athlon scopes! Since putting an Argos BTR 6x24 on my T-10 my groups went from 1/2 MOA or less (at 100) to an inch with numerous flyers. I checked scope mount torques, rings, chassis torque, etc (same match ammo) and the clarity at 100 wasn't all that great.

Everyone I talked to said that the Argos should be crystal clear, so I talked to the guys at Athlon. They agreed that it didn't sound right and told me to properly send it back which I did on Monday, here it is Thursday and I received a UPS shipment with a brand new Argos scope. Now that's one Hell of a warranty program.

I'll be mounting it up tomorrow and checking @100 yards. I have a good feeling that my groups will be back to their normal 1/2 MOA.

Athlon's customer service is second to none!

Randy Wittmer





ATHLON
OPTICS

YOUR ULTIMATE PRIZE!