

The background of the cover is a photograph of a mountain range. The left side shows a snow-capped mountain peak under a clear blue sky. The foreground is a valley with brown, dry grass and patches of snow. A dark, diagonal band runs from the top left towards the bottom right, serving as a background for the text.

ATHLON
OPTICS

**2019
PRODUCT
CATALOG**

BINOCULARS

RIFLESCOPES

SPOTTING SCOPES

RANGEFINDERS

RED DOTS

ACCESSORIES

THE CLEAR REVOLUTION

CONTENT

BINOCULARS

CRONUS
15x56, 10x42, 8.5x42,
CRONUS RANGEFINDING BINOCULARS
10x50
ARES
10x42, 8x42, 10x36, 8x36
MIDAS
12x50, 10x50, 10x42, 8x42, 10x25
ARGOS
12x50, 10x50, 10x42, 8x42, 10x34, 8x34
TALOS
12x50, 10x50, 10x42, 8x42, 10x32, 8x32
NEOS
12x50, 10x50, 10x42, 8x42,
10x32, 8x32, 10x30, 8x30

RIFLESCOPES

CRONUS BTR
1-6x24, 4.5-29x56
ARES ETR
4.5-30x56

6 ARES BTR
2.5-15x50, 4.5-27x50
6 MIDAS TAC
6-24x50, 4-16x44
7 MIDAS HMR
2.5-15x50
8 MIDAS BTR GEN2
1-6x24, 4.5-27x50
10 HELOS BTR
1-4.5x24, 6-24x50, 8-34x56
11 ARGOS BTR
1-4x24, 6-24x50, 8-34x56, 10-40x56
12 TALOS BTR
1-4x24, 4-14x44
13 TALOS
3-12x40, 4-16x40, 6-24x50
14 NEOS
3-9x40, 4-12x40, 6-18x44
14 SPOTTING SCOPE
16 CRONUS TACTICAL
7-42x60 ED

18 CRONUS
20-60x86 ED, 12-36x50 ED
20 ARES
20-60x85 ED, 15-45x65 ED, 7.5-22.5x50 ED
22 RED DOTS
24 MIDAS BTR Red Dot Sights
RD11, RD12, RD13
26 MIDAS BTR Prism Scopes
PR11, PR31, PR41
28 MIDAS BTR Magnifiers
MG31, MG51
30 LASER RANGEFINDERS
MIDAS 1200Y
32 MIDAS 1 MILE
34 RIFLESCOPES
QUICK COMPARISON
36 RETICLE SUBTENSIONS
36 ACCESSORIES



KEY FEATURES LIST



First Focal Plane Riflescopes



Second Focal Plane Riflescopes



ABBE Prisms maximize the light reflection to your eyes to give you the brightest and sharpest image.



Advanced Fully Multi-Coated lenses deliver the highest level of light transmission for maximum brightness and true color across the entire light spectrum.



Apochromatic Lens System gives you the result of images which have greater contrast, sharpness and color definition.



Argon Purging gives you better waterproofing and thermal stability



Bak-4 Glass Prisms reflect more light to your eyes thus will give you brighter and sharper image.



E2ES System is a field flattening system that produces sharper, clearer images all the way from one lens edge to another



ED Glass gives you an image with little or no chromatic fringe for an ultimate clearest and sharpest image



ESP Dielectric Coating is a multi layer prism coating that reflects over 99% of the light to your eyes bringing you a clear, bright image with accurate colors



Fully Multi-Coated Lenses bring you better light transmission to bring optimum brightness and true color across the entire light spectrum.



HD Glass gives you better light transmission, brighter, and sharper image.



Locking Turrets allow you to pull up your turret to dial, and push down the turret to lock it in place.



Long Eye Relief is important for eyeglass wearers because longer eye relief allows them to still see the entire field of view.



Magnesium Chassis gives you the strength of a metal chassis while reducing the weight as much as 35%



Multicoated optics effectively reduce reflected light and increase the transmission of light giving you a brighter image than normal single coated lenses



Phase Corrected Prisms produce images that have better contrast, a higher resolution and excellent color reproduction.



Precision Zero Stop System allows you to return to your zero position and dial back to it with a sharp and precise stop right at your zero location



Rubber Armor provides durable and secure, non-slip soft texture grip for any weather condition.



Silver Coated prisms produce images that have great contrast and resolution.



Waterproof to protect the product in the harshest weather conditions or if accidentally submerged underwater.



XPL Coating gives you an extra protection on the exterior lenses from dirt, oil and scratches



YOUR PRIZE IN OPTICS

ATHLON is a proud US sports optics product company devoted to designing and delivering superior quality optics products and outdoor accessories at a competitive price to our consumers via our distribution and retail channels. Athlon has strong engineering design capabilities, strategic alliances with quality manufacturers and a streamlined fully integrated supply chain. These advantages enable us to bring the latest cutting edge technologies and cut out the extra layers of the traditional supply chain. With these

advantages we are able to deliver goods and products to individual consumers' hands with great cost savings.

Our obsession with product quality and superior customer service for hunters, recreational shooters, and outdoor enthusiasts drives our business. The business model on which we founded Athlon allows us to deliver high quality optics at extremely competitive prices. Our goal from day one is to pass those savings to you, the outdoor enthusiast.

LIFETIME WARRANTY

Your Athlon product is not only warranted to be free of defects in materials and workmanship for the lifetime of the product. Athlon will also repair or replace the product at no charge to you if you damage it through normal use. No receipt needed, no registration required. This is a commitment that Athlon Optics will be the best product you can buy for your money. This warranty does not cover damages caused by deliberate damage, mis-

use, theft or maintenance provided by someone other than the Athlon Authorized Service Department.



NEW PRODUCTS FOR 2019



CRONUS 15X56 BINOCULAR
P. 6



CRONUS 10X50 RANGEFINDING BINOCULAR
P. 7



MIDAS 10X25 BINOCULAR
P. 10



CRONUS BTR 1-6X24 RIFLESCOPE
ATSR2 SFP IR MOA
P. 14-15



CRONUS BTR 4.5-29X56 RIFLESCOPE
APRS1 FFP IR MIL
P. 14-15



MIDAS TAC 6-24X50 RIFLESCOPE
APLR4 FFP MOA / APRS3 FFP MIL
P. 20-21



CRONUS TACTICAL 7-42X60 ED SPOTTING SCOPE
TSSR FFP MIL
P. 36-37



MIDAS BTR GEN2 1-6X24 RIFLESCOPE
ATSR4 SFP IR MOA / ATSR16 SFP IR MOA
P. 24-25



MIDAS BTR GEN2 4.5-27X50 RIFLESCOPE
AHMR SFP IR MOA / APRS4 SFP IR MIL
P. 24-25



HELOS BTR 1-4.5X24 RIFLESCOPE
ATSR3 SFP IR MOA
P. 26-27





CRONUS

BINOCULARS

Just like its namesake, Cronus the King of all the Mythological Greek Titans, this is the King of the Athlon Optic binocular kingdom! Athlon brings to you in the Cronus family, products inspired by a combined commitment to brightness, clarity and resolution.

Designed for serious glassing, with exceptional edge to edge clarity, sharp detail enhancement, ultra-clear brightness and true color representation. Whether you are on your annual hunt for whitetails on the family farm in Alabama or filling your tag on an once in a lifetime Montana Big Horn, don't leave anything to chance. We designed these binoculars with our revolutionary E2ES lens system that gives you a flat field of view. We included ED Glass that results in clearer and sharper image to your eyes.

Dielectric coating reflects 99% of the light through the prism assembly. Our state of the art light weight Magnesium chassis helps lighten your load all the while maintaining the ruggedness to withstand the scrapes & bumps of constant use. These Cronus binoculars can take a hit!



CRONUS

RANGEFINDING BINOCULARS

Just like its namesake, Cronus the King of all the Mythological Greek Titans, this is the King of the Athlon Optic binocular kingdom! Athlon brings to you in the Cronus family, products inspired by a combined commitment to brightness, clarity, resolution, and exceptional ranging capabilities. Designed for serious glassing, with exceptional edge to edge clarity, sharp detail enhancement, ultra-clear brightness and true color representation.

With ranging capabilities of 5 yards to 800 yards on a deer and out to 2000 yards on a reflective target, these Range Finding Binoculars are perfect for any hunting or long range situations. We designed these binoculars with our revolutionary E2ES lens system that gives you a flat field of view. We included ED Glass that results in clearer and sharper image to your eyes as well as an illuminated ranging display.



NEW



10 x 42 mm / 8.5 x 42 mm

15 x 56 mm

PRODUCT SPECIFICATION

CONFIGURATION	OBJECTIVE LENS DIAMETER	EYE RELIEF	FIELD OF VIEW ANGULAR	FOV @1000 YARDS	CLOSE FOCUS	INTERPUPIL-LARY DIST.	WEIGHT	HEIGHT X WIDTH
15 x 56 mm	56 mm	18.5 mm	4.5°	235 ft	13.1 ft	59-74 mm	45.2 oz	8.7x6.2"
10 x 42 mm	42 mm	19.3 mm	6.5°	338 ft	6.6 ft	56-73 mm	33 oz	6.3x5.1"
8.5 x 42 mm	42 mm	22 mm	7.6°	399 ft	6.6 ft	56-73 mm	33 oz	6.3x5.1"

KEY FEATURES



OTHER FEATURES

Magnesium Chassis, Locking Diopter, Long Eye Relief, Close Focus, Twist Up Eye-Cups, Waterproof

PRODUCT SPECIFICATION

CONFIGURATION	OBJECTIVE LENS DIAMETER	EYE RELIEF	FIELD OF VIEW ANGULAR	FOV @1000 YARDS	CLOSE FOCUS	INTERPUPIL-LARY DIST.	WEIGHT	HEIGHT X WIDTH
10 x 50 mm	50 mm	17 mm	6.2°	325 ft	9.8 ft	58-76 mm	38 oz	6.7x5.4"

RANGEFINDING SPECIFICATION

RANGING REFLECTIVE	RANGING DEER	ACCURACY	POWER SUPPLY	DISPLAY
2000 Y	800 Y	+ / - 1 Y	CR2-3V	Red Illuminated OLED Display Screen

KEY FEATURES



OTHER FEATURES

Tripod Adaptable, Dual Units of Measurement of Distance (Y/M), Angle Compensation Mode, Argon Purged, Waterproof

NEW



10 x 50 mm



DISPLAY PREVIEW



ARES BINOCULARS

Ares lightweight open- bridge design is an example of the new innovative thinking that went into the unique design. Put in a few words, Ares optics are first-class.

The Ares family has ED glass lenses with Advanced multi-coated lens coatings, not to mention BaK4 prisms with the new ESP Dielectric Coating & Phase Coating. They bring super-premium clarity and brightness within the reach of most avid enthusiasts Their tough Magnesium chassis is fog proof and waterproof and filled with Argon to give you better internal fog proofing and thermal stability. These binoculars are covered with an ultra durable rubber armor for superior protection.

Bottom line? Just like Ares the Greek god of war, they will stand up to the toughest of circumstances. They're the perfect combination of lightweight construction, optical quality and rugged durability.



10 x 42 mm / 8 x 42 mm



10 x 36 mm / 8 x 36 mm

PRODUCT SPECIFICATION

CONFIGURATION	OBJECTIVE LENS DIAMETER	EYE RELIEF	FIELD OF VIEW ANGULAR	FOV @1000 YARDS	CLOSE FOCUS	INTERPUPIL-LARY DIST.	WEIGHT	HEIGHT X WIDTH
10 x 42 mm	42 mm	14.7 mm	6.5 °	341 ft	8.2 ft	56-73 mm	29.8 oz	6.7x5.2"
8 x 42 mm	42 mm	16.5 mm	6.5 °	426 ft	6.5 ft	56-73 mm	29.8 oz	6.7x5.2"
10 x 36 mm	36 mm	13.9 mm	6.17 °	351 ft	8.2 ft	56-74 mm	24.9 oz	6.1x4.9"
8 x 36 mm	36 mm	14.9 mm	7.17 °	405 ft	6.5 ft	56-74 mm	24.9 oz	6.1x4.9"

KEY FEATURES



OTHER FEATURES

Open Bridge Design, Long Eye Relief, Close Focus, Twist Up Eye-Cups





MIDAS BINOCULARS

Midas was known to have a golden touch. He must have laid his hands on these binoculars since they set the gold standard for this class of binoculars. The rugged benchmark for all-weather brightness and clarity, these Midas roof-prism binoculars are light and slim thanks to the magnesium designed chassis.

Together with ED Glass lenses, Advanced Fully multi-coated optics, high-quality BaK-4 prisms with our ESP Dielectric coating plus phase coating, these Midas binoculars gather maximum light and produce brilliant color fidelity.



ARGOS BINOCULARS

The Argos has an open-bridge style some hunters prefer for its secure ergonomic one-handed grip and comfortable in any weather condition. They come with superior quality and bright lenses that are Advanced fully multi-coated for sharp contrast, true color and excellent light gathering.

They also have Bak-4 prism glass that have our new ESP Dielectric coating and phase correction for color fidelity and sharpness. They're also Argon gas purged for water-proof & non-fogging. The extra durable polymer composite chassis takes weight off your neck but at the same time stands up to the demands of hunting in any conditions.



12 x 50 mm / 10 x 50 mm



10 x 42 mm / 8 x 42 mm



10 x 25 mm

NEW

PRODUCT SPECIFICATION

CONFIGURATION	OBJECTIVE LENS DIAMETER	EYE RELIEF	FIELD OF VIEW ANGULAR	FOV @1000 YARDS	CLOSE FOCUS	INTERPUPIL-LARY DIST.	WEIGHT	HEIGHT X WIDTH
12 x 50 mm	50 mm	15 mm	5.4°	281 ft	11.48 ft	59-74 mm	33 oz	6.7x5.4"
10 x 50 mm	50 mm	16.9 mm	6.5°	341 ft	9.84 ft	59-74 mm	33 oz	6.7x5.4"
10 x 42 mm	42 mm	15.2 mm	6.5°	341 ft	8.2 ft	57-74 mm	25 oz	5.7x5.2"
8 x 42 mm	42 mm	17.2 mm	8.1°	426 ft	6.5 ft	57-74 mm	25 oz	5.7x5.2"
10 x 25 mm	25 mm	15.5 mm	5.4°	285 ft	5.2 ft	56-74 mm	8.3 oz	4.3x4.1"

KEY FEATURES



OTHER FEATURES

Magnesium Chassis, Bak-4 Glass Prisms, Advanced Fully Multi-Coated Lenses, Long Eye Relief, Close Focus, Twist Up Eye-Cups, Waterproof

PRODUCT SPECIFICATION

CONFIGURATION	OBJECTIVE LENS DIAMETER	EYE RELIEF	FIELD OF VIEW ANGULAR	FOV @1000 YARDS	CLOSE FOCUS	INTERPUPIL-LARY DIST.	WEIGHT	HEIGHT X WIDTH
12 x 50 mm	50 mm	16 mm	4.9°	257 ft	13 ft	56-76 mm	29.5 oz	6.8x5.6"
10 x 50 mm	50 mm	17 mm	5.8°	304 ft	13 ft	56-76 mm	29.5 oz	6.8x5.6"
10 x 42 mm	42 mm	16.1 mm	6.1°	319 ft	13 ft	56-76 mm	24.6 oz	5.7x5.3"
8 x 42 mm	42 mm	17.3 mm	7.1°	371 ft	13 ft	56-76 mm	24.6 oz	5.7x5.3"
10 x 34 mm	34 mm	16 mm	6.0°	314 ft	13 ft	56-76 mm	16.3 oz	5.1x4.9"
8 x 34 mm	34 mm	17.4 mm	7.1°	371 ft	13 ft	56-76 mm	16.3 oz	5.1x4.9"

KEY FEATURES



OTHER FEATURES

Bak-4 Glass Prisms, Advanced Fully Multi-Coated Lenses, Long Eye Relief, Close Focus, Twist Up Eye-Cups, Waterproof



12 x 50 mm / 10 x 50 mm



10 x 42 mm / 8 x 42 mm



10 x 34 mm / 8 x 34 mm



TALOS BINOCULARS

Whether you're hunting, hiking, fishing or adding species to your life list. The Talos binoculars are built tough, with a rubber-armor housing that's O-ring sealed and nitrogen purged for 100% waterproof/fog-proof dependability.

They promote available light with advanced fully multi-coated optics and premium BaK-4 prisms with phase coatings which delivers outstanding color fidelity and sharpness. With a streamlined lightweight composite chassis and roof-prism design, this makes these rugged & durable binoculars comfortable to carry.



NEOS BINOCULARS

We build optics to withstand the elements, no matter what class of binos they're in. If you spend any time outdoors you will be near water, and your gear will spend some time in it.

The Neos series of binoculars are built tough, with a composite chassis that's O-ring sealed and nitrogen purged for 100% waterproof/fog-proof so if you simply run into foul weather along the way or should you take spill in a stream, or for that matter take a spill overboard, your Neos binos are ready for it. Rubber armoring gives you a firm grip in slippery situations.



12 x 50 mm / 10 x 50 mm



10 x 42 mm / 8 x 42 mm



10 x 32 mm / 8 x 32 mm

PRODUCT SPECIFICATION

CONFIGURATION	OBJECTIVE LENS DIAMETER	EYE RELIEF	FIELD OF VIEW ANGULAR	FOV @1000 YARDS	CLOSE FOCUS	INTERPUPIL-LARY DIST.	WEIGHT	HEIGHT X WIDTH
12 x 50 mm	50 mm	18.2 mm	4.6°	242 ft	11.48 ft	56-73 mm	29.8 oz	6.7x5.2"
10 x 50 mm	50 mm	19.5 mm	5.4°	284 ft	9.84 ft	56-73 mm	29.8 oz	6.7x5.2"
10 x 42 mm	42 mm	15.2 mm	6.25°	341 ft	8.2 ft	56-73 mm	25.5 oz	5.8x4.9"
8 x 42 mm	42 mm	17.2 mm	8.16°	394 ft	6.56 ft	56-73 mm	25.5 oz	5.8x4.9"
10x32 mm	32 mm	14.8 mm	6.5°	341 ft	9.84 ft	56-73 mm	19.3 oz	4.9x4.3"
8x32 mm	32 mm	14.7 mm	8.1°	427 ft	8.2 ft	56-73 mm	19.3 oz	4.9x4.3"

KEY FEATURES



OTHER FEATURES

Long Eye Relief, Close Focus, Twist Up Eye-Cups, Nitrogen Purged, Waterproof

PRODUCT SPECIFICATION

CONFIGURATION	OBJECTIVE LENS DIAMETER	EYE RELIEF	FIELD OF VIEW ANGULAR	FOV @1000 YARDS	CLOSE FOCUS	INTERPUPIL-LARY DIST.	WEIGHT	HEIGHT X WIDTH
12 x 50 mm	50 mm	14 mm	5.6°	294 ft	23 ft	56-72 mm	33.5 oz	7.9x6.9"
10 x 50 mm	50 mm	19 mm	6.5°	342 ft	16.4 ft	56-72 mm	33.5 oz	7.9x6.9"
10 x 42 mm	42 mm	14.1 mm	5.9°	309 ft	13.1 ft	56-72 mm	24.8 oz	5.9x4.9"
8 x 42 mm	42 mm	17 mm	7.0°	367 ft	13.1 ft	56-72 mm	25.5 oz	5.9x4.9"
10 x 32 mm	32 mm	17.2 mm	7.0°	367 ft	9.8 ft	56-72 mm	19.4 oz	4.9x4.3"
8 x 32 mm	32 mm	13.6 mm	7.5°	393 ft	16.4 ft	56-72 mm	19.4 oz	4.9x4.3"
10 x 30 mm	30 mm	15 mm	6.0°	315 ft	10 ft	56-72 mm	18 oz	4.7x6.4"
8 x 30 mm	30 mm	15 mm	7.5°	390 ft	10 ft	56-72 mm	18 oz	4.7x6.4"

KEY FEATURES



OTHER FEATURES

Long Eye Relief, Close Focus, Twist Up Eye-Cups, Nitrogen Purged



12 x 50 mm / 10 x 50 mm



10 x 42 mm / 8 x 42 mm



10 x 32 mm / 8 x 32 mm



10 x 30 mm / 8 x 30 mm



CRONUS BTR RIFLESCOPES

Whether you want to engage in precision long-range shooting and tactical applications, or extreme long range hunting adventures, the new Cronus BTR scope is just what the doctor ordered. Loaded with features this scope will not let you down when you need it most.

This First Focal Plane scope features ED glass, Advanced Fully Multi-Coated lenses, Argon purged, a true zero stop and much more. When you need the best, the Cronus BTR is the answer!



AVAILABLE MODELS

NEW



1 - 6 x 24 mm




4.5 - 29 x 56 mm




4.5 - 29 x 56 mm


AVAILABLE RETICLES




ATSR2 SFP IR MOA



APLR FFP IR MOA



APRS FFP IR MIL



APRS1 FFP IR MIL

PRODUCT SPECIFICATION


POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL	DIMENSIONS							
														L1	L2	L3	L4	L5	L6	D1	D2
1 - 6 x 24 SFP	EXPOSED	30 mm	ATSR2 SFP IR MOA	MATTE	3.6-4.0"	106.9-17.7 ft	18.8 oz	0.5 MOA	32 MOA	120 MOA	120 MOA	FIXED 100 yds	ARGON	10.4"	/	6.9"	3.5"	2"	3.6"	1.7"	1.2"
4.5 - 29 x 56 FFP	EXPOSED	34 mm	APLR FFP IR MOA	MATTE / BROWN	3.6-3.8"	24.8-3.83 ft	35.8 oz	0.25 MOA	25 MOA	110 MOA	64 MOA	SIDE FOCUS 25yds - ∞	ARGON	14.4"	3.9"	6.3"	4.2"	2.6"	2"	1.8"	2.6"
			APRS FFP IR MIL					0.1 MIL	10 MIL	32 MIL	18 MIL										
			APRS1 FFP IR MIL																		

KEY FEATURES



OTHER FEATURES

High Precision Erector System, 6061T6 Aircraft Grade Aluminum Tube, Side Parallax Adjustment, Illuminated Glass Reticles, Exposed Turrets





ARES ETR

RIFLESCOPES

Just when you thought we couldn't improve the Ares BTR, well we did! The Ares ETR First Focal Plane Scope is loaded with features that will allow you to take your long range shooting to another level.

Featuring a completely revamped turret system, the Ares ETR has a locking Windage turret along with a true zero stop on the elevation turret to make sure your turrets and shots are right on every time. Extra Low Dispersion lenses allow for the sharpest and best color image possible. Constructed with an 34mm tube, this riflescope can withstand even the harshest of elements.



AVAILABLE MODELS




4.5 - 30 x 56 mm




4.5 - 30 x 56 mm

AVAILABLE RETICLES



APLR2 FFP IR MOA



APRS1 FFP IR MIL

PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL	DIMENSIONS							
														L1	L2	L3	L4	L5	L6	D1	D2
4.5 - 30 x 56 FFP	EXPOSED/ LOCKING	34 mm	APLR2 FFP IR MOA APRS1 FFP IR MIL	MATTE / BROWN	3.9"	24.5-3.75 ft	36.5 oz	0.25 MOA 0.1 MIL	25 MOA 10 MIL	110 MOA 32 MIL	110 MOA 32 MIL	SIDE FOCUS 25yds - ∞	ARGON	15.3"	5.0"	6.6"	3.7"	2.7"	2.3"	1.83"	2.5"


* Locking feature on Windage Turret only

KEY FEATURES



OTHER FEATURES

High Precision Erector System, 6061T6 Aircraft Grade Aluminum Tube, Side Parallax Adjustment, Illuminated Glass Reticles, Exposed Turrets





ARES BTR


RIFLESCOPES

When you want the best features from the top-tier riflescopes but don't want to break the bank, look no further than the Ares BTR First Focal Plane riflescope family. This feature rich riflescope that is a fraction of the cost of competitive brand optics with similar construction, is set to take the market by storm.


Equipped with HD Glass and advanced fully multi-coated optics that deliver crisp bright images for taking long range shots. This one piece tube, precision-machined from aircraft-grade 6061-T6 aluminum will deliver precise and accurate results all day long. With a precise true zero stop feature, you won't find another product like this in the market at this price point with identical features. Just another way that Athlon Optics has got your back!



AVAILABLE RETICLES



APLR3 FFP IR MOA



APLR3 FFP IR MIL

AVAILABLE MODELS




4.5 - 27 x 50 mm



2.5 - 15 x 50 mm

PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL	DIMENSIONS							
														L1	L2	L3	L4	L5	L6	D1	D2
2.5 - 15 x 50 FFP	EXPOSED	30 mm	APLR3 FFP IR MOA	MATTE	3.9"	41.8-6.8 ft	27.3 oz	0.25 MOA	25 MOA	100 MOA	100 MOA	SIDE FOCUS 10yds - ∞	ARGON	13.8"	4.7"	5.5"	3.6"	1.8"	2.2"	1.78"	2.25"
			APLR3 FFP IR MIL					0.1 MIL	10 MIL	29 MIL	29 MIL										
4.5 - 27 x 50 FFP	EXPOSED	30 mm	APLR3 FFP IR MOA	MATTE	3.9"	22.7-3.8 ft	27.3 oz	0.25 MOA	25 MOA	80 MOA	80 MOA	SIDE FOCUS 25yds - ∞	ARGON	13.8"	4.7"	5.5"	3.6"	1.8"	2.2"	1.78"	2.25"
			APLR3 FFP IR MIL					0.1 MIL	10 MIL	24 MIL	24 MIL										



KEY FEATURES



OTHER FEATURES

High Precision Erector System, 6061T6 Aircraft Grade Aluminum Tube, Side Parallax Adjustment, Illuminated Glass Reticles, Exposed Turrets





MIDAS TAC

RIFLESCOPES

Here at Athlon Optics we have listened to your feedback and suggestions and developed the Midas Tactical.

Loaded with features including HD Glass, Fully Multicoated lenses to enhance target appearance at all distances, a hard Zero Stop for repeatability and Capped Windage Turret to prevent accidental adjustments. Add in First Focal Plane and a Ranging Reticle, housed in a 30mm 6061 Aluminum tube. This is not just another option, but the solution!



AVAILABLE MODELS




4 - 16 x 44 mm




6 - 24 x 50 mm


AVAILABLE RETICLES



APLR4 FFP MOA



APRS2 FFP MIL



APRS3 FFP MIL

PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL	DIMENSIONS							
														L1	L2	L3	L4	L5	L6	D1	D2
4 - 16 x 44 FFP	*EXPOSED/ CAPPED	30 mm	APRS2 FFP MIL	MATTE	3.7"	27.7-7 ft	23.8 oz	0.1 MIL	10 MIL	30 MIL	15 MIL	SIDE FOCUS 10yds - ∞	ARGON	14.2"	4.3"	6.3"	3.6"	2.5"	2.6"	1.71"	2.0"
6 - 24 x 50 FFP	*EXPOSED/ CAPPED	30 mm	APLR4 FFP MOA	MATTE	3.7"	17.8-4.6 ft	26.3 oz	0.25 MOA	25 MOA	85 MOA	50 MOA	SIDE FOCUS 10yds - ∞	ARGON	14.6"	4.5"	6.3"	3.8"	2.2"	2.6"	1.71"	2.25"
			APRS2 FFP MIL					0.1 MIL	10 MIL	25 MIL	15 MIL										
			APRS3 FFP MIL																		


* EXPOSED - Elevation Turret / CAPPED - Windage Turret

KEY FEATURES



OTHER FEATURES

6061T6 Aircraft Grade Aluminum, Side Parallax Adjustment, Non-Illuminated Glass Reticles





MIDAS HMR

RIFLESCOPES


Attention all hunters, attention all hunters! We have great news for you! We would like to introduce the Midas HMR Second Focal Plane Rifle Scope line made by hunters, for hunters.

Featuring HD Glass and advanced fully multicoated optics deliver crisp bright images for taking a shot, short or long. This one piece tube, precision-machined from aircraft-grade 6061-T6 aluminum will deliver precise, accurate results all day long. Both elevation and windage turrets are capped to make sure nothing gets bumped after you set your zero and you can always count on it to deliver the final punch.


These Midas HMR riflescopes are available in two illuminated reticle options (MOA and BDC). Now it is time to get the freezer empty and ready for the season!



AVAILABLE RETICLES



AHMR SFP IR MOA



BDC 600A


AVAILABLE MODELS



2.5 - 15 x 50 mm

PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL	DIMENSIONS							
														L1	L2	L3	L4	L5	L6	D1	D2
2.5-15 x 50 SFP	CAPPED	30 mm	AHMR SFP IR MOA BDC 600A	MATTE	3.9"	41.8-6.8 ft	26 oz	0.25 MOA	15 MOA	60 MOA	60 MOA	SIDE FOCUS 10yds - ∞	ARGON	13.8"	4.8"	5.5"	3.5"	2"	2.4"	1.8"	2.3"



KEY FEATURES



OTHER FEATURES

6061T6 Aircraft Grade Aluminum Tube, Side Parallax Adjustment, Illuminated Glass Reticles





MIDAS BTR GEN2

RIFLESCOPES

This Second Focal Plane variable power scope will be the perfect optic for you regardless of whether or not you are shooting small targets at a few hundred yards, shooting 3-gun matches, or hunting big game anywhere in the world, this will be the perfect option for you.

With new and improved tactile turrets, a true zero stop, and updated reticle designs; you won't find a better option on the market for any of your applications. HD glass equipped with our advanced fully multi-coated lenses so you'll have the brightest, clearest image possible in any situation. The innovative new XPL coating protects your lenses from oil, dirt and smudges.



NEW FOR 2019

AVAILABLE MODELS



NEW


1 - 6 x 24 mm




NEW

4.5 - 27 x 50 mm


AVAILABLE RETICLES




ATSR16 SFP IR MOA



ATSR4 SFP IR MOA



AHMR SFP IR MOA



APRS4 SFP IR MIL

PRODUCT SPECIFICATION


POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL	DIMENSIONS							
														L1	L2	L3	L4	L5	L6	D1	D2
1 - 6 x 24 SFP	CAPPED	30 mm	ATSR16 SFP IR MOA ATSR4 SFP IR MOA	MATTE	3.8"	108-17.6 ft	18.1 oz	0.5 MOA	30 MOA	150 MOA	150 MOA	FIXED 100 yds	ARGON	10.6" /	7"	3.7"	2.3"	3.5"	1.7"	1.2"	
4.5 - 27 x 50 SFP	EXPOSED	30 mm	AHMR SFP IR MOA APRS4 SFP IR MIL	MATTE	3.9"	22.7-3.6 ft	26 oz	0.25 MOA 0.1 MIL	25 MOA 10 MIL	85 MOA 25 MIL	85 MOA 25 MIL	SIDE FOCUS 30yds - ∞	ARGON	13.9"	4.9"	5.5"	3.5"	2"	2.4"	1.8"	2.3"

KEY FEATURES



OTHER FEATURES

6061T6 Aircraft Grade Aluminum Tube, High Precision Erector System, Side Parallax Adjustment, Illuminated Glass Reticles, Capped/Exposed Turrets





HELOS BTR RIFLESCOPES


When you hear of a First Focal Plane rifle scope, crisp firm locking turrets, advanced fully multicoated options built from a one piece tube made from aircraft-grade 6061-T6 aluminum you would expect it to come with a high price tag. This is exactly why we introduced the Helos BTR family. These scopes are feature rich but won't break the bank.




AVAILABLE MODELS




AVAILABLE RETICLES



APLR2 FFP IR MOA



APMR FFP IR MIL



ATSR3 SFP IR MOA

PRODUCT SPECIFICATION

POWER X	OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL	DIMENSIONS							
															L1	L2	L3	L4	L5	L6	D1	D2
1 - 4.5 X 24	SFP	EXPOSED	30 mm	ATSR3 SFP IR MOA	MATTE	3.2"	100-22 ft	22.9 oz	0.25 MOA	23 MOA	80 MOA	80 MOA	SIDE FOCUS 10yds - ∞	ARGON	9.5"	/	6"	3.5"	1.9"	2.1"	1.6"	1.2"
6 - 24 x 50	FFP	EXPOSED	30 mm	APLR2 FFP IR MOA APMR FFP IR MIL	MATTE	3.3"	16.7-4.5 ft	29.7 oz	0.25 MOA 0.1 MIL	15 MOA 6 MIL	60 MOA 18 MIL	60 MOA 18 MIL	SIDE FOCUS 10yds - ∞	ARGON	14.0"	4.1"	6.2"	3.7"	2.0"	2.1"	1.8"	2.2"
8 - 34 x 56	FFP	EXPOSED	30 mm	APLR2 FFP IR MOA APMR FFP IR MIL	MATTE	3.3"	12.5-3 ft	32.3 oz	0.25 MOA 0.1 MIL	15 MOA 6 MIL	45 MOA 13 MIL	45 MOA 13 MIL	SIDE FOCUS 15yds - ∞	ARGON	15.5"	4.9"	6.9"	3.7"	2.0"	2.9"	1.8"	2.5"


KEY FEATURES



* Precision Zero Stop System - only 1-4.5x24

OTHER FEATURES

First Focal Plane Reticle, High Precision Erector System, Side Parallax Adjustment, 6061 - T6 - 30 Tubes, Illuminated Glass Reticles, Exposed Turrets





ARGOS BTR

RIFLESCOPES

For those of you that are looking for a high value match grade scope; look no further than the Argos BTR Family of Riflescopes. These scopes have features normally found on high-end scopes.

It has our Advanced Fully-Multi Coated Optics that delivers a crystal clear bright image in low light environments. The Argos BTR also has our exclusive XPL coating that protects your lenses from dirt, grease and harsh weather conditions. The 6061T6 aircraft grade aluminum tube will protect these world class optics no matter what punishment you throw at it.



AVAILABLE MODELS



1 - 4 x 24 mm




6 - 24 x 50 mm



8 - 34 x 56 mm



10 - 40 x 56 mm




KEY FEATURES



OTHER FEATURES

High Precision Erector System , Side Parallax Adjustment, 6061-T6-30/34mm Tubes, Illuminated Glass Reticles, Exposed Turrets


AVAILABLE RETICLES



AHSR14 FFP IR MOA




AHSR14 FFP IR MIL



ATMR FFP IR MOA



APMR FFP IR MIL



BLR SFP MOA

PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL	DIMENSIONS							
														L1	L2	L3	L4	L5	L6	D1	D2
1 - 4 x 24 FFP	EXPOSED	30 mm	AHSR14 FFP IR MOA AHSR14 FFP IR MIL	MATTE	3.5"	112-27 ft	20.5 oz	0.5 MOA 0.2 MIL	30 MOA 12 MIL	120 MOA 40 MIL	120 MOA 40 MIL	FIXED 100 yds	ARGON	9.8"	/	6.2"	3.6"	2.3"	2.4"	1.8"	1.2"
6 - 24 x 50 FFP	EXPOSED	30 mm	ATMR FFP IR MOA APMR FFP IR MIL	MATTE	3.3"	16.7-4.5 ft	29.6 oz	0.25 MOA 0.1 MIL	12 MOA 5 MIL	60 MOA 18 MIL	60 MOA 18 MIL	SIDE FOCUS 10yds - ∞	ARGON	14.1"	4.2"	6.2"	3.7"	2"	2.1"	1.8"	2.2"
8 - 34 x 56 FFP	EXPOSED	30 mm	ATMR FFP IR MOA APMR FFP IR MIL	MATTE	3.3"	12.5-3 ft	30.5 oz	0.25 MOA 0.1 MIL	12 MOA 5 MIL	45 MOA 13 MIL	45 MOA 13 MIL	SIDE FOCUS 15yds - ∞	ARGON	15.5"	4.9"	6.9"	3.7"	2"	2.9"	1.8"	2.5"
10 - 40 x 56 SFP	EXPOSED	30 mm	BLR SFP MOA	MATTE	3"	12.6-3.1 ft	30.3 oz	0.125 MOA	6 MOA	45 MOA	45 MOA	SIDE FOCUS 15yds - ∞	ARGON	16.3"	6"	6.8"	3.5"	1.5"	3.3"	1.8"	2.5"






TALOS BTR

RIFLESCOPES


The Talos BTR is available in two configurations; 4-14x44 - First Focal Plane or 1-4x24 Second Focal Plane. Both of these scopes are great entry level scopes for competitive and tactical shooting. Featuring multi-coated lenses for clarity and brightness in low light conditions as well as being waterproof, this family is ready to get you started shooting.



AVAILABLE RETICLES



AHSR14 SFP IR MIL



APLR2 FFP IR MIL

AVAILABLE MODELS




1 - 4 x 24 mm



4 - 14 x 44 mm

PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL	DIMENSIONS							
														L1	L2	L3	L4	L5	L6	D1	D2
1 - 4 x 24 SFP	EXPOSED	30 mm	AHSR14 SFP IR MIL	MATTE	6.26-3.5"	110-26 ft	18 oz	0.2 MIL	12 MIL	40 MIL	40 MIL	FIXED 100 yds	NITROGEN	9.2"	/	5.6"	3.6"	1.9"	2.6"	1.8"	1.2"
4 - 14 x 44 FFP	EXPOSED	30 mm	APLR2 FFP IR MIL	MATTE	3.23-3.15"	27.2-7.9 ft	23.6 oz	0.1 MIL	5 MIL	20 MIL	20 MIL	SIDE FOCUS 10 yds - ∞	NITROGEN	12.9"	3.9"	5.0"	4.0"	1.4"	2.0"	1.7"	1.8"



KEY FEATURES



Nitrogen purging dramatically reduces the moisture inside the tube and helps maintaining fog proof and waterproof.

OTHER FEATURES

Side Parallax Adjustment, 6063 Aluminum - 30mm Tubes, Illuminated Glass Reticles, Exposed Turrets, First/Second Focal Plane





TALOS RIFLESCOPES

If you ask any hunter they'll tell you they have probably filled more tags in the low-light hours than any other time. With that said, it would be wise to design a scope to excel in early-morning and late-evening light. With the Talos scope with Athlon Advanced multi-coated lenses for clarity and brightness in low light, you'll be able to add precious minutes to every hunting day that you've worked so hard for.

These scopes, with their 4X magnification range, will give you great versatility whether you are hunting whitetails in the dense forest or prairie dogs in the wide open ranges. With its one-piece tube design, the Talos line includes an assortment of specialty scopes for big-game, varmint, MSR's, 22 rimfire, slug, black powder and turkey hunting.



AVAILABLE MODELS




3 - 12 x 40 mm



4 - 16 x 40 mm



6 - 24 x 50 mm



KEY FEATURES




Nitrogen purging dramatically reduces the moisture inside the tube and helps maintaining fog proof and waterproof.


OTHER FEATURES

Side Parallax Adjustment, 6063 Aluminum - 1 inch Tubes, Illuminated Glass Reticles, Capped Turrets, Second Focal Plane

AVAILABLE RETICLES




ATMR1 SFP IR MIL



MIL-DOT



BDC 600 IR



CENTER-X

PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL	DIMENSIONS							
														L1	L2	L3	L4	L5	L6	D1	D2
3 - 12 x 40 SFP	CAPPED	1"	BDC 600 IR	MATTE	3.82- 3.35"	34.1 - 8.9 ft	16.2 oz	0.25 MOA	15 MOA	60 MOA	60 MOA	SIDE FOCUS 15yds - ∞	NITROGEN	12"	3.6"	4.8"	3.7"	1.9"	1.3"	1.8"	1.9"
			CENTER X																		
			MIL-DOT																		
4 - 16 x 40 SFP	CAPPED	1"	BDC 600 IR	MATTE	3.8- 3.35"	24.1 - 6.3 ft	19.1 oz	0.25 MOA	15 MOA	50 MOA	50 MOA	SIDE FOCUS 15yds - ∞	NITROGEN	12.9"	3.5"	5.8"	3.7"	1.9"	2.2"	1.8"	1.9"
			MIL-DOT																		
			MIL-DOT																		
6 - 24 x 50 SFP	CAPPED	1"	BDC 600 IR	MATTE	3.03- 3.11"	16.8 - 4.5 ft	23 oz	0.25 MOA	15 MOA	60 MOA	60 MOA	SIDE FOCUS 10yds - ∞	NITROGEN	13.9"	4"	6.2"	3.7"	1.9"	2.7"	1.8"	2.2"
			ATMR1 SFP IR MIL																		
			ATMR1 SFP IR MIL																		





NEOS RIFLESCOPES

Increasing your success while hunting doesn't necessarily have to decrease your savings account. The perfect example of that is the Neos series. This is the perfect scope for those who want quality and features all while staying on budget. The Neos has an impressive list of features which are designed and built to endure.

It has a one piece aluminum tube. The lenses are Fully Multi Coated. Finally some of the models even have the latest side parallax focus technology. What about the cost? Let's just say the scope isn't the only thing that looks good, with ruggedness and precision we are proud of!



AVAILABLE MODELS




3 - 9 x 40 mm



4 - 12 x 40 mm



6 - 18 x 44 mm



KEY FEATURES




Nitrogen Purging dramatically reduces the moisture inside the tube and helps maintaining fog proof and waterproof.


OTHER FEATURES

Second Focal Plane Reticle, Side Parallax Adjustment, 6063 Aluminum - 1 inch Tubes, Illuminated Glass Reticles, Capped Turrets

AVAILABLE RETICLES



CENTER-X



BDC 22 RIMFIRE



BDC 500 IR

PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL	DIMENSIONS							
														L1	L2	L3	L4	L5	L6	D1	D2
3-9x40 SFP	CAPPED	1"	CENTER X	MATTE	2.99-3.07"	37.8-12.6 ft	17 oz	0.25 MOA	15 MOA	80 MOA	80 MOA	FIXED 100 yds	NITROGEN	12.4"	3.3"	5.6"	3.5"	2.3"	2.3"	1.6"	1.9"
			BDC 500 IR																		
			BDC 22 RIMFIRE																		
4-12x40 SFP	CAPPED	1"	CENTER X	MATTE	3.11-3.15"	27.3-8.9 ft	18.1 oz	0.25 MOA	15 MOA	80 MOA	80 MOA	SIDE FOCUS 10 yds - ∞	NITROGEN	12.4"	3.3"	5.6"	3.5"	2.3"	2.3"	1.6"	1.9"
			BDC 500 IR																		
			BDC 22 RIMFIRE																		
6-18x44 SFP	CAPPED	1"	CENTER X	MATTE	3.39-3.19"	17.5-5.9 ft	21.7 oz	0.25 MOA	15 MOA	80 MOA	80 MOA	SIDE FOCUS 10 yds - ∞	NITROGEN	13.5"	3.7"	6.3"	3.5"	2.3"	3"	1.6"	2"
			BDC 500 IR																		






CRONUS TACTICAL

SPOTTING SCOPES

Whether you are a long range shooter, hunter or part of a sniper team, the new Cronus Tactical 7-42x60 Spotting Scope with our ranging reticle will make your job a breeze. The TSSR FFP MIL reticle is great for both range estimation and tactical cooperation with the shooter. Feature rich from tip to tip, this is an optic that will not be left behind. The unique design of a high riser mount will allow you to mount your Athlon Laser Rangefinders on the top and tilt it to co-witness with your spotting scope.



AVAILABLE RETICLE



TSSR FFP

AVAILABLE MODELS



7 - 42 x 60 mm ED



7 - 42 x 60 mm ED

* The rail mounting system is included in both models

PRODUCT SPECIFICATION

POWER X OBJECTIVE LENS	OBJ. LENS DIA.	FOCUS RANGE	AVAILABLE RETICLES	EYE RELIEF	FOV @1000 YARDS	WEIGHT	LENGTH
7 - 42 x 60 ED FFP	60 mm	10 yds - ∞	TSSR FFP MIL	1.18"	284 - 47.6 ft	46.6 oz	13.9"

KEY FEATURES



OTHER FEATURES

Aluminum Alloy Chassis, Ranging Reticle

NEW FOR 2019



SPOTTING SCOPES - CRONUS TACTICAL

ATHLONOPTICS.COM



CRONUS SPOTTING SCOPES

You've just adjusted focus on what had once been only an elusive lifelong quest- an Alaskan Bighorn or a red-throated pipit. We developed this "Award Winning" Cronus Spotting Scope to give you one of world's best optics with brighter and clearer edge-to-edge detail. So whether you're hunting above timberline in Alaska or birding at sea level at Cape May, you will know every detail of your trophy before you take the shot or mark it off your life list. The Cronus product line has just about every feature you would put in a scope to make it the best you can get in its class.

We designed the Cronus with the Apochromatic system to give your images greater contrast, sharpness and color definition. We included ED Glass that delivers clearer and sharper image to your eyes. Our state of the art ESP (Enhance Spectral Prism) dielectric lens coating that reflects 99% of the light through the prism assembly. Other design enhancements include BaK-4 prisms and our "Advanced Fully Multi-Coated" lenses that deliver flawless color fidelity, ultra-crisp images and optimum light transmission. Finally we topped off with our XPL coating that gives you extra protection on the exterior lenses from dirt, oil and scratches.



PRODUCT SPECIFICATION

MAGNIFICATION X OBJECTIVE LENS	EYEPIECE ANGLE	EYE RELIEF	CLOSE FOCUS	FOV @1000 YARDS	WEIGHT	LENGTH X WIDTH
20 - 60 x 86 ED	45	0.78"	29.5 ft	117 - 60 ft	66.5 oz	13.6 x 3.9"
12 - 36 x 50 ED	45	0.7"	26.2 ft	171 - 90 ft	26.5 oz	9.8 x 2.6"

KEY FEATURES



AVAILABLE MODELS



12 - 36 x 50 mm ED



20 - 60 x 86 mm ED

OTHER FEATURES

Dual Focus, Rotating Ring, Twist Up Eye-Cup



ARES SPOTTING SCOPES

The Ares family of spotting scopes were designed with advanced optical quality and ease of use in mind, so when you are trying to collect that trophy of a lifetime, your spotting scope is one thing you don't have to worry about.

We made that task as easy as optically possible with bright, razor-sharp imagery and a rugged, weatherproof design that's ready for any condition. These spotting scopes have ED glass lenses for color resolution and contrast. They also have our AFMC (Advance Fully Multi-Coatings) and feature BaK4 prisms with the new ESP Dielectric Coating. They bring super-premium clarity and brightness within the reach of most avid enthusiasts. The tough chassis is fog proof and waterproof and filled with Argon gas to prevent internal fogging and for better thermal stability. These lenses are then treated externally with our XPL coating to withstand dirt, oil and grime of constant use as well as standing up to the harshest weather conditions.

Choose from three different models – each distinctly different in size so you have a scope tailor-made for your specific activity.



WITH ED GLASS — WITHOUT ED GLASS



AVAILABLE MODELS



7.5 - 22.5 x 50 mm ED

15 - 45 x 65 mm ED

20 - 60 x 85 mm ED

PRODUCT SPECIFICATION

MAGNIFICATION X OBJECTIVE LENS	EYEPIECE ANGLE	EYE RELIEF	CLOSE FOCUS	FOV @1000 YARDS	WEIGHT	LENGTH X WIDTH
20 - 60 x 85 ED	45	0.78"	29.5 ft	102 - 51 ft	66.5 oz	15.7x3.9"
15 - 45 x 65 ED	45	0.78"	13.1 ft	171 - 81 ft	43.4 oz	9.5x3.5"
7.5 - 22.5 x 50 ED	45	0.62"	13.1 ft	265 - 116 ft	18.9 oz	6.9x2.3"

KEY FEATURES



OTHER FEATURES

Dual Focus, Rotating Ring, Twist Up Eye-Cup





OS11 (24.5 x 15.8 mm OBJ.)



RD11 (21 mm OBJ.)



RD12 (30 mm OBJ.)



RD13 (36 mm OBJ.)

PRODUCT SPECIFICATION

AVAILABLE MODELS	OBJECTIVE LENS	POWER	PARALLAX	AVAILABLE RETICLES	DOT COLOR	IR SETTING	CENTER HEIGHT	CLICK VALUE	TURRET CONTROL	BATTERY	BASE	WEIGHT	LENGTH
OS 11	24.5 x 15.8 mm	1	<2 MOA	OS11	Red	1-6	1.2"	1 MOA	WRENCH	CR2032	Picatinny Rail Mount	2.3 oz	1.93"
RD11	21 mm	1	<2 MOA	ARD11	Red	1-11	0.61"	1 MOA	CAPPED/WRENCH	CR2032	Picatinny Rail Mount	4.8 oz	2.50"
RD12	30 mm	1	<1 MOA	Interchangeable 4 Reticles ARD12	Red	1-11	1.40"	1 MOA	CAPPED/WRENCH	CR2032	Picatinny Rail Mount	13.5 oz	5.50"
RD13	36 mm	1	<2 MOA	ARD 13	Red	1-11	1.42"	0.5 MOA	CAPPED/WRENCH	CR2032	Picatinny Rail Mount	11.0 oz	3.70"


KEY FEATURES



OTHER FEATURES

Nitrogen Purging, Interchangeable Reticles, Adjustable Illumination Settings, Aircraft Aluminum, One Piece Chassis Construction, Fog Proof, Shockproof, Picatinny Rail Mount

AVAILABLE RETICLES



OS11 & ARD11




ARD12 - 1




ARD12 - 2



ARD12 - 3



ARD12 - 4



ARD13



MIDAS BTR

RED DOT SIGHTS

Whether you are hunting turkeys or shooting three gun with your favorite MSR, you often have to shoot fast when the opportunity is there. If you're looking for a fast sight, you'll be hard-pressed to find one quicker than one of the Athlon Red Dot scopes.

Used by the military for a long time, a red dot scope lets you bead up on a target as quickly as you can raise your gun. Put the "red dot" on the target and pull the trigger. It's that fast. A red dot scope illuminates the point of impact on the target in front of you, yet no forward light is projected giving away your position. Sight from any distance behind the gun without taking both eyes off of the target. Offers unlimited eye relief and an unlimited field-of-view.

It fits easily on handguns, shotguns and rifles with a standard Weaver-style bases or mounts. If you are within 40 yards of a bird and you can get the red dot on his vital area, you will be eating wild turkey for dinner.






AVAILABLE RETICLES



APSR11



APSR31



APSR41

PRODUCT SPECIFICATION

AVAILABLE MODELS	OBJECTIVE LENS	MAGNIFICATION	FOV @100 YARDS	AVAILABLE RETICLES	DOT COLOR	CENTER HEIGHT	CLICK VALUE	TURRET CONTROL	BATTERY	BASE	WEIGHT	LENGTH
PR11	30 mm	1	78.8 ft	APSR11	Red/Green	1.41"	1 MOA	EXPOSED DIRECT DIAL	CR2032	Picatinny Rail Mount	13.4 oz	4.70"
PR31	32 mm	3	32.5 ft	APSR31	Red/Green	1.40"	0.5 MOA	EXPOSED DIRECT DIAL	CR2032	Picatinny Rail Mount	15.8 oz	4.80"
PR41	34 mm	3.9	24.9 ft	APSR41	Red/Green	1.40"	0.5 MOA	EXPOSED DIRECT DIAL	CR2032	Picatinny Rail Mount	17.3 oz	5.75"

KEY FEATURES



OTHER FEATURES

Nitrogen Purging, Adjustable Illumination Settings, Aircraft Aluminum, One Piece Chassis Construction, Fog Proof, Shockproof, Picatinny Rail Mount



PR11 (30 mm OBJ.)



PR31 (32 mm OBJ.)



PR41 (34 mm OBJ.)

MIDAS BTR

PRISM SCOPES

When you want quick target acquisition at both short and medium ranges you need some additional magnification. The Athlon Prism red dot scopes give you great versatility. These devices are equipped with a Prisms for crisp, vivid imaging.

The prism-based design allows for a more compact scope without sacrificing optical quality. With this longer focal length we can achieve the magnification needed to reach out and touch targets at longer ranges. The Athlon Prism Red Dots are nitrogen-filled, fog proof and shock proof, allowing for reliable use in a wide range of environments. Selectable red/green illuminated reticles with intensity levels to match specific conditions.

The reticles are etched directly on the prism to make sure you have consistent point-of-aim at all times, whether you have the illumination on or off. The scopes come with a Picatinny rail mounting bracket for AR's with a flattop.





MG31 (27.5 mm OBJ.)



MG31 - FLIP MOUNT WITH RISER



MG51 (30 mm OBJ.)



MG51 - FLIP MOUNT WITH RISER

PRODUCT SPECIFICATION

AVAILABLE MODELS	OBJ. LENS DIAMETER	MAGNIFICATION	FOV @100 YARDS	EYE RELIEF	WEIGHT	LENGTH	*CENTER HEIGHT	**CENTER HEIGHT
MG31	27.5 mm	3	38.2 ft	2.8"	9.5 oz	4.2"	1.32"	1.56"
MG51	30 mm	5	24.7 ft	2.6"	12.6 oz	4.8"	1.32"	1.56"

* Standard flip mount; ** Standard flip mount with riser



MIDAS BTR
MAGNIFIERS

Many times when in the field or during competitions you need to transition between no magnification for speed in close-range combat and magnification for precision shooting as situation dictates.

The Athlon 3 or 5 power magnifier mounts behind a traditional red-dot sight to provide magnification when needed. The mount has the ability to swing out of the way when not in use, but can quickly be placed behind the red dot to increase the magnification for longer mid-range shots. Rugged construction.

Multi-coated lenses and 30mm tube for excellent light transmission. Nitrogen purged, shockproof, water-proof, and fogproof.

KEY FEATURES



The Aircraft Grade Aluminum that has exceptional strength and superior mechanical integrity will protect these world class optics no matter what punishment you throw at it.

One Piece Chassis Construction gives the magnifier extra strength. A one piece Chassis also is better at keeping moisture out thus keeping your magnifier fog proof for the life of the product

OTHER FEATURES

Fog Proof,
Shockproof,
Nitrogen Purging





MIDAS 1200Y

LASER RANGEFINDER

The Athlon Optics Midas 1200y Laser Rangefinder is in a class of its own. The Midas 1200 ranges quick and accurate from 5 to 1200 yards. Whether shooting from steep elevations to flat ground, the Midas is capable of both with our angle compensation and line of sight modes.

The scan mode can quickly scan different objects for distances on the fly. Bright display settings with fully multi-coated lenses deliver maximum light transmission while being housed in durable non slip rubber armor.

The Midas can display readings in either yards or meters depending on your hunting or shooting needs. Finally the Midas comes with a protective carrying case as well as a protective wrap that allows you to use the laser while protecting it at the same time.

THREE RANGING MODES TO CHOOSE FROM

Incline Angle (T) mode displays the incline angle of your position to the target.

Horizontal Distance (H) mode displays the angle compensated distance to the target. This is the primary mode used by most hunters (Both bow and rifle).

Vertical Distance (V) mode displays the vertical distance of your position to the target.

Scan Mode displays distance readings quickly as you pan across a target, landscape or a moving animal



MIDAS 1 MILE

LASER RANGEFINDER

The new Midas 1 Mile Laser Rangefinder does not just range further than the 1200Y, but is also faster! From 5 yards to 1 mile, the new Midas 1 Mile can do it all. Whether shooting from steep elevations to flat ground, the Midas is capable of both with our different ranging modes.

Bright display settings with fully multi-coated lenses deliver maximum light transmission while being housed in durable non-slip rubber armor. The Midas can display reading in either yards or meters depending on your hunting or shooting needs.

Finally the Midas comes with a protective carrying case as well as a protective wrap that allows you to use the laser while protecting it at all the same time. Backed with our Lifetime Warranty.



AVAILABLE MODELS



1200Y - TAN



1200Y - GREY

KEY FEATURES



Nitrogen purging dramatically reduces the moisture inside the tube and helps maintaining fog proof and waterproof.

OTHER FEATURES

Tripod Adaptable, Scan Mode, Dual Units of Measurement of Distance (Y/M), Angle Compensation Mode, Diopter Adjustment

KEY FEATURES



Nitrogen purging dramatically reduces the moisture inside the tube and helps maintaining fog proof and waterproof.

OTHER FEATURES

Tripod Adaptable, Scan Mode, Dual Units of Measurement of Distance (Y/M), Angle Compensation Mode, Diopter Adjustment





AVAILABLE MODELS



1 MILE - GREY

KEY FEATURES



Nitrogen purging dramatically reduces the moisture inside the tube and helps maintaining fog proof and waterproof.

OTHER FEATURES

Tripod Adaptable, Scan Mode, Dual Units of Measurement of Distance (Y/M), Angle Compensation Mode, Diopter Adjustment

PRODUCT SPECIFICATION

RANGING REFLECTIVE	RANGING DEER	ACCURACY	MAX ANGLE READING	MAGNIFICATION	OBJ. LENS DIAMETER	FOV	EYE RELIEF	POWER SUPPLY
1200 Y	600 Y	±0.5Y	±70°	6X	23.5mm	7°	14mm	CR2-3V

PRODUCT SPECIFICATION

RANGING REFLECTIVE	RANGING DEER	ACCURACY	MAX ANGLE READING	MAGNIFICATION	OBJ. LENS DIAMETER	FOV	EYE RELIEF	POWER SUPPLY
1700 Y	800 Y	±0.5Y	±70°	6X	23.5mm	7°	14mm	CR2-3V





RIFLESCOPES

QUICK COMPARISON

The following table contains detailed specifications of all Athlon Optics riflescopes allowing you to compare them easily and find the right one for you.



POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL	DIMENSIONS								
														L1	L2	L3	L4	L5	L6	D1	D2	
CRONUS BTR																						
1 - 6 x 24 SFP	EXPOSED	30 mm	ATSR2 SFP IR MOA	MATTE	3.6-4.0"	106.9-17.7 ft	18.8 oz	0.5 MOA	32 MOA	120 MOA	120 MOA	FIXED 100 yds	ARGON	10.4" / 6.9"	3.5"	2"	3.6"	1.7"	1.2"			
			APLR FFP IR MOA	MATTE / BROWN	3.6-3.8"	24.8-3.83 ft	35.8 oz	0.25 MOA	25 MOA	110 MOA	64 MOA	SIDE FOCUS 25yds - ∞	ARGON	14.4"	3.9"	6.3"	4.2"	2.6"	2"	1.8"	2.6"	
4.5 - 29 x 56 FFP	EXPOSED	34 mm	APRS FFP IR MIL																			APRS1 FFP IR MIL
ARES ETR																						
4.5 - 30 x 56 FFP	EXPOSED/LOCKING	34 mm	APLR2 FFP IR MOA	MATTE / BROWN	3.9"	24.5-3.75 ft	36.5 oz	0.25 MOA	25 MOA	110 MOA	110 MOA	SIDE FOCUS 25yds - ∞	ARGON	15.3"	5.0"	6.6"	3.7"	2.7"	2.3"	1.83"	2.5"	
			APRS1 FFP IR MIL					0.1 MIL	10 MIL	32 MIL	32 MIL											
ARES BTR																						
2.5 - 15 x 50 FFP	EXPOSED	30 mm	APLR3 FFP IR MOA	MATTE	3.9"	41.8-6.8 ft	27.3 oz	0.25 MOA	25 MOA	100 MOA	100 MOA	SIDE FOCUS 10yds - ∞	ARGON	13.8"	4.7"	5.5"	3.6"	1.8"	2.2"	1.78"	2.25"	
			APLR3 FFP IR MIL					0.1 MIL	10 MIL	29 MIL	29 MIL											
4.5 - 27 x 50 FFP	EXPOSED	30 mm	APLR3 FFP IR MOA	MATTE	3.9"	22.7-3.8 ft	27.3 oz	0.25 MOA	25 MOA	80 MOA	80 MOA	SIDE FOCUS 25yds - ∞	ARGON	13.8"	4.7"	5.5"	3.6"	1.8"	2.2"	1.78"	2.25"	
			APLR3 FFP IR MIL					0.1 MIL	10 MIL	24 MIL	24 MIL											
MIDAS TAC																						
4 - 16 x 44 FFP	*EXPOSED/CAPPED	30 mm	APRS2 FFP MIL	MATTE	3.7"	27.7-7 ft	23.8 oz	0.1 MIL	10 MIL	30 MIL	15 MIL	SIDE FOCUS 10yds - ∞	ARGON	14.2"	4.3"	6.3"	3.6"	2.5"	2.6"	1.71"	2.0"	
			APLR4 FFP MOA	MATTE	3.7"	17.8-4.6 ft	26.3 oz	0.25 MOA	25 MOA	85 MOA	50 MOA	SIDE FOCUS 10yds - ∞	ARGON	14.6"	4.5"	6.3"	3.8"	2.2"	2.6"	1.71"	2.25"	
6 - 24 x 50 FFP	*EXPOSED/CAPPED	30 mm	APRS2 FFP MIL																			APRS3 FFP MIL
MIDAS HMR																						
2.5-15 x 50 SFP	CAPPED	30mm	AHMR SFP IR MOA	MATTE	3.9"	41.8-6.8 ft	26 oz	0.25 MOA	15 MOA	60 MOA	60 MOA	SIDE FOCUS 10yds - ∞	ARGON	13.8"	4.8"	5.5"	3.5"	2"	2.4"	1.8"	2.3"	
			BDC 600A																			


POWER X OBJECTIVE LENS	TURRET STYLE	TUBE SIZE	AVAILABLE RETICLES	SURFACE FINISH	EYE RELIEF	FOV @100 YARDS	WEIGHT	CLICK VALUE	ADJ. RANGE PER ROTATION	TOTAL ELEV. ADJ.	TOTAL WINDAGE ADJ.	PARALLAX ADJ.	PURGING MATERIAL	DIMENSIONS								
														L1	L2	L3	L4	L5	L6	D1	D2	
MIDAS BTR GEN2																						
1 - 6 x 24 SFP	CAPPED	30 mm	ATSR16 SFP IR MOA	MATTE	3.8"	108-17.6 ft	18.1 oz	0.5 MOA	30 MOA	150 MOA	150 MOA	FIXED 100 yds	ARGON	10.6" / 7"	3.7"	2.3"	3.5"	1.7"	1.2"			
			ATSR4 SFP IR MOA																			
4.5 - 27 x 50 SFP	EXPOSED	30 mm	AHMR SFP IR MOA	MATTE	3.9"	22.7-3.6 ft	26 oz	0.25 MOA	25 MOA	85 MOA	85 MOA	SIDE FOCUS 30yds - ∞	ARGON	13.9"	4.9"	5.5"	3.5"	2"	2.4"	1.8"	2.3"	
			APRS4 SFP IR MIL					0.1 MIL	10 MIL	25 MIL	25 MIL											
HELOS BTR																						
1 - 4.5 x 24 SFP	EXPOSED	30 mm	ATSR3 SFP IR MOA	MATTE	3.6"	100-22 ft	22.9 oz	0.25 MOA	23 MOA	80 MOA	80 MOA	SIDE FOCUS 10yds - ∞	ARGON	9.5" / 6"	3.5"	1.9"	2.1"	1.6"	1.2"			
			APMR FFP IR MIL					0.1 MIL	6 MIL	18 MIL	18 MIL											
6 - 24 x 50 FFP	EXPOSED	30 mm	APLR2 FFP IR MOA	MATTE	3.3"	16.7-4.5 ft	29.7 oz	0.25 MOA	15 MOA	60 MOA	60 MOA	SIDE FOCUS 10yds - ∞	ARGON	14.0"	4.1"	6.2"	3.7"	2.0"	2.1"	1.8"	2.2"	
			APMR FFP IR MIL					0.1 MIL	6 MIL	18 MIL	18 MIL											
8 - 34 x 56 FFP	EXPOSED	30 mm	APLR2 FFP IR MOA	MATTE	3.3"	12.5-3 ft	32.3 oz	0.25 MOA	15 MOA	45 MOA	45 MOA	SIDE FOCUS 15yds - ∞	ARGON	15.5"	4.9"	6.9"	3.7"	2.0"	2.9"	1.8"	2.5"	
			APMR FFP IR MIL					0.1 MIL	6 MIL	13 MIL	13 MIL											
ARGOS BTR																						
1 - 4 x 24 FFP	EXPOSED	30 mm	AHSR14 FFP IR MOA	MATTE	3.5"	112-27 ft	20.5 oz	0.5 MOA	30 MOA	120 MOA	120 MOA	FIXED 100 yds	ARGON	9.8" / 6.2"	3.6"	2.3"	2.4"	1.8"	1.2"			
			AHSR14 FFP IR MIL					0.2 MIL	12 MIL	40 MIL	40 MIL											
6 - 24 x 50 FFP	EXPOSED	30 mm	ATMR FFP IR MOA	MATTE	3.3"	16.7-4.5 ft	29.6 oz	0.25 MOA	12 MOA	60 MOA	60 MOA	SIDE FOCUS 10yds - ∞	ARGON	14.1"	4.2"	6.2"	3.7"	2"	2.1"	1.8"	2.2"	
			APMR FFP IR MIL					0.1 MIL	5 MIL	18 MIL	18 MIL											
8 - 34 x 56 FFP	EXPOSED	30 mm	ATMR FFP IR MOA	MATTE	3.3"	12.5-3 ft	30.5 oz	0.25 MOA	12 MOA	45 MOA	45 MOA	SIDE FOCUS 15yds - ∞	ARGON	15.5"	4.9"	6.9"	3.7"	2"	2.9"	1.8"	2.5"	
			APMR FFP IR MIL					0.1 MIL	5 MIL	13 MIL	13 MIL											
10 - 40 x 56 SFP	EXPOSED	30 mm	BLR SFP MOA	MATTE	3"	12.6-3.1 ft	30.3 oz	0.125 MOA	6 MOA	45 MOA	45 MOA	SIDE FOCUS 15yds - ∞	ARGON	16.3"	6"	6.8"	3.5"	1.5"	3.3"	1.8"	2.5"	
TALOS BTR																						
1 - 4 x 24 SFP	EXPOSED	30 mm	AHSR14 SFP IR MIL	MATTE	6.26-3.5"	110-26 ft	18 oz	0.2 MIL	12 MIL	40 MIL	40 MIL	FIXED 100 yds	NITROGEN	9.2" / 5.6"	3.6"	1.9"	2.6"	1.8"	1.2"			
4 - 14 x 44 FFP	EXPOSED	30 mm	APLR2 FFP IR MIL	MATTE	3.23-3.15"	27.2-7.9 ft	23.6 oz	0.1 MIL	5 MIL	20 MIL	20 MIL	SIDE FOCUS 10 yds - ∞	NITROGEN	12.9"	3.9"	5.0"	4.0"	1.4"	2.0"	1.7"	1.8"	
TALOS																						
3 - 12 x 40 SFP	CAPPED	1"	BDC 600 IR	MATTE	3.82-3.35"	34.1 - 8.9 ft	16.2 oz	0.25 MOA	15 MOA	60 MOA	60 MOA	SIDE FOCUS 15yds - ∞	NITROGEN	12"	3.6"	4.8"	3.7"	1.9"	1.3"	1.8"	1.9"	
			CENTER X					0.1 MIL	5 MIL	20 MIL	20 MIL											
			MIL-DOT																			
4 - 16 x 40 SFP	CAPPED	1"	BDC 600	MATTE	3.8-3.35"	24.1 - 6.3 ft	19.1 oz	0.25 MOA	15 MOA	50 MOA	50 MOA	SIDE FOCUS 15yds - ∞	NITROGEN	12.9"	3.5"	5.8"	3.7"	1.9"	2.2"	1.8"	1.9"	
			MIL-DOT					0.1 MIL	5 MIL	20 MIL	20 MIL											
6 - 24 x 50 SFP	CAPPED	1"	BDC 600 IR	MATTE	3.03-3.11"	16.8 - 4.5 ft	23 oz	0.25 MOA	15 MOA	60 MOA	60 MOA	SIDE FOCUS 10yds - ∞	NITROGEN	13.9"	4"	6.2"	3.7"	1.9"	2.7"	1.8"	2.2"	
			ATMRT SFP IR MIL					0.1 MIL	5 MIL	18 MIL	18 MIL											
NEOS																						
3-9 x 40 SFP	CAPPED	1"	CENTER X	MATTE	2.99-3.07"	37.8-12.6 ft	17 oz	0.25 MOA	15 MOA	80 MOA	80 MOA	FIXED 100 yds	NITROGEN	12.4"	3.3"	5.6"	3.5"	2.3"	2.3"	1.6"	1.9"	
			BDC 500 IR																			
			BDC 22 RIMFIRE																			
4-12 x 40 SFP	CAPPED	1"	CENTER X	MATTE	3.11-3.15"	27.3-8.9 ft	18.1 oz	0.25 MOA	15 MOA	80 MOA	80 MOA	SIDE FOCUS 10 yds - ∞	NITROGEN	12.4"	3.3"	5.6"	3.5"	2.3"	2.3"	1.6"	1.9"	
			BDC 500 IR																			
			BDC 22 RIMFIRE																			
6-18 x 44 SFP	CAPPED	1"	CENTER X	MATTE	3.39-3.19"	17.5-5.9 ft	21.7 oz	0.25 MOA	15 MOA	80 MOA	80 MOA	SIDE FOCUS 10 yds - ∞	NITROGEN	13.5"	3.7"	6.3"	3.5"	2.3"	3"	1.6"	2"	
			BDC 500 IR																			





CRONUS BTR

ATSR2 SFP IR MOA




ATSR2 SFP IR MOA Designed around the .223/5.56mm using a 69 grain Sierra Match King and a 200 yard zero. The open center design allows shooters to engage 12-18" targets out to 600 yards by quickly bracketing the target. Subtension holds for 300, 400, 500, and 600 yards are calibrated to compensate for 0, 5, and 10 MPH winds. The 3-post cross hair design quickly draws the shooter's attention to the illuminated center dot. Perfect for 3-gun competitions or the hunter looking for short to midrange engagement when seconds matter.

A1	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	C5	C6
.5	1.5	4.5	5.5	7.6	.45	1.5	2.95	2.5	2.4	5.6	9.5	14.6	1.5
C7	C8	C9	C10	C11	C12	C13	C14	C15	C16	D1	D2	D3	
3	2.5	2.3	2	2.25	2	2.7	2.8	3.4	3.7	1.4	.6	.8	

CRONUS BTR

APLR FFP IR MOA




APLR FFP IR MOA reticle has a large illuminated center with 1 moa incremental hash marks and drop lines in 5 moa incremental on vertical direction down to 50 moa, which help you quickly lock in your target and set holdover positions. The illuminated portion has a 2 moa center cross and 40 moa cross lines (50 moa on lower vertical line). The drop lines have smaller dots with 1 moa in between and bigger dots at each 5 moa interval. The illuminated reticle provides excellent low light visibility and accurate elevation holdovers all the way up to 50 moa.

A1	A2	B1	B2	B3	B4	C1	C2	C3	C4	C5	C6	D1	D2
2	.14	1	.5	1.5	2	1	1	2	5	1	5	.2	.3

ARES ETR

APLR2 FFP IR MOA




APLR2 FFP IR MOA reticle has a large illuminated center with 1 moa hash mark increments and drop lines in 5 moa increments on vertical direction down to 40 moa, both of which help you quickly lock in your target and set holdover positions. The illuminated portion has a 2 moa span center cross with illuminated cross line extends to 40 moa on both vertical and horizontal direction. The unique design of having droplines going down to 40 moa with 5 moa between each drop line and 1 moa hash marks in between provide excellent holding over positions for long precision shooting.

A1	A2	A3	B1	B2	B3	B4	C1	C2	C3	C4	C5	D1	D2
.11	2	.3	2	1.5	.5	1	1	2	1	5	10	.2	.3

ARES BTR

APLR3 FFP IR MOA




APLR3 FFP IR MOA reticle has a large illuminated center with 1 moa hash mark increments and drop lines in 5 moa increment on vertical direction down to 40 moa, both of which help you quickly lock in your target and set holdover positions. The illuminated portion has a 2 moa span center cross with illuminated cross line extends to 40 moa on both vertical and horizontal direction. The unique design of having droplines going down to 40 moa with 5 moa between each drop line and 1 moa hash marks in between provide excellent holding over positions for long precision shooting.

A1	A2	A3	B1	B2	B3	B4	C1	C2	C3	C4	C5	D1	D2	CONFIGURATION
.24	2	.3	2	1.5	.5	1	1	2	1	5	10	.2	.3	2.5-15x50
.14	2	.3	2	1.5	.5	1	1	2	1	5	10	.2	.3	4.5-27x50

CRONUS BTR

APRS FFP IR MIL




APRS FFP IR MIL reticle is designed for precision rifle series competition and any other long range shooting applications with accurate ranging capability. It can help you quickly determine distance, holdover positions, windage correction and leads for a moving target. The unique design of fine .2 mil hash mark increments from center to 6 mils to both left and right helps the shooter set a quick windage holdover position after he or she dialed in elevation on their targets. The floating 0.4 mil span center cross draws a shooter's vision right on target enabling him or her to engage a target at a blink of an eye.

A1	A2	B1	B2	B3	C1	C2	C3	D1	D2
.03	.05	.18	.4	.15	.2	.5	1	.05	.1

CRONUS BTR

APRS1 FFP IR MIL




APRS1 FFP IR MIL reticle is designed for precision rifle series competition and any other long range shooting applications with accurate ranging capability. It can help you quickly determine distance, holdover positions, windage correction and leads for a moving target. The unique design of fine .2 mil hash mark increments from center to 6 mils to both left and right helps the shooter set a quick windage holdover position after he or she dialed in elevation on their targets. The floating 0.04 center dot draws a shooter's vision right on target enabling him or her to engage a target at a blink of an eye.

A1	A2	B1	B2	B3	B4	C1	C2	C3	D1	D2	D3
.025	.5	.1	.18	.4	.15	.2	.5	1	.05	.1	.04

ARES ETR

APRS1 FFP IR MIL




APRS1 FFP IR MIL reticle is designed for precision rifle series competition and any other long range shooting applications with accurate ranging capability. It can help you quickly determine distance, holdover positions, windage correction and leads for a moving target. The unique design of fine .2 mil hash mark increments from center to 6 mils to both left and right helps the shooter set a quick windage holdover position after he or she dialed in elevation on their targets. The floating 0.03 center dot draws a shooter's vision right on target enabling him or her to engage a target at a blink of an eye.

A1	A2	B1	B2	B3	B4	C1	C2	C3	D1	D2	D3
.03	.5	.1	.18	.4	.15	.2	.5	1	.05	.1	.03

ARES BTR

APLR3 FFP IR MIL



APLR3 FFP IR MIL reticle can help you quickly determine distance, holdover positions, windage correction and leads for a moving target. The unique design of fine .2 mil hash mark increments from center all the way to four directions helps the shooter set a precise holdover position for their targets within a blink of an eye. The illuminated fine reticle provides excellent low light visibility and windage holdovers on the bullet droplines all the way up to 10 mils with .2 mil marks increments in between.


A1	A2	B1	B2	B3	C1	C2	C3	C4	D1	D2	CONFIGURATION
.07	.5	.4	.2	.2	.2	.5	.2	1	.09	.14	2.5-15x50
.04	.5	.4	.2	.2	.2	.5	.2	1	.05	.1	4.5-27x50





MIDAS TAC

APLR4 FFP MOA




APLR4 FFP MOA reticle is a blend of precision marksman and long-range hunter. The open center design eliminates target obstruction by utilizing a .2 MOA diameter dot. 1 MOA hashmark increments provide fast holdovers up to 40 MOA, compensating for both windage and elevation.

A1	A2	A3	B1	B2	B3	B4	C1	C2	C3	C4	D1	D2
.12	.3	2	.6	1.5	2	.5	1	5	10	2	.2	.3

MIDAS TAC

APRS2 FFP MIL




APRS2 FFP IR MIL reticle is designed for precision rifle series competition and any other long range shooting applications with accurate ranging capability. It can help you quickly determine distance, holdover positions and windage corrections. The unique design of fine .2 mil hash mark increments from center to 6 mils to both left and right helps the shooter set a quick windage holdover position after he or she dialed in elevation on their targets. The floating 0.05 (0.06) center dot draws a shooter's vision right on target enabling him or her to engage a target at a blink of an eye.

A1	A2	B1	B2	B3	B4	C1	C2	C3	D1	CONFIGURATION
.04	.4	.1	.18	.4	.15	.2	.5	1	.06	4-16x44
.03	.4	.1	.18	.4	.15	.2	.5	1	.05	6-24x50

MIDAS HMR

BDC 600A




BDC 600A reticle can be used effectively with a variety of firearms giving your accurate ranges and reference marks which can be used to compensate for bullet drift in windy conditions or range distances. The user can sight in at 100 yards on any magnification setting, but for the ballistic reticle feature to function properly, the scope's magnification must be set to the correct power as follows: 2.5-15x50 (15x power)

A1	A2	B1	B2	B3	C1	C2	C3	C4	C5	C6	C7
.15	.6	.8	1	1.2	1.5	3.5	6.25	9.5	13.6	4	1

* Reticle subtension valid @ 15x; Subtensions are in MOA

MIDAS BTR GEN2

ATSR16 SFP IR MOA




ATSR16 SFP IR MOA reticle has a large illuminated center and 2 moa incremental hash marks, which help you quickly lock in your target and set holdover positions. The illuminated center with a 20 moa diameter circle in the middle has a 2 moa center cross and 2 moa incremental hash marks extended to 30 moa at each direction on both vertical and horizontal lines. The cross lines, middle circle, and center cross provide a unique three layer visual reference for a shooter to locate the target and set dead on the center cross within a blink of an eye.

A1	A2	B1	B2	B3	B4	C1	C2	C3	C4	D1	D2	E
.4	1.38	1	2	3	4	2	2	2	5	20	18.5	5

MIDAS TAC

APRS3 FFP MIL




APRS3 FFP MIL reticle is a dual use design. Allowing the shooter to accurately range and compensate windage and elevation holdovers should they prefer not to make turret elevation adjustments between shots. Quick windage or lead holdovers is possible due to the .2 Mil increment hash marks. This open-center reticle features a .05 Mil floating dot, quickly drawing the shooters attention to the center.

A1	A2	B1	B2	B3	B4	C1	C2	C3	C4	D1	D2	D3
.03	.4	.1	.18	.15	.4	.2	.5	1	.5	.05	.05	.1

MIDAS HMR

AHMR SFP IR MOA




AHMR SFP IR MOA reticle has an illuminated 20 moa center with a 2 moa center cross and 2 moa incremental hash marks which provide a unique two layer visual reference for a shooter to locate and get dead on the target within a blink of an eye. The illuminated reticle provides excellent low light visibility. The unique design of the markings with 2 & 4 moa and 6 & 8 moa locating at the opposite side of the lines gives you a clear reading of the markings with no confusions.

A1	A2	B1	B2	B3	B4	C1	C2	C3
.12	1.5	.5	1	.5	1.5	1	1	2

* Reticle subtension valid @ 15x

MIDAS BTR GEN2

ATSR4 SFP IR MOA




ATSR4 SFP IR MOA reticle is designed for quick target acquisition, speed, and precision shooting in short to mid-range environments. Ideal for CQC and 3-gun competition, this reticle is calibrated for a 68 grain Hornady and 69 grain Sierra cartridges, and suitable for any 5.56 Nato/.223 caliber rifle using a 200 yard zero. The 25 MOA horizontal and lower 1/3rd crosshairs quickly draw the shooters eye to the illuminated 19 MOA horse-shoe and 1.4 MOA center dot. With a 200 yard zero, the precise .5 MOA elevation holds compensate for 300, 400, 500, and 600 yards and 0, 5 and 10 MPH winds.

A1	A2	B1	B2	B3	B4	B5	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	D1	D2	D3	D4
.3	.8	1.5	1.06	1.3	1.7	25	1.07	2.25	2	2.7	2.8	3.4	3.7	2.4	5.6	9.5	14.6	3.47	6.9	11.2	3	1.4	16.5	19	.5

MIDAS BTR GEN2

AHMR SFP IR MOA



AHMR SFP IR MOA reticle has an illuminated 20 moa center with a 2 moa center cross and 2 moa incremental hash marks which provide a unique two layer visual reference for a shooter to locate and get dead on the target within a blink of an eye. The illuminated reticle provides excellent low light visibility. The unique design of the markings with 2 & 4 moa and 6 & 8 moa locating at the opposite side of the lines gives you a clear reading of the markings with no confusions.


A1	A2	B1	B2	B3	B4	C1	C2	C3
.12	1.5	.5	1	.5	1.5	1	1	2





MIDAS BTR GEN2

APRS4 SFP IR MIL




APRS4 SFP IR MIL reticle has an illuminated 2 MIL center cross with an open center. A fine .1 diameter floating dot reduces target obstruction, while the illuminated cross provides excellent low light visibility. .2 Mil incremental hash-marks out to 6 Mils for windage and elevation makes estimations easy.

A1	A2	B1	B2	B3	B4	C1	C2	C3	D1
.04	.4	.1	.18	.4	.15	.2	.5	1	.1

HELOS BTR

ATSR3 SFP IR MOA




ATSR3 SFP IR MOA is designed for High Power Service Rifle matches. A 12 MOA center circle outlines an 8 MOA floating cross with a precise .5 MOA center dot. The outer circle helps the shooter find the target quickly, while the .5 MOA floating dot allows for precise shot placement. Illuminated sub-tensions provide contrast between the reticle and target.

A1	A2	B1	B2	B3	B4	C1	C2	C3	D1	D2	D3
.45	1.5	2	6	1.5	3	4	60	2	.5	12	16

ARGOS BTR

AHSR14 FFP IR MOA




AHSR14 FFP IR MOA reticle has an illuminated 20 moa diameter circle with a 2 moa center cross and 2 moa incremental hash marks. The cross lines, middle circle, and center cross provide a unique three layer visual reference that draws shooters' vision right into the center. The illuminated portion of the reticle provides excellent low light visibility and accurate elevation holdovers all the way up to 30 moa with 2 moa marks incremental.

A1	A2	B1	B2	B3	B4	B5	C1	C2	C3	C4	C5	C6	D1	D2
.5	4	1.5	3	4	5	7	1	1	10	2	10	10	12	10

ARGOS BTR

ATMR FFP IR MOA




ATMR FFP IR MOA reticle has a large illuminated center and 2 moa incremental hash marks, which help you quickly lock in your target and set holdover positions. The illuminated portion has a 2 moa center cross with illuminated vertical cross line extends to 40 moa and all the way to 90 moa on black line with 10 moa incremental markings and the illuminated horizontal cross line extended to 30 moa at each direction. The illuminated reticle provides excellent low light visibility and accurate elevation holdovers all the way up to 40 moa with 2 moa markings incremental.

A1	A2	B1	B2	B3	B4	B5	C1	C2	C3	D1	D2	D3	D4
.14	2	1	1	2	2.5	4	1	1	2	2	4	10	10

HELOS BTR

APLR2 FFP IR MOA




APLR2 FFP IR MOA reticle has a large illuminated center with 1 moa hash mark increments and drop lines in 5 moa increment on vertical direction down to 40 moa, both of which help you quickly lock in your target and set holdover positions. The illuminated portion has a 2 moa span center cross with illuminated cross line extends to 40 moa on both vertical and horizontal direction. The unique design of having droplines going down to 40 moa with 5 moa between each drop line and 1 moa hash marks in between provide excellent holding over positions for long precision shooting.

A1	A2	A3	B1	B2	B3	B4	C1	C2	C3	C4	C5	D1	D2
.11	2	.3	2	1.5	.5	1	1	2	1	5	10	.2	.3

HELOS BTR

APMR FFP IR MIL




APMR FFP IR MIL reticle is designed to maximize your performance on long and mid-distance shooting with illuminated center cross and 0.5 mil hash mark, the APMR IR MIL reticle can help you quickly lock in your target and set holdover positions and leads for a moving target. The illuminated 18 mil span cross lines with 0.5 mil hash marks and 0.2 mil hash marks from 7 mil to 9 mil on three directions provide finer details that helps the shooter quickly locate the target and find a holdover position within higher level of precision and confidence.

A1	A2	A3	A4	B1	B2	B3	C1	D1	D2	D3	D4	D5
.02	.4	.05	.1	.2	.4	.3	2	.5	1	.2	1	.2

ARGOS BTR

AHSR14 FFP IR MIL




AHSR 14 FFP IR MIL reticle is designed to maximize your performance on short and mid-range shooting with an illuminated 16 mil diameter circle, 1 mil center cross, and cross lines with 1 mil hash mark incremental extended to 8 mils on both horizontal and vertical directions. The reticle at 1x becomes a red dot circle for short range target, while it offers enough details at 4x to help shooters quickly spot their target and set holdover positions.

A1	A2	B1	B2	B3	C1	C2	C3	C4	C5	C6	D1	D2
.13	1	.5	2	2	.5	.5	1	2	3	5	8	7

ARGOS BTR

APMR FFP IR MIL



APMR FFP IR MIL reticle is designed to maximize your performance on long and mid-distance shooting with illuminated center cross and 0.5 mil hash mark, the APMR IR MIL reticle can help you quickly lock in your target and set holdover positions and leads for a moving target. The illuminated 18 mil span cross lines with 0.5 mil hash marks and 0.2 mil hash marks from 7 mil to 9 mil on three directions provide finer details that helps the shooter quickly locate the target and find a holdover position within higher level of precision and confidence.


A1	A2	A3	A4	B1	B2	B3	C1	D1	D2	D3	D4	D5
.02	.4	.05	.1	.2	.4	.3	2	.5	1	.2	1	.2





ARGOS BTR

BLR SFP MOA




A1	A2	B1	B2	C1	C2	D1
.016	.1	.3	.5	.5	2	.09

* For BLR SFP reticle, subtension valid @ 40x

BLR SFP MOA reticle is designed to maximize your performance for both Bench Rest and F-Class shooting applications. Fine line thickness of the reticle (0.016 MOA) allows for pinpoint precision at extreme ranges, especially on smaller targets. A non-illuminated floating center dot (0.09 MOA thick) provides a precise aiming point. This reticle combined with the Argos BTR Rifle Scope provides the perfect solution.

TALOS BTR

AHSR14 SFP IR MIL




A1	A2	B1	B2	B3	B4	C1	C2	C3	C4	C5	C6
.13	1	.5	1	2	2	.5	.5	1	2	1	5

* Reticle subtension valid @4x

AHSR 14 SFP IR MIL reticle is designed to maximize your performance on short range shooting with illuminated 1 mil center cross and 1 mil hash marks increments extended to 8 mils on both horizontal and vertical directions and can help you quickly spot your target and set holdover positions and leads for a moving target. The illuminated 16 mil center with an 1 mil center cross (0.5 mil from center to the side) and 10 mil black lines enable a shooter to quickly locate the target and put it right on the center cross within a blink of an eye. The illuminated portion of the reticle provides excellent low light visibility.

TALOS

CENTER X




A1	A2	C1	C2	CONFIGURATION
.18	.7	4.5	9	3-12x40

* Reticle subtension valid @12x

Center X reticle is a perfect choice for shooters wishing to have a clear field of view with a more traditional crosshair. The Center X reticle allows shooters to quickly view their target while maintaining one distinct aiming point on their reticle. The heavy posts stand out nicely against cover and in twilight conditions, pointing boldly to the intersection.

TALOS

MIL DOT




A1	A2	C1	C2	C3	C4	D1
.05	.25	.75	1	1	5	.25

* Reticle subtension valid @10x

Mil Dot reticle is one of the most accurate, versatile means of estimating ranges using a manual optical device. The Mil Dot allows the user to do range estimations, holdover and wind drift compensation as well as for precise leads for moving targets.

TALOS BTR

APLR2 FFP IR MIL




A1	A2	A3	A4	A5	A6	B1	B2	B3	C1	C2	D1	D2	D3	D4	D5
.04	.025	.05	.1	.5	.025	.1	.2	.2	.2	.5	1	.2	1	.2	.2

APLR2 FFP IR MIL reticle is designed to maximize your performance on precision long and mid range shooting with accurate ranging capability. It will help you quickly determine distance, holdover positions, windage correction and leads for a moving target. The unique design of fine .2 mil hash mark, having .2 and .4 on one side of either horizontal or vertical line and .6 and .8 on another side, helps the shooter quickly locate a holdover position with .2 mil increments within a blink of an eye. The illuminated fine reticle provides excellent low light visibility and windage holdovers on the bullet droplines all the way up to 9 mils with .2 mil marks increments between.

TALOS

BDC 600 IR




A1	A2	B1	B2	B3	C1	C2	C3	C4	C5	C6	C7	C8	D1
.3	.8	.8	1	1.2	1.5	3.5	6.25	9.5	13.6	4	1	2	1

* Reticle subtension valid @12x, 16x and 18x

BDC 600 IR was designed to deliver a high level of precision at extended targets that can be used with today's most popular rifle cartridges.

TALOS

ATMR1 SFP IR MIL




A1	A2	B1	B2	B3	C1	C2	C3
.02	.5	.3	.6	.8	.25	.5	1

* Reticle subtension valid @12x, 16x and 18x

ATMR1 SFP IR MIL reticle is perfect for shooting at the range or competing in a competitions. The customized Mil hash mark design helps to eliminate any guesswork with holdover and windage adjustments. The illuminated reticle is great for low light situations when you need to count on a good, accurate shot.

NEOS

CENTER X




A1	A2	C1	C2	CONFIGURATION
.25	.9	6.5	13	3-9x40
.18	.7	4.5	9	4-12x40
.12	.5	3.2	6.5	6-18x44

* Reticle subtension valid @9x, 12x and 18x

Center X reticle is a perfect choice for shooters wishing to have a clear field of view with a more traditional crosshair. The Center X reticle allows shooters to quickly view their target while maintaining one distinct aiming point on their reticle. The heavy posts stand out nicely against cover and in twilight conditions, pointing boldly to the intersection.



NEOS BDC22 RIM FIRE




A1	A2	C1	C2	C3	C4	C5	D1
.25	.8	2.3	5.3	8.8	12.5	5	1

* Reticle subtension valid @9x, 12x and 18x

BDC22 Rim Fire reticle was designed specifically for rimfire. This reticle allows shooters to compensate for bullet drop at extended shooting distances. When using a .22 LR with a muzzle velocity of approximately 1,250 feet per second, this reticle is designed to be zeroed at 50 yards, providing bullet drop compensation for 75, 100, 125 and 150 yards.

NEOS BDC 500 IR



A1	A2	B1	B2	C1	C2	C3	C4	C5	C6	C7	D1
.3	.8	.8	1	1.5	3.5	6.25	9.5	13.6	1	2	1

* Reticle subtension valid @9x, 12x and 18x

BDC 500 IR was designed to deliver a high level of precision at extended targets that can be used with today's most popular rifle cartridges.

MIDAS BTR RED DOT SIGHT RETICLES


When you need fast, effective, accurate, simple and reliability, Athlon Optics Red Dot family of products is just what you need. The Red Dot offers a bright red light for easy vision in all lighting situations. When the stakes are at their highest, whatever your needs are, trust your shot with Athlon Optics.

ARD11	D1						
SUBTENSIONS IN MOA	3						
ARD12	A1	C1	C2	D1	D2	D3	RETICLE
SUBTENSIONS IN MOA	-	-	-	1.5	-	-	ARD12-1
SUBTENSIONS IN MOA	2	2	40	1.5	-	-	ARD12-2
SUBTENSIONS IN MOA	-	-	-	3	24	30	ARD12-3
SUBTENSIONS IN MOA	2	10	-	24	30	-	ARD12-4
ARD13	A1	C1	C2	D1	D2	D3	
SUBTENSIONS IN MOA	3	8	20	3	27	35	


MIDAS BTR PRISM SCOPE RETICLES

Designed specifically for fast target acquisition, Athlon Optics Prism Scopes are high performing, durable and reliable. Ideal for close to medium range shooting and rugged for any situation you may encounter.


APSR11	A1	C1	C2	D1	D2	D3						
SUBTENSIONS IN MOA	3	8	22	3	150	160						
APSR31	A1	A2	B1	B2	C1	C2	C3	C4	C5	D1	D2	D3
SUBTENSIONS IN MOA	.6	1.8	4	8	4.5	10	5	60	30	1	19	21
APSR41	A1	A2	B1	B2	B3	B4	C1	C2	C3	D1	D2	D3
SUBTENSIONS IN MOA	.45	1.5	2	6	1.5	3	4	30	60	.5	12	16




OS11 & ARD11



ARD12-1




ARD12-2




ARD13




ARD12-3




ARD12-4



APSR11 - RED




APSR31 - RED




APSR41 - RED



APSR11 - GREEN



APSR31 - GREEN



APSR41 - GREEN



ACCESSORIES

BINOCULAR HARNESS

The Athlon Optics Binocular Harness is the most functional, versatile binocular system in the market. It holds your binoculars tight to your chest, and is designed for quiet, one-handed use.

Whether carrying a rifle or bow in one hand, the harness can easily be opened with your free hand and use your binoculars for the moment that counts. With the multiple shoulder and neck adjustments, this allows the binocular harness to hold close to your chest and prevent sag and bounce when crawling or running. The harness allows for a full range of motion while the binoculars are in use



HARNESS FEATURES

Magnetic Fold Down Cover for quick, quiet and easy access. Water tight and dust proof

Side Hook and Stretch Cord for attaching the laser rangefinder and securing it to the harness

Front Strap Attachment for securing your laser rangefinder or other accessories while hiking

Adjustable Straps - Flex and Nonflex, help keep binoculars in place and from bouncing around

Side Pocket, Clip and Hook provide additional storage and quick access to game calls and other hunting accessories



Water Proof Material



Quiet Material



Quick and Easy Access



Fits Most Binocular Sizes



BINOCULAR TRIPOD ADAPTER

Mount a binocular to regular camera tripod, for added stability and convenience. Make a binocular stable on the tripod, for viewing with no tremble.

High quality aluminum: Solid and light weight 1/4" threading at the top compatible with most tripod-adaptable binoculars.



SCOPE SUNSHADE

Available for Cronus BTR, Cronus, Ares BTR, Midas BTR, Helos BTR, Argos BTR, and Talos BTR rifle scopes, black matte surface finish, and 4.5 inches long (sizes in 56, 50, 44mm).



I want to thank Athlon, their great team in the warranty department, and especially Drake who returned all my calls and kept me informed. I sent them a scope I had received from a vendor broken.

In less than 10 days I had a new scope in my hand. My hunt was dependent on getting a scope back, in a certain time, and Athlon went out of their way to make sure that happened. Not only is it a fantastic scope with a great warranty but their customer service is truly out of this world!

This experience makes it an easy choice for my next rifle, I am an Athlon Optics customer for life!

- Michael Stripling



Athlon Optics is awesome company that stands behind their product. I have to say after my rifle slid off the sandbags at the range and hit the concrete Athlon was great about getting me back up and running.

Lifetime warranty u can't beat it. I wish I had one on all my rifles.

- Lynn Atkinson

I purchased a set of Athlon Argos binoculars in 2017 from 5-H Designs. They were great! Only problem is my 10 year old Grandson dropped them about 8-10 feet on the eye cups, rendering both cups useless. This was no fault of Athlon but I thought I would check with them to get them fixed at my expense.

When I contacted them and talked to Drake he told me to send them in. I did and in about a week or so, I had a brand new pair at my house!! I can't say enough about Athlon and the way they stand behind their products. That was not a product failure, that was an accident that really shouldn't have been covered.

I am going to purchase a new rifle scope soon and it will be an Athlon! Thanks guys! Great products and Great warranty.

-Tim Kingcade

This summer while at the range getting ready for a PRS shoot my rifle tipped over while on the bipod. It hit hard on the windage turret. I called Athlon and was told to return it and it would be checked to make sure it was ok. 1 week after sending the scope in a new arrived at my door. This is service that was unexpected. I have since purchased another Athlon scope.

Thank you for the great customer service Athlon!!

- Shon Berry



ATHLON ENTHUSIASTS THANK YOU

FOR SUPPORTING OUR MISSION!

801 N Meadowbrook Dr,
Olathe, Kansas 66062

TOLL FREE: 1-855-913-5678

contact@athlonoptics.com

www.athlonoptics.com