

PRODUCT	MODEL	RETICLE	SKU#
HERAS SPR RIFLESCOPE	2-12x42 SFP	AAGR1 SFP MOA	214501

IDEAL APPLICATION



HUNTING

ALTERNATIVE APPLICATION



SHORT RANGE



LONG RANGE

TOP FEATURES

ADVANCED FULLY MULTI-COATED

Athlon advanced fully multi-coated glass gives you better light transmission with optimum brightness and true color across the entire light spectrum.

PRECISION ZERO STOP

Our precision zero stop system allows you to return to your initial zero position with a sharp and precise stop, right on your initial zero.

LOCKING TURRETS

Athlon Optic's locking turrets allow you to pull up on your turret to dial and push down on the turret to lock it in place to avoid inadvertent adjustments.

ALL FEATURES


- ADVANCED FULLY MULTI-COATED LENSES
- ARGON PURGED
- PRECISION ZERO STOP
- LOCKING TURRETS
- HIGH PRECISION ERECTOR SYSTEM
- AIRCRAFT GRADE ALUMINUM TUBE
- ETCHED GLASS RETICLE
- WATERPROOF
- FOG PROOF
- SHOCKPROOF
- ONE PIECE TUBE CONSTRUCTION

SPECS

Power	2-12X
Obj. Lens	42 mm
Tube Size	1"
Turrets	Exposed / Locking
Eye Relief	3.6"
FoV @100Y	55.7-9.6 ft
Click Value	0.25 MOA
Adjustment Per Rotation	25 MOA
Total Elevation Adjustment	70 MOA
Total Windage Adjustment	70 MOA
Parallax Adjustment	Side Focus 10yds-∞
Purging Material	Argon
Weight	23.5 oz

DIMENSIONS

L1	L2	L3	L4	L5	L6	D1	D2
11.8"	3.3"	5.3"	3.2"	2.25"	1.5"	1.7"	1.94"



**SHARP, TIGHT
AND PRICED
JUST RIGHT!**

PRODUCT	MODEL	RETICLE	SKU#
HERAS SPR RIFLESCOPE	2-12x42 SFP	AAGR1 SFP MIL	214502

IDEAL APPLICATION



HUNTING

ALTERNATIVE APPLICATION



SHORT RANGE



LONG RANGE

TOP FEATURES

ADVANCED FULLY MULTI-COATED

Athlon advanced fully multi-coated glass gives you better light transmission with optimum brightness and true color across the entire light spectrum.

PRECISION ZERO STOP

Our precision zero stop system allows you to return to your initial zero position with a sharp and precise stop, right on your initial zero.

LOCKING TURRETS

Athlon Optic's locking turrets allow you to pull up on your turret to dial and push down on the turret to lock it in place to avoid inadvertent adjustments.

ALL FEATURES


ADVANCED FULLY MULTI-COATED LENSES
 ARGON PURGED
 PRECISION ZERO STOP
 LOCKING TURRETS
 HIGH PRECISION ERECTOR SYSTEM
 AIRCRAFT GRADE ALUMINUM TUBE
 ETCHED GLASS RETICLE
 WATERPROOF
 FOG PROOF
 SHOCKPROOF
 ONE PIECE TUBE CONSTRUCTION

SPECS

Power	2-12X
Obj. Lens	42 mm
Tube Size	1"
Turrets	Exposed / Locking
Eye Relief	3.6"
FoV @100Y	55.7-9.6 ft
Click Value	0.1 MIL
Adjustment Per Rotation	10 MIL
Total Elevation Adjustment	21 MIL
Total Windage Adjustment	21 MIL
Parallax Adjustment	Side Focus 10yds-∞
Purging Material	Argon
Weight	23.5 oz

DIMENSIONS

L1	L2	L3	L4	L5	L6	D1	D2
11.8"	3.3"	5.3"	3.2"	2.25"	1.5"	1.7"	1.94"



**SHARP, TIGHT
AND PRICED
JUST RIGHT!**

PRODUCT	MODEL	RETICLE	SKU#
HERAS SPR RIFLESCOPE	4-20x50 SFP	AAGR2 SFP MOA	214505

IDEAL APPLICATION



ALTERNATIVE APPLICATION



TOP FEATURES

ADVANCED FULLY MULTI-COATED

Athlon advanced fully multi-coated glass gives you better light transmission with optimum brightness and true color across the entire light spectrum.

PRECISION ZERO STOP

Our precision zero stop system allows you to return to your initial zero position with a sharp and precise stop, right on your initial zero.

LOCKING TURRETS

Athlon Optic's locking turrets allow you to pull up on your turret to dial and push down on the turret to lock it in place to avoid inadvertent adjustments.

ALL FEATURES


- ADVANCED FULLY MULTI-COATED LENSES
- ARGON PURGED
- PRECISION ZERO STOP
- LOCKING TURRETS
- HIGH PRECISION ERECTOR SYSTEM
- AIRCRAFT GRADE ALUMINUM TUBE
- ETCHED GLASS RETICLE
- WATERPROOF
- FOG PROOF
- SHOCKPROOF
- ONE PIECE TUBE CONSTRUCTION

SPECS

Power	4-20X
Obj. Lens	50 mm
Tube Size	1"
Turrets	Exposed / Locking
Eye Relief	3.6"
FoV @100Y	27.9-5.6 ft
Click Value	0.25 MOA
Adjustment Per Rotation	25 MOA
Total Elevation Adjustment	70 MOA
Total Windage Adjustment	70 MOA
Parallax Adjustment	Side Focus 10yds-∞
Purging Material	Argon
Weight	25 oz

DIMENSIONS

L1	L2	L3	L4	L5	L6	D1	D2
13.3"	5.15"	4.95"	3.2"	1.75"	1.6"	1.7"	2.25"



**SHARP, TIGHT
AND PRICED
JUST RIGHT!**

PRODUCT	MODEL	RETICLE	SKU#
HERAS SPR RIFLESCOPE	4-20x50 SFP	AAGR2 SFP MIL	214506

IDEAL APPLICATION



ALTERNATIVE APPLICATION



TOP FEATURES

ADVANCED FULLY MULTI-COATED

Athlon advanced fully multi-coated glass gives you better light transmission with optimum brightness and true color across the entire light spectrum.

PRECISION ZERO STOP

Our precision zero stop system allows you to return to your initial zero position with a sharp and precise stop, right on your initial zero.

LOCKING TURRETS

Athlon Optic's locking turrets allow you to pull up on your turret to dial and push down on the turret to lock it in place to avoid inadvertent adjustments.

ALL FEATURES


- ADVANCED FULLY MULTI-COATED LENSES
- ARGON PURGED
- PRECISION ZERO STOP
- LOCKING TURRETS
- HIGH PRECISION ERECTOR SYSTEM
- AIRCRAFT GRADE ALUMINUM TUBE
- ETCHED GLASS RETICLE
- WATERPROOF
- FOG PROOF
- SHOCKPROOF
- ONE PIECE TUBE CONSTRUCTION

SPECS

Power	4-20X
Obj. Lens	50 mm
Tube Size	1"
Turrets	Exposed / Locking
Eye Relief	3.6"
FoV @100Y	27.9-5.6 ft
Click Value	0.1 MIL
Adjustment Per Rotation	10 MIL
Total Elevation Adjustment	21 MIL
Total Windage Adjustment	21 MIL
Parallax Adjustment	Side Focus 10yds-∞
Purging Material	Argon
Weight	25 oz

DIMENSIONS

L1	L2	L3	L4	L5	L6	D1	D2
13.3"	5.15"	4.95"	3.2"	1.75"	1.6"	1.7"	2.25"



**SHARP, TIGHT
AND PRICED
JUST RIGHT!**

PRODUCT	MODEL	RETICLE	SKU#
HERAS SPR RIFLESCOPE	6-24x56 SFP	APLR7 SFP IR MOA	214508

IDEAL APPLICATION



ALTERNATIVE APPLICATION



TOP FEATURES

ADVANCED FULLY MULTI-COATED

Athlon advanced fully multi-coated glass gives you better light transmission with optimum brightness and true color across the entire light spectrum.

PRECISION ZERO STOP

Our precision zero stop system allows you to return to your initial zero position with a sharp and precise stop, right on your initial zero.

LOCKING TURRETS

Athlon Optic's locking turrets allow you to pull up on your turret to dial and push down on the turret to lock it in place to avoid inadvertent adjustments.

ALL FEATURES


- ADVANCED FULLY MULTI-COATED LENSES
- ARGON PURGED
- PRECISION ZERO STOP
- LOCKING TURRETS
- HIGH PRECISION ERECTOR SYSTEM
- AIRCRAFT GRADE ALUMINUM TUBE
- ILLUMINATED RETICLE
- ETCHED GLASS RETICLE
- WATERPROOF
- FOG PROOF
- SHOCKPROOF
- ONE PIECE TUBE CONSTRUCTION

SPECS

Power	6-24X
Obj. Lens	56 mm
Tube Size	30 mm
Turrets	Exposed / Locking
Eye Relief	3.7"
FoV @100Y	19.9-5.12 ft
Click Value	0.25 MOA
Adjustment Per Rotation	25 MOA
Total Elevation Adjustment	70 MOA
Total Windage Adjustment	70 MOA
Parallax Adjustment	Side Focus 10yds-∞
Purging Material	Argon
Weight	32.3 oz

DIMENSIONS

L1	L2	L3	L4	L5	L6	D1	D2
14.4"	4.8"	6.0"	3.6"	2.5"	2.1"	1.8"	2.5"



**SHARP, TIGHT
AND PRICED
JUST RIGHT!**

PRODUCT	MODEL	RETICLE	SKU#
HERAS SPR RIFLESCOPE	6-24x56 SFP	APRS7 SFP IR MIL	214509

IDEAL APPLICATION



HUNTING

ALTERNATIVE APPLICATION



LONG RANGE

TOP FEATURES

ADVANCED FULLY MULTI-COATED

Athlon advanced fully multi-coated glass gives you better light transmission with optimum brightness and true color across the entire light spectrum.

PRECISION ZERO STOP

Our precision zero stop system allows you to return to your initial zero position with a sharp and precise stop, right on your initial zero.

LOCKING TURRETS

Athlon Optic's locking turrets allow you to pull up on your turret to dial and push down on the turret to lock it in place to avoid inadvertent adjustments.

ALL FEATURES


ADVANCED FULLY MULTI-COATED LENSES
 ARGON PURGED
 PRECISION ZERO STOP
 LOCKING TURRETS
 HIGH PRECISION ERECTOR SYSTEM
 AIRCRAFT GRADE ALUMINUM TUBE
 ILLUMINATED RETICLE
 ETCHED GLASS RETICLE
 WATERPROOF
 FOG PROOF
 SHOCKPROOF
 ONE PIECE TUBE CONSTRUCTION

SPECS

Power	6-24X
Obj. Lens	56 mm
Tube Size	30 mm
Turrets	Exposed / Locking
Eye Relief	3.7"
FoV @100Y	19.9-5.12 ft
Click Value	0.1 MIL
Adjustment Per Rotation	10 MIL
Total Elevation Adjustment	20 MIL
Total Windage Adjustment	20 MIL
Parallax Adjustment	Side Focus 10yds-∞
Purging Material	Argon
Weight	32.3 oz

DIMENSIONS

L1	L2	L3	L4	L5	L6	D1	D2
14.4"	4.8"	6.0"	3.6"	2.5"	2.1"	1.8"	2.5"



**SHARP, TIGHT
AND PRICED
JUST RIGHT!**

PRODUCT	MODEL	RETICLE	SKU#
HERAS SPR RIFLESCOPE	6-24x56 SFP	APRS8 SFP IR MIL	214510

IDEAL APPLICATION



ALTERNATIVE APPLICATION



TOP FEATURES

ADVANCED FULLY MULTI-COATED

Athlon advanced fully multi-coated glass gives you better light transmission with optimum brightness and true color across the entire light spectrum.

PRECISION ZERO STOP

Our precision zero stop system allows you to return to your initial zero position with a sharp and precise stop, right on your initial zero.

LOCKING TURRETS

Athlon Optic's locking turrets allow you to pull up on your turret to dial and push down on the turret to lock it in place to avoid inadvertent adjustments.

ALL FEATURES


- ADVANCED FULLY MULTI-COATED LENSES
- ARGON PURGED
- PRECISION ZERO STOP
- LOCKING TURRETS
- HIGH PRECISION ERECTOR SYSTEM
- AIRCRAFT GRADE ALUMINUM TUBE
- ILLUMINATED RETICLE
- ETCHED GLASS RETICLE
- WATERPROOF
- FOG PROOF
- SHOCKPROOF
- ONE PIECE TUBE CONSTRUCTION

SPECS

Power	6-24X
Obj. Lens	56 mm
Tube Size	30 mm
Turrets	Exposed / Locking
Eye Relief	3.7"
FoV @100Y	19.9-5.12 ft
Click Value	0.1 MIL
Adjustment Per Rotation	10 MIL
Total Elevation Adjustment	20 MIL
Total Windage Adjustment	20 MIL
Parallax Adjustment	Side Focus 10yds-∞
Purging Material	Argon
Weight	32.3 oz

DIMENSIONS

L1	L2	L3	L4	L5	L6	D1	D2
14.4"	4.8"	6.0"	3.6"	2.5"	2.1"	1.8"	2.5"



**SHARP, TIGHT
AND PRICED
JUST RIGHT!**

PRODUCT	MODEL	RETICLE	SKU#
HERAS SPR RIFLESCOPE	6-24x56 SFP	APRS8 SFP IR MIL	214510

IDEAL APPLICATION



HUNTING

ALTERNATIVE APPLICATION



LONG RANGE

TOP FEATURES

ADVANCED FULLY MULTI-COATED

Athlon advanced fully multi-coated glass gives you better light transmission with optimum brightness and true color across the entire light spectrum.

PRECISION ZERO STOP

Our precision zero stop system allows you to return to your initial zero position with a sharp and precise stop, right on your initial zero.

LOCKING TURRETS

Athlon Optic's locking turrets allow you to pull up on your turret to dial and push down on the turret to lock it in place to avoid inadvertent adjustments.

ALL FEATURES


- ADVANCED FULLY MULTI-COATED LENSES
- ARGON PURGED
- PRECISION ZERO STOP
- LOCKING TURRETS
- HIGH PRECISION ERECTOR SYSTEM
- AIRCRAFT GRADE ALUMINUM TUBE
- ILLUMINATED RETICLE
- ETCHED GLASS RETICLE
- WATERPROOF
- FOG PROOF
- SHOCKPROOF
- ONE PIECE TUBE CONSTRUCTION

SPECS

Power	6-24X
Obj. Lens	56 mm
Tube Size	30 mm
Turrets	Exposed / Locking
Eye Relief	3.7"
FoV @100Y	19.9-5.12 ft
Click Value	0.1 MIL
Adjustment Per Rotation	10 MIL
Total Elevation Adjustment	20 MIL
Total Windage Adjustment	20 MIL
Parallax Adjustment	Side Focus 10yds-∞
Purging Material	Argon
Weight	32.3 oz

DIMENSIONS

L1	L2	L3	L4	L5	L6	D1	D2
14.4"	4.8"	6.0"	3.6"	2.5"	2.1"	1.8"	2.5"



**SHARP, TIGHT
AND PRICED
JUST RIGHT!**

PRODUCT	MODEL	RETICLE	SKU#
HERAS SPR RIFLESCOPE	6-24x56 FFP	APLR9 FFP IR MOA	214512

IDEAL APPLICATION



ALTERNATIVE APPLICATION



TOP FEATURES

ADVANCED FULLY MULTI-COATED

Athlon advanced fully multi-coated glass gives you better light transmission with optimum brightness and true color across the entire light spectrum.

PRECISION ZERO STOP

Our precision zero stop system allows you to return to your initial zero position with a sharp and precise stop, right on your initial zero.

LOCKING TURRETS

Athlon Optic's locking turrets allow you to pull up on your turret to dial and push down on the turret to lock it in place to avoid inadvertent adjustments.

ALL FEATURES


- ADVANCED FULLY MULTI-COATED LENSES
- ARGON PURGED
- PRECISION ZERO STOP
- LOCKING TURRETS
- HIGH PRECISION ERECTOR SYSTEM
- AIRCRAFT GRADE ALUMINUM TUBE
- ILLUMINATED RETICLE
- ETCHED GLASS RETICLE
- WATERPROOF
- FOG PROOF
- SHOCKPROOF
- ONE PIECE TUBE CONSTRUCTION

SPECS

Power	6-24X
Obj. Lens	56 mm
Tube Size	30 mm
Turrets	Exposed / Locking
Eye Relief	3.7"
FoV @100Y	19.9-5.12 ft
Click Value	0.25 MOA
Adjustment Per Rotation	25 MOA
Total Elevation Adjustment	70 MOA
Total Windage Adjustment	70 MOA
Parallax Adjustment	Side Focus 10yds-∞
Purging Material	Argon
Weight	32.3 oz

DIMENSIONS

L1	L2	L3	L4	L5	L6	D1	D2
14.4"	4.8"	6.0"	3.6"	2.5"	2.1"	1.8"	2.5"



**SHARP, TIGHT
AND PRICED
JUST RIGHT!**

PRODUCT	MODEL	RETICLE	SKU#
HERAS SPR RIFLESCOPE	6-24x56 SFP	APRS9 FFP IR MIL	214513

IDEAL APPLICATION



ALTERNATIVE APPLICATION



TOP FEATURES

ADVANCED FULLY MULTI-COATED

Athlon advanced fully multi-coated glass gives you better light transmission with optimum brightness and true color across the entire light spectrum.

PRECISION ZERO STOP

Our precision zero stop system allows you to return to your initial zero position with a sharp and precise stop, right on your initial zero.

LOCKING TURRETS

Athlon Optic's locking turrets allow you to pull up on your turret to dial and push down on the turret to lock it in place to avoid inadvertent adjustments.

ALL FEATURES


- ADVANCED FULLY MULTI-COATED LENSES
- ARGON PURGED
- PRECISION ZERO STOP
- LOCKING TURRETS
- HIGH PRECISION ERECTOR SYSTEM
- AIRCRAFT GRADE ALUMINUM TUBE
- ILLUMINATED RETICLE
- ETCHED GLASS RETICLE
- WATERPROOF
- FOG PROOF
- SHOCKPROOF
- ONE PIECE TUBE CONSTRUCTION

SPECS

Power	6-24X
Obj. Lens	56 mm
Tube Size	30 mm
Turrets	Exposed / Locking
Eye Relief	3.7"
FoV @100Y	19.9-5.12 ft
Click Value	0.1 MIL
Adjustment Per Rotation	10 MIL
Total Elevation Adjustment	20 MIL
Total Windage Adjustment	20 MIL
Parallax Adjustment	Side Focus 10yds-∞
Purging Material	Argon
Weight	32.3 oz

DIMENSIONS

L1	L2	L3	L4	L5	L6	D1	D2
14.4"	4.8"	6.0"	3.6"	2.5"	2.1"	1.8"	2.5"



**SHARP, TIGHT
AND PRICED
JUST RIGHT!**